

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: | |
|------------|--------|--|
| Effective | Date: | |
| District # | | |
| SGA? | Yes No | |

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| month day year | Spot Description: |
|---|--|
| | Sec Twp S. R |
| PERATOR: License# | feet from N / S Line of Section |
| ame: | |
| ddress 1: | |
| ddress 2: | |
| ty: State: Zip: + | County: |
| ontact Person:hone: | Lease Name: Well #: |
| none. | Field Name: |
| ONTRACTOR: License# | Is this a Prorated / Spaced Field? Yes No |
| lame: | Target Formation(s): |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation:feet MS |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ;# of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| If OW/WO: ald wall information as follows: | Surface Pipe by Alternate: III |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: |
| Operator: | |
| Well Name: | Projected Total Depth: |
| Original Completion Date: Original Total Depth: | |
| Directional, Deviated or Horizontal wellbore? | Water Source for Drilling Operations: |
| f Yes, true vertical depth: | |
| Bottom Hole Location: | DWK Pellill #. |
| KCC DKT #: | (Note: Apply for Fernit With DVIV. |
| | viii Cores de takerr? |
| | If Yes, proposed zone: |
| | AFFIDAVIT |
| The undersigned hereby affirms that the drilling, completion and eventua | l plugging of this well will comply with K.S.A. 55 et. seq. |
| t is agreed that the following minimum requirements will be met: | |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; | |
| 2. A copy of the approved notice of intent to drill shall be posted on e | each drilling rig; |
| 2. A copy of the approved house of intent to drill shall be posted on the | and the effect of the contract to the feet for the second configuration of the second for the second contract to the contract to the second contract to the seco |
| 3. The minimum amount of surface pipe as specified below shall be | |
| The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into | the underlying formation. |
| 3. The minimum amount of surface pipe as specified below <i>shall be</i> through all unconsolidated materials plus a minimum of 20 feet into4. If the well is dry hole, an agreement between the operator and the | o the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p | the underlying formation. district office on plug length and placement is necessary <i>prior to plugging</i> ; lugged or production casing is cemented in; |
| The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into If the well is dry hole, an agreement between the operator and the The appropriate district office will be notified before well is either p If an ALTERNATE II COMPLETION, production pipe shall be ceme | to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. |
| The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface | the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; |
| The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface | the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface | to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the well is dry hole, an agreement between the operator and the the surface district office will be notified before well is either performed. If an ALTERNATE II COMPLETION, production pipe shall be compounded or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. | to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within <i>120 DAYS</i> of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface | to the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing Il be plugged. In all cases, NOTIFY district office prior to any cementing. |
| The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface of the surface | the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the the street of the well is district office will be notified before well is either point of the street of the well shall be completed within 30 days of the spud date or the well shall be the street of the stre | the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the the street of the well is district office will be notified before well is either point of the specific of the well shall be completed within 30 days of the spud date or the well shall be completed before well is either point of the specific | the underlying formation. district office on plug length and placement is necessary <i>prior to plugging;</i> lugged or production casing is cemented in; ented from below any usable water to surface within 120 DAYS of spud date. r #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Description** **Des | content of the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the through all unconsolidated materials plus a minimum of 20 feet into the street of the well is dry hole, an agreement between the operator and the the street of the well is district office will be notified before well is either point of the specific of the well shall be completed within 30 days of the spud date or the well shall be completed before well is either point of the specific | content of the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **Description** **Des | content of the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into the surface plus and the surface plus and the surface properties of the surface will be notified before well is either public to the surface pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be cement of the surface pipe required feet per ALT. In the surface pipe required feet per ALT. | content to the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| 3. The minimum amount of surface pipe as specified below shall be through all unconsolidated materials plus a minimum of 20 feet into 4. If the well is dry hole, an agreement between the operator and the 5. The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. **The appropriate district office will be notified before well is either p 6. If an ALTERNATE II COMPLETION, production pipe shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be ceme or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be | content of the underlying formation. district office on plug length and placement is necessary prior to plugging; lugged or production casing is cemented in; lented from below any usable water to surface within 120 DAYS of spud date. In #133,891-C, which applies to the KCC District 3 area, alternate II cementing II be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; |

_ Agent: .



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:_ | | | | | | | _ Lo | cation of W | Vell: County: |
|--------------------|-----|-----------------------|-------------|----------|----------------------|----------------------------|------------------|-------------------------|--|
| Lease: | | | | | | | | | feet from N / S Line of Section |
| Well Numb | er: | | | | | | _ | | feet from E / W Line of Section |
| Field: | | | | | | | _ Se | ec | Twp S. R |
| Number of QTR/QTR/ | | | | | | | 15 | Section: | Regular or Irregular |
| | | | | | | | | Section is ection corne | Irregular, locate well from nearest corner boundary. er used: NE NW SE SW |
| | | | | | d electrica You m | l lines, as | required b | | dary line. Show the predicted locations of sas Surface Owner Notice Act (House Bill 2032). ired. |
| 2145 ft | | | : : : | | | | | | LEGEND |
| _,,, | | | | <u>V</u> | | | | | O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location |
| | | : : : : : | | 2 | 2 | : : : : : : | : | : : : | EXAMPLE |
| | | : | | : | ••••• | : | : : : : | : | |
| | | | • | : | •••• | · | · | : | 1980' FSL |
| | | : : | : | : | | : : | : | : | |
| | | : | | : | | : | : | : | SEWARD CO. 3390' FEL |

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | License Number: | | |
|--|---|------------------------------------|--|--|
| Operator Address: | | | | |
| Contact Person: | | Phone Number: | | |
| Lease Name & Well No.: | | Pit Location (QQQQ): | | |
| Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A | Pit is: Proposed If Existing, date col Pit capacity: urea? Yes | Existing nstructed: (bbls) | SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l reference from reference from mg/l mg/l reference from reference from mg/l reference from | |
| Is the bottom below ground level? Yes No | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? | |
| Pit dimensions (all but working pits): | Length (fee | | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | | | dures for periodic maintenance and determining acluding any special monitoring. | |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallo Source of infor | west fresh water feet. mation: | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | |
| Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s | | Type of materia | over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure: | |
| flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically | | | | |
| | KCC | OFFICE USE O | NLY Liner Steel Pit RFAC RFAS | |
| Date Received: Permit Num | ber: | Permi | t Date: Lease Inspection: Yes No | |



1202302

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

| OPERATOR: License # | Well Location: | | | | |
|---|---|--|--|--|--|
| Name: | Sec Twp S. R | | | | |
| Address 1: | County: | | | | |
| Address 2: | Lease Name: Well #: | | | | |
| City: | If filing a Form T-1 for multiple wells on a lease, enter the legal description or | | | | |
| Contact Person: | the lease below: | | | | |
| Phone: () Fax: () | | | | | |
| Email Address: | | | | | |
| Surface Owner Information: | | | | | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional | | | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | | | | |
| Address 2: | county, and in the real estate property tax records of the county treasurer. | | | | |
| City: | | | | | |
| are preliminary non-binding estimates. The locations may be entered of | k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | | | |
| Select one of the following: | | | | | |
| owner(s) of the land upon which the subject well is or will be le | Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. | | | | |
| | cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this | | | | |
| task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the I | | | | | |
| that I am being charged a \$30.00 handling fee, payable to the I | CCC, which is enclosed with this form. fee with this form. If the fee is not received with this form, the KSONA-1 | | | | |



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

May 01, 2014

Jorge Ranz SCZ Resources, LLC 8614 CEDARSPUR DR HOUSTON, TX 77055

Re: Drilling Pit Application CANNON C-22 NW/4 Sec.22-26S-18E Allen County, Kansas

Dear Jorge Ranz:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.