

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1198600

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15 -
Name:	Spot Description:
Address 1:	SecTwpS. R 🔲 East 🗌 West
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:
☐ Oil         ☐ WSW         ☐ SIOW           ☐ Gas         ☐ D&A         ☐ ENHR         ☐ SIGW           ☐ OG         ☐ GSW         ☐ Temp. Abd.           ☐ CM (Coal Bed Methane)         ☐ Cathodic         ☐ Other (Core, Expl., etc.):           ☐ If Workover/Re-entry: Old Well Info as follows:         Operator:           ☐ Well Name:         ☐ Well Name:	Producing Formation:  Elevation: Ground: Kelly Bushing: Feet Multiple Stage Cementing Collar Used? Yes No  If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening     □ Re-perf.     □ Conv. to ENHR     □ Conv. to SWD       □ Plug Back     □ Conv. to GSW     □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:  Dual Completion Permit #:  SWD Permit #:	Chloride content:ppm Fluid volume:bbls  Dewatering method used:  Location of fluid disposal if hauled offsite:
☐ ENHR         Permit #:           ☐ GSW         Permit #:	Operator Name:            Lease Name:    License #:
Spud Date or Date Reached TD Completion Date or Recompletion Date	QuarterSec.         TwpS. REastWest           County:Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II III Approved by: Date:				

Page Two



Operator Name:			Lease Name: _			Well #:		
Sec Twp	S. R	East West	County:					
open and closed, flow and flow rates if gas t	ving and shut-in presson to surface test, along w	formations penetrated. I ures, whether shut-in pro vith final chart(s). Attach	essure reached stati n extra sheet if more	c level, hydrosta space is neede	itic pressures, bott d.	tom hole tempe	erature, fluid r	recovery,
		otain Geophysical Data a or newer AND an image		egs must be ema	ailed to kcc-well-lo	gs@kcc.ks.gov	v. Digital elec	tronic log
Drill Stem Tests Taken (Attach Additional	•	Yes No		_	on (Top), Depth ar		Samp	
Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	e		Тор	Datur	m
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No						
List All E. Logs Run:								
		CASING	RECORD Ne	ew Used				
		Report all strings set-	conductor, surface, inte	ermediate, product	ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv	
		ADDITIONAL	OFMENTING / OOL					
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD		araant Additiraa		
Perforate	Top Bottom	Type of Cement	# Sacks Used		Type and F	ercent Additives		
Protect Casing Plug Back TD								
Plug Off Zone								
Did you perform a hydra	ulic fracturing treatment o	on this well?		Yes	No (If No, ski	p questions 2 ar	nd 3)	
	=	raulic fracturing treatment ex	xceed 350,000 gallons		= ' '	p question 3)	,	
Was the hydraulic fractu	ring treatment information	n submitted to the chemical	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per			cture, Shot, Cement			Depth
	Сроспу Г	octago of Laon morvari of	ioratou	(>1	mount and rand or ma	teriar Good)		<u> Борит</u>
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or EN							
Fotimeted Day 1 2	0" -	Flowing			Other (Explain)	) O" D "		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	bls. G	Gas-Oil Ratio	Gr 	ravity
DISPOSITI	ON OF GAS:	1	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:	
Vented Sold		Open Hole	Perf. Dually	Comp. Con	mmingled			
	bmit ACO-18.)	Other (Specify)	(Submit )	ACO-5) (Sub	omit ACO-4)		-	

Form	ACO1 - Well Completion
Operator	Kansas Energy Company, L.L.C.
Well Name	Lowe 15-3
Doc ID	1198600

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	20	59	portland	20	none
Production	6.75	4.50	9.5	1009	oil well cement	110	phenoseal , kol seal

AUTHORIZATION

## CEMENT FIELD TICKET AND TREATMENT REPORT

	1				
ustomer	JBD	State, County	Chautauqua , Kansas	Cement Type	CLASS A
ob Type	Long Ştring	Section	15	Excess (%)	30
ustomer Acct #	429	TWP	34	Density	14
ell No.	Lowe #15-3	RGE	12	Water Required	7.9
ailing Address		Formation		Yeild	1.74
ty & State		Tubing		Sacks of Cement	110
Code		Drill Pipe		Slurry Volume	34 bbl
ontact		Casing Size	4 1/2"	Displacement	16
nail		Hole Size	6 3/4"	Displacement PSI	500
ell		Casing Depth	1008'	MIX PSI	200
spatch Location	BARTLESVILLE	Hole Depth	1000	Rate	4 bpm
ode	Cement Pump Charges and Mileage	Quantity	Unit.		4 Opin
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	Price per Unit \$1,085.00	\$ 1,085.00
5402	FOOTAGE	1008	PER FOOT	\$0.23	\$ 231.84
5406	EQUIPMENT MILEAGE (ONE-WAY)	40	PER MILE	\$4.20	
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER MILE PER LOAD	\$368.00	\$ 168.00 \$ 368.00
5621	4 1/2 INCH PLUG CONTAINER	1	PER LOAD PER UNIT	\$215.00	\$ 215.00
0	4 1/2 INCH FEOG CONTAINER	<del>                                     </del>	O PER CIVIT	\$0.00	
0					
		<u> </u>	0	\$0.00	\$ -
0			0	\$0.00	\$ -
0	L		0	\$0.00	\$ -
	,			EQUIPMENT TOTAL	\$ 2,067.84
	Cement, Chemicals and Water	2.72			
	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL.CLORIDE 2% GE		0	\$19.75	\$ 2,172.50
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.22	\$ 44.00
1107A	PHENOSEAL	40	0	\$1.35	\$ 54.00
1110A	KOL SEAL (50 # SK)	650	0	\$0.46	\$ 299.00
1111	GRANULATED SALT (50#) SELL BY #	700	0	\$0.39	\$ 273.00
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
				Chemical Total	\$ 2,842.50
, KW	Cement Water Transports		1		
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
		L		Transports Total	
,,*	Cement Floating Equipment (TAXABLE)	-	1 - 5		
and the second	Cament Basket	The same		7	<b>1</b>
0			1 0	\$0.00	\$ -
V, ·	Centralizer	1	Y	ψ0.00	
0	Se, mucuscoi	1272	0	\$0.00	\$ -
0			0	\$0.00	\$ -
	Float Shoe			Ψ0.00	· ·
0 1	1 loat once		0	\$0.00	\$ -
	Float Collars and			₩0.00	
0	Floor College St. V		0	\$0.00	\$ -
	Guide Shoes		25	Ψ0.00	-
0	Outub Otrubg		0	\$0.00	\$ -
*****	Baffle and Flapper Plates		0		•
0	sens en rapper rates		0	\$0.00	\$ -
	Packer Shoes	<del></del>		φ0.00	•
0			0	\$0.00	\$ - 1
	DV Tools	<i>j</i>	<u> </u>	Ψ0.00	The same of the sa
0	V 1000		0	\$0.00	\$ -
	Ball Valves, Swedges, Clamps, Misc.		<u> </u>	ψ0.00	F 3.
0	Duil Furtes, Owouges, Glarips, Wilse.	. 4	0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
	Divers and Pail Coolem		<u> </u>	Φυ.υυ	-
	riugs and ball Sealers		DED UNIT	647.05	\$ 47.25
4404	4' 1/2" RUBBER PLUG	1	PER UNIT	\$47.25	20.11
	Downhole Tools			60.00	
0			0	\$0.00	\$ - \$ 47.25
	DRIVER NAME		CEMENT FLOATING E	SUB TOTAL	\$ 47.25 \$ 4,957.59
577	Kirk Sanders		8.15%	SALES TAX	\$ 4,957.59
398	Bryan Scullawl			TOTAL	\$ 5.193.1
551	Scott Cox		5%	(-DISCOUNT)	\$ 247.88
			DISC	OUNTED TOTAL	\$ 4,9,33.45
	1.11		5.00	- 5	7 770001

### CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	JBD	State, County	Chautauqua , Kansas	Cement Type	CLASS A
Job Type	Long String	Section	15	Excess (%)	30
Customer Acct #	0	TWP	34	Density	14
Well No.	Lowe #15-3	RGE	12	Water Required	7.9
Mailing Address	0	Formation	0	Yeild	1.74
City & State	0	Tubing	0	Sacks of Cement	110
Zip Code	0	Drill Pipe	0	Slurry Volume	34 bbl
Contact	0	Casing Size	4 1/2"	Displacement	16
Email	0	Hole Size	6 3/4"	Displacement PSI	500
Cell	0	Casing Depth	1008'	MIX PSI	200
Dispatch Location	BARTLESVILLE	Hole Depth	0	Rate	4 bpm
Time:	Description	Rate (bpm)	Volume (bbl)	Pressure	Notes
	Amount of Cement Left in Casing				
D 1/10	Manage Ma	Remarks:			
kan gei / LC	M to establish circ., ran 110sx of OWC mix w/ 6# kol				piaced to set.
	Landed plug @ 1000#, plug i	neia. Circulated cement to si	urface, shut down and washed	i up.	