

Confidentiality Requested:

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1198766

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WFII	HISTORY	- DESCRIP	TION OF	WFII &	IFASE

OPERATOR: License #			API No. 15
Name:			Spot Description:
Address 1:			
Address 2:			Feet from North / South Line of Sectio
City: Sta	ate: Zi	p:+	Feet from East / West Line of Section
Contact Person:			Footages Calculated from Nearest Outside Section Corner:
Phone: ()			
CONTRACTOR: License #			GPS Location: Lat:, Long:
Name:			(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27 NAD83 WGS84
Purchaser:			County:
Designate Type of Completion:			Lease Name: Well #:
New Well	Entry	Workover	Field Name:
	SWD		Producing Formation:
		SIGW	Elevation: Ground: Kelly Bushing:
	GSW	Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)			Amount of Surface Pipe Set and Cemented at: Fee
Cathodic Other (Core	, Expl., etc.):		Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info			If yes, show depth set: Fee
Operator:			If Alternate II completion, cement circulated from:
Well Name:			feet depth to:w/sx cm
Original Comp. Date:	Original To	otal Depth:	
Deepening Re-perf.	Conv. to E	NHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back	Conv. to G	SW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled	Pormit #:		Chloride content: ppm Fluid volume: bbl
Dual Completion			Dewatering method used:
			Location of fluid disposal if hauled offsite:
GSW	Permit #:		Operator Name:
			Lease Name: License #:
Spud Date or Date Rea	ched TD	Completion Date or	Quarter Sec Twp S. R East Wes
Recompletion Date		Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1198766
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INCTRINCTIONS. Charge important tang of formations parastrated	Antoil all agree Bapart all final	conice of drill stome tests giving interval tested, time test

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Name	9		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD New		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth	Tupo of Comont	# Sooka Llood		Type and [Paraant Additivaa	

Purpose: Perforate	Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes	
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000	gallons? Yes	
Was the hydraulic fracturing treatment information submitted to the chemical disclosure regi	stry? Yes	

	Yes	No	(If No, skip questions 2 and 3)
ns?	Yes	No	(If No, skip question 3)
	Yes	No	(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify Fo		RD - Bridge F Each Interval		be			ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Si	ze:	Set At		Packe	r At:	Liner R		No	
Date of First, Resumed	Product	ion, SWD or ENH	٦.	Producing I		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF (GAS:			_				PRODUCTION INTER	RVAL:
Vented Solo	1 🗌	Used on Lease		Open Hole	Perf.	Uually (Submit)		Commingled (Submit ACO-4)		
(If vented, Su	bmit ACC	D-18.)		Other (Specify)	(2001111)				

Form	ACO1 - Well Completion
Operator	R. D. Energy, Inc.
Well Name	Thomas 6
Doc ID	1198766

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	20	42	portland	8	none
Production	6.75	4.50	9.5	1097	oil well cement	115	phenoseal , kol seal

	# 242309 CEME	W	AND TREATMENT REPORT			
omer	JBD	State, County	Chautaugua , Kansas	Cement Type	т	CLASS A
уре		Section	19	Excess (%)	+	30
omer Acct #	9291	TWP	34	Density		14
No.	THOMAS #6	RGE	12	Water Required		7.8
ng Address		Formation Tubing	4.5	Yeild		1.74
k State ode act		Drill Pipe	4.5	Sacks of Cement Slurry Volume		115 36
ect		Casing Size	4 1/2INCH, J-55 (10.5 LBS)	Displacement		17.5
1		Hole Size	6.75"	Displacement PSI		650
		Casing Depth	1098	MIX PSI	+	300
tch Location	BARTLESVILLE	Hole Depth	1113	Rate		4.5
tch Location	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	1	10
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,085.00	\$	1,085.00
5402	FOOTAGE	1098	PER FOOT	\$0.23	\$	252.54
5406	EQUIPMENT MILEAGE (ONE-WAY)	35	PER MILE	\$4.20	\$	147.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$368.00	5	368.00
0			0	\$0.00	\$	
0			0	\$0.00	5	
0			0	\$0.00	\$	
0			0	\$0.00	s	
				QUIPMENT TOTAL		1,852.54
	Coment, Chemicals and Water					
1126	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL.CLORIDE 2% GE	115	0	\$19.75	\$	2,271.25
1118B	PREMIUM GEL/BENTONITE (50#)	150	0	\$0.22	\$	33.00
1107A	PHENOSEAL	40	0	\$1.35	\$	54.00
1110A	KOL SEAL (50 # SK)	700	0	\$0.46	\$	322.00
1111	GRANULATED SALT (50#) SELL BY #	750	0	\$0.39	5	292.50
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			0	\$0.00	\$	
1123	CITY WATER (PER 1000 GAL)	5460	Per 1000 Gal	\$17.30	\$	94.46
				Chemical Total	\$	3,067.21
040	Cement Water Transports		TED TRANSPORT (OFME	#420.00		420.00
501C 0	WATER TRANSPORT (CEMENT)	3.5	TER TRANSPORT (CEMEI	\$120.00	\$ \$	420.00
0			0	\$0.00	S	
0				Transports Total	and the second division of the second divisio	420.00
· · ·	Cement Floating Equipment (TAXABLE)			Transports Total	1.00	5
· · · · · · · · · · · · · · · · · · ·	Cement Basket					المجسم مستعقق يتستعقه
0			0	\$0.00	\$	-
	Centralizer					
0			0	\$0.00	\$	
0			0	\$0.00	\$	-
0	Float Shoe		0	\$0.00	\$	· · ·
0	Float Collars		· · · ·	\$0.00	_Ψ	<u> </u>
0		- <u></u>	0	\$0.00	\$	-
	Guide Shoes		<u> </u>		. • · · · · · · · · · · · · · · · · · ·	
0			0	\$0.00	\$	-
	Baffle and Flapper Plates					
0			0	\$0.00	\$	-
	Packer Shoes					
0			0	\$0.00	\$	<u> </u>
	DV Tools			\$0.00	\$	
0	Ball Valves, Swedges, Clamps, Misc.		0	\$0.00		
0	Dall valves, oweuges, claimps, Misc.		0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			0	\$0.00	\$	•
	Plugs and Ball Sealers					
04	4' 1/2" RUBBER PLUG	1	PER UNIT	\$47.25	\$	47.25
	Downhole Tools			60.00		
0				\$0.00	\$	47.25
			CEMENT FLOATING E	SUB TOTAL		5,387.00,
	DRIVER NAME		6.50%	SALES TAX	\$	247 14
				TOTAL (-DISCOUNT)	\$	5,040.93
674 700 T133	CASEY M			(JUSCOUNT)	15	269.35
674 20 T133 579	CASEY M MARK J		5%			
674 10 T133	CASEY M			OUNTED TOTAL		5,358.79
674 0 T133 579	CASEY M MARK J					5,358.79
574 0 T133 579	CASEY M MARK J	r				5,358.79

ACKNOWLEDGE THAT THE PAYMENT TERMS, ONLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT CHR OFFICE,

CONSOCIDATED OF WAS SONTATED.LLC CEMENT FIELD TICKET AND TREATMENT REPORT

EST CIR RUN 115	JBD LS 0 THOMAS #6 0 <t< th=""><th>State, County Section TWP RGE Formation Tubing Drill Pipe Casing Size Hole Size Casing Depth Hole Depth Rate (bpm)</th><th>Chautauqua , Kansas 19 34 12 0 4.5 0 4 1/2INCH, J-55 (10.5 LBS) 6.75'' 1098 1113 Volume (bbl)</th><th>Cement Type Excess (%) Density Water Required Yeild Sacks of Cement Slurry Volume Displacement Displacement PSI MIX PSI Rate</th><th>CLASS A 30 14 7.8 1.74 115 36 17.5 650 300 4.5</th></t<>	State, County Section TWP RGE Formation Tubing Drill Pipe Casing Size Hole Size Casing Depth Hole Depth Rate (bpm)	Chautauqua , Kansas 19 34 12 0 4.5 0 4 1/2INCH, J-55 (10.5 LBS) 6.75'' 1098 1113 Volume (bbl)	Cement Type Excess (%) Density Water Required Yeild Sacks of Cement Slurry Volume Displacement Displacement PSI MIX PSI Rate	CLASS A 30 14 7.8 1.74 115 36 17.5 650 300 4.5
Sustomer Acct # Vell No. Aailing Address Sity & State Ip Code Contact	0 THOMAS #6 0 0 0 0 0 0 BARTLESVILLE Description TG AND RIG UP	TWP RGE Formation Tubing Drill Pipe Casing Size Hole Size Casing Depth Hole Depth	34 12 0 4.5 0 4 1/2INCH, J-55 (10.5 LBS) 6.75" 1098 1113	Density Water Required Yeild Sacks of Cernent Slurry Volume Displacement Displacement PSI MIX PSI Rate	14 7.8 1.74 115 36 17.5 650 300
Well No. Mailing Address Dity & State Zip Code Contact Email Dispatch Location EST CIR SAFTY N EST CIR RUN 115 RUN 115	THOMAS #6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 BARTLESVILLE Description ITG AND RIG UP	RGE Formation Tubing Drill Pipe Casing Size Hole Size Casing Depth Hole Depth	12 0 4.5 0 4 1/2INCH, J-55 (10.5 LBS) 6.75" 1098 1113	Water Required Yeild Sacks of Cernent Slurry Volume Displacement Displacement PSI MIX PSI Rate	7.8 1.74 115 36 17.5 650 300
Mailing Address City & State Zip Code Contact Email Cell Dispatch Location Time: SAFTY N EST CIR RUN 115	0 0 0 0 0 0 BARTLESVILLE Description ITG AND RIG UP	Formation Tubing Drill Pipe Casing Size Hole Size Casing Depth Hole Depth	0 4.5 0 4 1/2INCH, J-55 (10.5 LBS) 6.75" 1098 1113	Yeild Sacks of Cement Slurry Volume Displacement Displacement PSI MIX PSI Rate	1.74 115 36 17.5 650 300
City & State City & State City & State City & Contact Email Cell Dispatch Location Time: SAFTY N EST CIR RUN 115	0 0 0 0 0 BARTLESVILLE Description ITG AND RIG UP	Tubing Drill Pipe Casing Size Hole Size Casing Depth Hole Depth	4.5 0 4 1/2INCH, J-55 (10.5 LBS) 6.75" 1098 1113	Sacks of Cement Slurry Volume Displacement Displacement PSI MIX PSI Rate	115 36 17.5 650 300
Zip Code Contact Email Cell Dispatch Location Time: SAFTY M EST CIR RUN 115	0 0 0 BARTLESVILLE Description ITG AND RIG UP	Drill Pipe Casing Size Hole Size Casing Depth Hole Depth	0 4 1/2INCH, J-55 (10.5 LBS) 6.75" 1098 1113	Slurry Volume Displacement Displacement PSI MIX PSI Rate	36 17.5 650 300
Contact Email Cell Dispatch Location Time: SAFTY M EST CIR RUN 115	0 0 0 BARTLESVILLE Description ITG AND RIG UP	Casing Size Hole Size Casing Depth Hole Depth	4 1/2INCH, J-55 (10.5 LBS) 6.75" 1098 1113	Displacement Displacement PSI MIX PSI Rate	17.5 650 300
Email Cell Dispatch Location Time: SAFTY N EST CIR RUN 115	0 0 BARTLESVILLE Description ITG AND RIG UP	Hole Size Casing Depth Hole Depth	6.75" 1098 1113	Displacement PSI MIX PSI Rate	650 300
Cell Dispatch Location Time: SAFTY M EST CIR RUN 115	0 BARTLESVILLE Description ITG AND RIG UP	Casing Depth Hole Depth	1098 1113	MIX PSI Rate	300
Dispatch Location Time: SAFTY N EST CIR RUN 115	BARTLESVILLE Description ITG AND RIG UP	Hole Depth	1113	Rate	
Time: SAFTY N EST CIR RUN 115	Description ITG AND RIG UP				4.5
SAFTY N EST CIR RUN 115	ITG AND RIG UP	Kate (bpm)	Volume (bbl)		
EST CIR RUN 115			1	Pressure	Notes
RUN 115					
	SX CLASS A CHAP MIX	4.5	36	300	
	JMP AND LINES, RELEASE PLUG				
DISPL		4.5	17.5	650	
CMT TO	SURF				LANDED @1300
Amount	of Cement Left in Casing	0 ft			
		Remarks:			
		THANK YOU			