

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

1201288

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec	Twp S. R	East _ West
Address 2:			Fe	eet from	South Line of Section
City:	State: Z	ip:+	Fe	eet from East / V	West Line of Section
Contact Person:			Footages Calculated from N	Nearest Outside Section Co	orner:
Phone: ()			□ NE □ NW	/ □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	We	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing: _	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore, Expl., etc.):		Multiple Stage Cementing (Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		Feet
Operator:			If Alternate II completion, ce	ement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	•	ENHR Conv. to SWD	Drilling Fluid Managemen	nt Dian	
☐ Plug Back	Conv. to G		(Data must be collected from the		
Commingled	Pormit #:		Chloride content:	ppm Fluid volume:	bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
☐ ENHR					
GSW	Permit #:		Operator Name:		
_ _			Lease Name:	License #:	
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East _ West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:			Lease Name: _			Well #:		
Sec Twp	S. R	East West	County:					
open and closed, flow and flow rates if gas t	ving and shut-in presson to surface test, along w	formations penetrated. I ures, whether shut-in pro vith final chart(s). Attach	essure reached stati n extra sheet if more	c level, hydrosta space is neede	itic pressures, bott d.	tom hole tempe	erature, fluid r	recovery,
		otain Geophysical Data a or newer AND an image		egs must be ema	ailed to kcc-well-lo	gs@kcc.ks.gov	v. Digital elec	tronic log
Drill Stem Tests Taken (Attach Additional	•	Yes No		_	on (Top), Depth ar		Samp	
Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	e		Тор	Datur	m
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No						
List All E. Logs Run:								
		CASING	RECORD Ne	ew Used				
		Report all strings set-	conductor, surface, inte	ermediate, product	ion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv	
		ADDITIONAL	OFMENTING / OOL					
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD		araant Additiraa		
Perforate	Top Bottom	Type of Cement	# Sacks Used		Type and F	ercent Additives		
Protect Casing Plug Back TD								
Plug Off Zone								
Did you perform a hydra	ulic fracturing treatment o	on this well?		Yes	No (If No, ski	p questions 2 ar	nd 3)	
	=	raulic fracturing treatment ex	xceed 350,000 gallons		= ' '	p question 3)	,	
Was the hydraulic fractu	ring treatment information	n submitted to the chemical	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per			cture, Shot, Cement			Depth
	Сроспу Г	octago of Laon morvari of	ioratou	(>1	mount and rand or ma	teriar Good)		<u> Борит</u>
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or EN							
Fotimeted Day 1 2	0" -	Flowing			Other (Explain)) O" D "		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	bls. G	Gas-Oil Ratio	Gr 	ravity
DISPOSITI	ON OF GAS:	1	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:	
Vented Sold		Open Hole	Perf. Dually	Comp. Con	mmingled			
	bmit ACO-18.)	Other (Specify)	(Submit)	ACO-5) (Sub	omit ACO-4)		-	

Form	ACO1 - Well Completion
Operator	Kansas Energy Company, L.L.C.
Well Name	Scott 11-1
Doc ID	1201288

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	20	43	portland	8	none
Production	6.75	4.50	9.5	1560	oil well cement	160	phenoseal , kol seal

26H33

CEMENT FIELD TICKET AND TREATMENT REPORT

ustomer	JBD	State, County	Chautaugua , Kansas	Cement Type		CLASS A
b Type	Long String	Section	11	Excess (%)	+	30
stomer Acct #	429/ Long String	TWP	34	Density	+	14
ell No.	Scott #11-1	RGE	10	Water Required	+	7.9
ailing Address	Scott #11-1	Formation	10	Yeild	-	1.74
y & State		Tubing		Sacks of Cement	+	160
Code		Drill Pipe		Slurry Volume	+-	49.6 bbi
entact		Casing Size	4 1/2"	Displacement	+	24.5
	 				+	
nail		Hole Size	6 3/4"	Displacement PSI		200-600
ell		Casing Depth	1540'	MIX PSI	_	200
spatch Location	BARTLESVILLE	Hole Depth	1575'	Rate	1	4 bpm
de	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit		
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,085.00	\$	1,085.00
5402	FOOTAGE	1540	PER FOOT	\$0.23	\$	354.20
5406	EQUIPMENT MILEAGE (ONE-WAY)	45	PER MILE	\$4.20	\$	189.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$368.00	\$	368.00
5621	4 1/2 INCH PLUG CONTAINER	1	PER UNIT	\$215.00	\$	215.00
0			0	\$0.00	\$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
	1			EQUIPMENT TOTAL		2,211.20
	0 10		T	T TOTAL	. 3	2,211.20
4400	Cement, Chemicals and Water		-		-	
1126	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL CLORIDE 2% G		0	\$19.75	\$	3,160.00
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.22	\$	44.00
1107A	PHENOSEAL	80	0	\$1.35	\$	108.00
1110A	KOL SEAL (50 # SK)	1000	0	\$0.46	\$	460.00
1111	GRANULATED SALT (50#) SELL BY #	1050	0	\$0.39	\$	409.50
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			0	\$0.00	\$	
0			0	\$0.00	\$	-
0			0	\$0.00	\$	
				Chemical Total	\$	4,181.50
	Cement Water Transports					
0			0	\$0.00	\$	-
0			0	\$0.00	\$	-
0			0	\$0.00	\$	•
				Transports Total	\$	-
	Cement Floating Equipment (TAXABLE)	T	1			
	Cement Basket			<u> </u>	L	
0	Cerrent Dasket		0			
<u> </u>				60.00	•	
	Controlinos			\$0.00	\$	
	Centralizer					
0	Centralizer		0	\$0.00	\$	-
0						
0	Centralizer Float Shoe		0 0	\$0.00 \$0.00	\$	-
	Float Shoe		0	\$0.00	\$	-
0			0 0	\$0.00 \$0.00 \$0.00	\$ \$	-
0	Float Collars		0 0	\$0.00 \$0.00	\$	-
0	Float Shoe		0 0	\$0.00 \$0.00 \$0.00	\$ \$	-
0	Float Collars		0 0	\$0.00 \$0.00 \$0.00	\$ \$	-
0	Float Shoe Float Collars Guide Shoes		0 0	\$0.00 \$0.00 \$0.00	\$ \$	-
0	Float Collars		0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$	-
0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates		0 0	\$0.00 \$0.00 \$0.00	\$ \$	-
0 0 0 0	Float Shoe Float Collars Guide Shoes		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$	-
0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes		0 0	\$0.00 \$0.00 \$0.00 \$0.00	\$ \$	-
0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$	
0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools		0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$	-
0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes		0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$	-
0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$	
0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$	
0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc.			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$	
0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers		0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG			\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0 0 0 0 4404	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	
0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.25
0 0 0 0 0 0 0 0 0 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 PER UNIT	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.25
0 0 0 0 0 0 0 0 0 0 0 4404	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.25 6,439.95
0 0 0 0 0 0 0 0 0 0 4404	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.25 47.25 47.25 332 4
0 0 0 0 0 0 0 0 0 0 4404 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders Bryan Scullawl		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.25 47.25 6,439.5 6,784.59
0 0 0 0 0 0 0 0 0 0 4404	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.25 47.25 6,439.95 3,74.49 322.00
0 0 0 0 0 0 0 0 0 0 0 4404 0	Float Shoe Float Collars Guide Shoes Baffle and Flapper Plates Packer Shoes DV Tools Ball Valves, Swedges, Clamps, Misc. Plugs and Ball Sealers 4' 1/2" RUBBER PLUG Downhole Tools DRIVER NAME Kirk Sanders Bryan Scullawl		0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00 \$0.00	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	47.25 47.25 6,439.5 6,784.59

AUTHORIZATION

FOREMAN Lik Sander

CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	JBD	State, County	Chautauqua , Kansas	Cement Type	CLASS A
Job Type	Long String	Section	11	Excess (%)	30
Customer Acct #	0	TWP	34	Density	14
Well No.	Scott #11-1	RGE	10	Water Required	7.9
Mailing Address	0	Formation	0	Yeild	1.74
City & State	0	Tubing	0	Sacks of Cement	160
Zip Code	0	Drill Pipe	0	Slurry Volume	49.6 bbl
Contact	0	Casing Size	4 1/2"	Displacement	24.5
Email	0	Hole Size	6 3/4"	Displacement PSI	200-600
Cell	0	Casing Depth	1540'	MIX PSI	200
Dispatch Location	BARTLESVILLE	Hole Depth	1575'	Rate	4 bpm
Time:	Description	Rate (bpm)	Volume (bbl)	Pressure	Notes
Amou	nt of Cement Left in Casing				
		Remarks:			
7-50-70	ablish circ., ran 160sx of cement w/ 6% OW				nes, dropped
ŗ	lug and displaced 24.5 bbl to land. Landed p	lug @ 1100#, plug held. Circu	lated cement to surface, shut	down and washed up.	