Confidentiality Requested: Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1201958

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

WELL HISTORY	- DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	Sec TwpS. R East 🗌 West
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Ab	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWI	
Plug Back Conv. to GSW Conv. to Proc	
_	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	
ENHR Permit #:	Operator Name:
GSW Permit #:	License #:
	Quarter Sec TwpS. R [] East [] West
Spud Date or Recompletion DateDate Reached TDCompletion Date or Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1201958		
Operator Name:	_ Lease Name:	Well #:		
Sec TwpS. R East _ West	County:			
INCTRUCTIONS: Chause important tang of formations paratrated	atail all aaraa Bapart all final	annian of drill atoms toots giving interval tootad, time tool		

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth a		Sample
Samples Sent to Geolog	gical Survey	Yes No	Name	9		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth					-	

Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Protect Casing				
Plug Back TD				
Plug Off Zone				

No

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

No	(If No, skip questions 2 and 3)
No	(If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION RE Specify Footag			e	A	cid, Fracture, Shot, Ce (Amount and Kind	ement Squeeze Record of Material Used)	Depth
TUBING RECORD:	Siz	ze: Se	et At:	Packer	r At:	Liner Ru	in: Yes	No	
Date of First, Resumed	Producti	on, SWD or ENHR.	Produci	ng Method: /ing Pump	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bbls.	Ga	s Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF G	AS:						PRODUCTION IN	TERVAL:
Vented Solo (If vented, Sul		Jsed on Lease	Open Hole		Uually (Submit)	,	Commingled (Submit ACO-4)		

Form	ACO1 - Well Completion
Operator	Kansas Energy Company, L.L.C.
Well Name	Dunham-Lemmon 36-1
Doc ID	1201958

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	20	42	portland	8	none
Production	6.75	4.50	9.5	2090	oil well cement	220	phenoseal , kol seal



# # 267557

#### CONSOLIDATED OG WIRD Services. LLS CEMENT FIELD TICKET AND TREATMENT REPORT

ustomer	KANSAS ENERGY	State, County	Chautauqua , Kansas	Cement Type	CLASS A
ь Туре	15	Section	36	Excess (%)	30%
stomer Acct #	429/	TWP	34S	Density	14
ell No.	DUNHAM LEMMON 36-1	RGE	11E	Water Required	7.9
ailing Address		Formation		Yeild	1.73
y & State		Tubing		Sacks of Cement	220
Code		Drill Pipe	1	Slurry Volume	68
ntact		Casing Size	4.5"	Displacement	33.3
nail		Hole Size	6.75"	Displacement PSI	800-1000
11		Casing Depth	2090	MIX PSI	400-500
spatch Location	BARTLESVILLE	Hole Depth	2119	Rate	4.5-5
de	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,085.00	\$ 1,085.00
5402	FOOTAGE	2090	PER FOOT	\$0.23	\$ 480.70
5406	EQUIPMENT MILEAGE (ONE-WAY)	41	PER MILE	\$4.20	\$ 172.20
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$368.00	\$ 368.00
5621	4 1/2 INCH PLUG CONTAINER	1	PER UNIT	\$215.00	\$ 215.00
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
				EQUIPMENT TOTAL	
	Cement, Chemicals and Water		· · · · · · · · · · · · · · · · · · ·		
1126	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL CLORIDE 2%	GE 220	0	\$19.75	\$ 4,345.00
1111	GRANULATED SALT (50#) SELL BY #	1500	0	\$0.39	\$ 585.00
1107A	PHENOSEAL	80	0	\$1.35	\$ 108.00
1110A	KOL SEAL (50 # SK)	1300	0	\$0.46	\$ 598.001
0	NUL SEAL (SU # SK)	1000	0	\$0.00	
0			0	\$0.00	<del>\$</del>
0			And and a second s		
0			0	\$0.00 \$0.00	<u>s</u>
0			0		
0			0	\$0.00	\$ -
0			0	\$0.00 \$0.00	<b>\$</b>
0			0		
0			0	\$0.00	
0				\$0.00	\$ -
0			0	\$0.00	\$ -
	A second s	· · · · · · · · · · · · · · · · · · ·		Chemical Total	\$ 5,636.00
	Cement Water Transports				
0			0	\$0.00	\$
0			0	\$0.00	<u>s</u>
0			0	\$0.00	\$ -
			······	Transports Total	\$ -
	Cement Floating Equipment (TAXABLE)				
	Cement Basket				
0			0	\$0.00	\$ -
	Centralizer				
0			0	\$0.00	\$ -
0			0	\$0.00	\$
	Float Shoe				
0			0	\$0.00	\$ -
	Float Collars				
0	0.14.01		0	\$0.00	s -
	Guide Shoes			······	
0	Deffe and file and State		0	\$0.00	\$ -
	Baffle and Flapper Plates				
0	Paster Ob		0	\$0.00	\$
and the second sec	Packer Shoes				
0			0	\$0.00	\$ -
	DV Tools				
0			0	\$0.00	\$
	Ball Valves, Swedges, Clamps, Misc.				
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
0			0	\$0.00	\$ -
	Plugs and Ball Sealers				
4404	4' 1/2" RUBBER PLUG	1	PER UNIT	\$47.25	\$ 47.25
	Downhole Tools				
0			0	\$0.00	\$
			CEMENT FLOATING E		\$ 47.25
674	DRIVER NAME		0	SUB TOTAL	\$ 8,004.15
674 419			8.30%	SALES TAX	5 440.07
538	JAMES N SCOTT C		5%	TOTAL (-DISCOUNT)	\$ 8,41/1.34 \$ 400.21
	500110				
			DISC	OUNTED TOTAL	\$ 8,043.97
				· ·	
	NUNNLEY TP				
	NONNEET			1	
AUTHORIZATION	HOWIELT IT	TITLE	$\langle n \rangle$		

I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT BECORDS, AT OUR OFFICE,

#### CONSOLIDATED OF WIRD STATED CEMENT FIELD TICKET AND TREATMENT REPORT

Customer	KANSAS ENERGY	State, County	Chautauqua , Kansas	Cement Type	
Јор Туре	LS	Section	36	Excess (%)	30%
Customer Acct #	0	TWP	34S	Density	14
Well No.	DUNHAM LEMMON 36-1	RGE	11E	Water Required	7.9
Mailing Address	0	Formation	0	Yeild	1.73
City & State	0	Tubing	0	Sacks of Cement	220
Zip Code	0	Drill Pipe	0	Slurry Volume	68
Contact	0	Casing Size	4.5"	Displacement	33.3
Email	0	Hole Size	6.75"	Displacement PSI	800-1000
Cell	0	Casing Depth	2090	MIX PSI	400-500
Dispatch Location	BARTLESVILLE	Hole Depth	2119	Rate	4.5-5
Time:	Description	Rate (bpm)	Volume (bbl)	Pressure	Notes
	SAFTY MTG AND RIG UP				
	EST CIRC WITH H20	4.5-5	33	250	
	RUN 220SX CMT W/ ADDITIVES	4.5-5	CAL 68 RAN 72	400-500	
	WASH PUMP, LINES, RELEASE PLUG				
	DISPL	4.5-5	33.3	800-1000	LAND 1500
	CMT TO SURF				12 TO PIT
	PLUG LANDED				
	Amount of Cement Left in Casing	0 ft			
		Remarks:			
	SAFTY MTG AND RIG UP. EST CIRCULATION WITH GEL AND	H20. ONCE EST RUN	220SX CLASS A CMT WITH 6%	OWC 2% GEL 2% CAL 6	# KOL
	10% SALT AND .25 PHENO. MAKING 68BBLS SLU	RRY. WASH PUMP AN	D LINES, RELEASE PLUG. GO TO	DISPL. DISPL 33.3	
	TO LAND PLUG. PLUG LANDED	AT 1500 WITH	12 BBLS TO PIT. PLUG HEL	)	
	CMT TO S	URF . WASH UP AND	RIG DOWN		
		THANK YOU			
					x + 14 + 10 - 14