

TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Vincent Oil Corp.
155 N. Market Ste. 700
Wichita, KS 67202-1821
ATTN: Ken LeBlanc

8-29s-22w Ford Co. KS
Feikert Farms 3-8
Job Ticket: 51861 **DST#: 2**
Test Start: 2013.12.12 @ 16:23:36

GENERAL INFORMATION:

Formation: **Mississippi**
Deviated: No Whipstock: 0.00 ft (KB)
Time Tool Opened: 18:35:36
Time Test Ended: 01:24:21
Interval: **5300.00 ft (KB) To 5310.00 ft (KB) (TVD)**
Total Depth: 5310.00 ft (KB) (TVD)
Hole Diameter: 7.88 inches Hole Condition: Fair
Test Type: Conventional Bottom Hole (Reset)
Tester: Ryan Reynolds
Unit No: 48
Reference Elevations: 2529.00 ft (KB)
2519.00 ft (CF)
KB to GR/CF: 10.00 ft


Serial #: 8790

Inside

Press @ Run Depth: 32.27 psig @ 5301.00 ft (KB) Capacity: 8000.00 psig
Start Date: 2013.12.12 End Date: 2013.12.13 Last Calib.: 2013.12.13
Start Time: 16:23:41 End Time: 01:24:21 Time On Btm: 2013.12.12 @ 18:33:06
Time Off Btm: 2013.12.12 @ 23:07:36

TEST COMMENT: IF: Strong blow . BOB immed. No GTS.
IS: No blow
FF: Strong blow . BOB @ 30sec. No GTS.
FS: Weak surf. bb.

PRESSURE SUMMARY



Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2643.18	102.59	Initial Hydro-static
3	9.81	105.27	Open To Flow (1)
31	18.42	110.98	Shut-In(1)
93	905.49	112.83	End Shut-In(1)
94	16.25	112.48	Open To Flow (2)
153	32.27	115.42	Shut-In(2)
274	961.45	118.09	End Shut-In(2)
275	2569.55	116.59	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
30.00	OWCM 5%oil, 15%w tr, 80%mud	0.42
0.00	1345' GIP	0.00

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)

* Recovery from multiple tests



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Vincent Oil Corp.

8-29s-22w Ford Co. KS

155 N. Market Ste. 700
Wichita, KS 67202-1821

Feikert Farms 3-8

Job Ticket: 51861

DST#: 2

ATTN: Ken LeBlanc

Test Start: 2013.12.12 @ 16:23:36

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 10.00 lb/gal

Cushion Length:

ft

Water Salinity:

58000 ppm

Viscosity: 50.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 9.58 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 8200.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbl
30.00	OWCM 5%oil, 15%w tr, 80%mud	0.421
0.00	1345' GIP	0.000

Total Length: 30.00 ft Total Volume: 0.421 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #: none

Laboratory Name:

Laboratory Location:

Recovery Comments:

Serial #: 8790

Inside

Vincent Oil Corp.

Feikert Farms 3-8

DST Test Number: 2

