

Geological Report

American Warrior, Inc.

Clark #2-2

1705' FNL & 657' FEL

Sec. 2, T25s, R31w

Finney County, Kansas



American Warrior, Inc.

General Data

Well Data: American Warrior, Inc.
Clark #2-2
1705' FNL & 657' FEL
Sec. 2, T25s, R31w
Finney County, Kansas
API # 15-055-22290-00-00

Drilling Contractor: Duke Drilling Co. Rig #10

Geologist: Kevin Timson

Spud Date: March 29, 2014

Completion Date: April 6, 2014

Elevation 2848' G.L.
2859' K.B.

Directions: From Garden City Airport. Go SE on Hwy 50 1 mile to Aerodrome Rd. Go 1 ½ miles East on Aerodrome and South into location.

Casing: 1685' 8 5/8" #24 Surface Casing

Samples: 4400' to RTD 10' Wet & Dry

Drilling Time: 3900' to RTD

Electric Logs: Pioneer Energy Services "Y. Ruiz"
Stacked-Micro

Drillstem Tests: Three-Trilobite Testing "Corndog"

Problems: All three DST's mis-runs

Formation Tops

Clark #2-2

Sec. 2, T25s, R31w

1705' FNL & 657' FEL

| | |
|-------------------|--------------------|
| Anhydrite | 1891' +968 |
| Base | 1985' +874 |
| Heebner | 4021' -1162 |
| Lansing | 4063' -1204 |
| Stark | 4421' -1562 |
| Bkc | 4548' -1689 |
| Marmaton | 4570' -1711 |
| Pawnee | 4644' -1785 |
| Fort Scott | 4665' -1806 |
| Cherokee | 4680' -1821 |
| Morrow | 4835' -1976 |
| Miss | 4866' -2007 |
| RTD | 5100' -2241 |
| LTD | 5102' -2243 |

Sample Zone Descriptions

St. Louis (4866', -2007): Not Tested, 3 misruns

Ls. Tan. Sub crystalline. Fair oomoldic and oolycastic porosity. Poor stain and good poor in porosity. No show of free oil. No odor. 20 Unit kick.

Structural Comparison

| | American Warrior, Inc. Clark #2-2 Sec. 2, T25s, R31w 1705' FNL & 657' FEL | | American Warrior, Inc. Clark #1-2 Sec. 2, T25s, R31w 2415' FSL & 1145' FEL | | Continental Oil Etal Violet K Tate #1 Sec 3, T25s, R31w NW SW NE |
|------------------|--|----|---|----|---|
| Formation | | | | | |
| Heebner | 4021' -1162 | -4 | 4002' -1158 | +4 | 4030' -1166 |
| Lansing | 4063' -1204 | FL | 4048' -1204 | +9 | 4077' -1213 |
| Stark | 4421' -1562 | +5 | 4411' -1567 | NA | NA |
| BKC | 4548' -1689 | +7 | 4540' -1696 | NA | NA |
| Marmaton | 4570' -1711 | +9 | 4564' -1720 | NA | NA |
| Pawnee | 4644' -1785 | +6 | 4635' -1791 | NA | NA |
| Fort Scott | 4665' -1806 | +8 | 4658' -1814 | NA | NA |
| Cherokee | 4680' -1821 | +9 | 4674' -1830 | NA | NA |
| Morrow | 4835' -1976 | +9 | 4829' -1985 | NA | NA |
| St. Louis | 4866' -2007 | +7 | 4858' -2014 | -9 | 4862' -1998 |

Summary

The location for the Clark #2-2 well was found via 3-D seismic survey. The new well ran structurally as expected. Three drill stem tests were conducted and all were misruns. After all the gathered data had been examined, the decision was made to plug and abandon the Clark #2-2 well.

Respectfully Submitted,

Kevin Timson
American Warrior, Inc.

