



511 INDUSTRIAL RD.  
P.O. BOX 267  
WINFIELD, KS 67156  
(620) 221-0061

SOLD TO MIKE DIXON

|                           |                                |                           |              |        |
|---------------------------|--------------------------------|---------------------------|--------------|--------|
| CUST. NO.                 | DATE ORDERED<br><u>7/31/13</u> | SHIPPED VIA<br><u>CIF</u> | DATE SHIPPED | F.O.B. |
| ORDERED BY<br><u>MIKE</u> | LEASE<br><u>DIXON</u>          |                           |              |        |

| CD | QUANTITY     | DESCRIPTION                                     | LIST      | DISC.     | NET |
|----|--------------|---|-----------|-----------|-----|
|    | <u>44.70</u> | <u>8 5/8 OD 8 RD 23# NEW C.S. CASING 810550</u> | <u>14</u> | <u>50</u> |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |
|    |              |   |           |           |     |

|           |  |  |  |  |  |
|-----------|--|--|--|--|--|
| Sub-Total |  |  |  |  |  |
| Freight   |  |  |  |  |  |
| SALES TAX |  |  |  |  |  |

NET DUE IN 30 DAYS. INTEREST CHARGE IS 1½% PER MONTH, WHICH IS AN ANNUAL PERCENTAGE RATE OF 18% PER YEAR. Material that is purchased and not paid for within the stated terms remain the property of Cates Supply, Inc.

We do not warrant any Second Hand Material as to quality, weight or fitness for the purpose for which it was intended or purchased. New goods, or parts thereof, not manufactured by seller are guaranteed only in accordance with the manufacturer's guaranty and then only to the extent the seller is able to enforce it.

**NOTE: LIMITED SERVICE AND REJECT MATERIALS ARE SOLD "AS IS" AND ARE NOT COVERED BY ANY TYPE OR KIND OF WARRANTY OR GUARANTEE.**

SIGNATURE \_\_\_\_\_ AGREED \_\_\_\_\_

Order # **314623**



**CONSOLIDATED**  
Oil Well Services, LLC

**REMIT TO**  
Consolidated Oil Well Services, LLC  
Dept. 970  
P.O. Box 4346  
Houston, TX 77210-4346

**MAIN OFFICE**  
P.O. Box 884  
Chanute, KS 66720  
620/431-9210 • 1-800/467-8676  
Fax 620/431-0012

INVOICE

Invoice # 261404

Invoice Date: 08/22/2013 Terms: 5/5/10,n/30

Page 1

DIXON, JIM  
1214 CYCLONE  
MOLINE KS 67353  
( ) -

DIXON #54  
5000000677  
08/12/13  
20-31S-10E  
KS

| Part Number | Description             | Qty    | Unit Price | Total   |
|-------------|-------------------------|--------|------------|---------|
| 1104S       | CLASS "A" CEMENT (SALE) | 200.00 | 15.7000    | 3140.00 |
| 1118B       | PREMIUM GEL / BENTONITE | 400.00 | .2200      | 88.00   |

| Sublet Performed | Description               | Total   |
|------------------|---------------------------|---------|
| 9995-240         | CEMENT EQUIPMENT DISCOUNT | -96.10  |
| 9996-240         | CEMENT MATERIAL DISCOUNT  | -161.40 |

| Description                     | Hours  | Unit Price | Total   |
|---------------------------------|--------|------------|---------|
| 398 P & A NEW WELL              | 1.00   | 1085.00    | 1085.00 |
| 398 EQUIPMENT MILEAGE (ONE WAY) | 65.00  | 4.20       | 273.00  |
| 518 TON MILEAGE DELIVERY        | 400.00 | 1.41       | 564.00  |

Amount Due 5380.80 if paid after 09/01/2013

|        |         |           |     |         |         |    |         |
|--------|---------|-----------|-----|---------|---------|----|---------|
| Parts: | 3228.00 | Freight:  | .00 | Tax:    | 219.26  | AR | 5111.76 |
| Labor: | .00     | Misc:     | .00 | Total:  | 5111.76 |    |         |
| Sublt: | -257.50 | Supplies: | .00 | Change: | .00     |    |         |

*pd. 8/12/13*  
*OK #10263*  
*\$5128.14*  
*Thank You!*

Signed \_\_\_\_\_



CEMENT FIELD TICKET AND TREATMENT REPORT

#261404

|  |  |                 |                 |                       |                    |
|--|--|-----------------|-----------------|-----------------------|--------------------|
| Customer                                   | Dixon Drilling                         | State, County   | Elk, Kansas     | Cement Type           | CLASS A            |
| Job Type                                   | Plug                                   | Section         | 20              | Excess (%)            |                    |
| Customer Acct #                            | 2457                                   | TWP             | 31S             | Density               | 14.7               |
| Well No.                                   | Dixon #57                              | RGE             | 10E             | Water Required        | 6.5                |
| Mailing Address                            |  | Formation       |                 | Yield                 | 1.36               |
| City & State                               |  | Tubing          |                 | Sacks of Cement       |                    |
| Zip Code                                   |  | Drill Pipe      | 4 1/2" (16.60#) | Slurry Volume         |                    |
| Contact                                    |  | Casing Size     |                 | Displacement          | 35 / 20.3          |
| Email                                      |  | Hole Size       | 7 7/8"          | Displacement PSI      |                    |
| Cell                                       |  | Casing Depth    |                 | MIX PSI               | 200                |
| Dispatch Location                          | BARTLESVILLE                           | Hole Depth      | 2512'           | Rate                  | 3.5 bpm            |
| <b>Code</b>                                | <b>Cement Pump Charges and Mileage</b> | <b>Quantity</b> | <b>Unit</b>     | <b>Price per Unit</b> |                    |
| 5405N                                      | P & A NEW WELLS (2 HOURS MAX.)         | 1               | 2 HRS MAX       | \$1,085.00            | \$ 1,085.00        |
| 5406                                       | EQUIPMENT MILEAGE (ONE-WAY)            | 65              | PER MILE        | \$4.20                | \$ 273.00          |
| 5407A                                      | TON MILEAGE DELIVERY                   | 400             | PER MILE        | \$1.41                | \$ 564.00          |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>EQUIPMENT TOTAL</b>                     |  |                 |                 |                       | <b>\$ 1,922.00</b> |
| <b>Cement, Chemicals and Water</b>         |  |                 |                 |                       |                    |
| 1104S                                      | CLASS A CEMENT (SALES) BLEND(SK)       | 200             | 0               | \$15.70               | \$ 3,140.00        |
| 1118B                                      | PREMIUM GEL/BENTONITE (50#)            | 400             | 0               | \$0.22                | \$ 88.00           |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>Chemical Total</b>                      |  |                 |                 |                       | <b>\$ 3,228.00</b> |
| <b>Cement Water Transports</b>             |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>Transports Total</b>                    |  |                 |                 |                       | <b>\$ -</b>        |
| <b>Cement Floating Equipment (TAXABLE)</b> |  |                 |                 |                       |                    |
| <b>Cement Basket</b>                       |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>Centralizer</b>                         |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>Float Shoe</b>                          |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>Float Collars</b>                       |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>Guide Shoes</b>                         |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>Baffle and Flapper Plates</b>           |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>Packer Shoes</b>                        |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>DV Tools</b>                            |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>Ball Valves, Swedges, Clamps, Misc.</b> |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>Plugs and Ball Sealers</b>              |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |
| <b>Downhole Tools</b>                      |  |                 |                 |                       |                    |
| 0  |  |                 |                 | \$0.00                | \$ -               |

PR CK 10/26/13

|                    |                  |
|--------------------|------------------|
| <b>DRIVER NAME</b> |                  |
| 577                | Kirk Sanders     |
| 398                | Bryan Scullaw    |
| 518                | Jonathan Fulwood |

|                                 |                    |
|---------------------------------|--------------------|
| CEMENT FLOATING EQUIPMENT TOTAL | \$ -               |
| SUB TOTAL                       | \$ 5,150.00        |
| 7.30% SALES TAX                 | \$ 379.10          |
| TOTAL                           | \$ 5,529.10        |
| 5% (-DISCOUNT)                  | \$ 276.45          |
| <b>DISCOUNTED TOTAL</b>         | <b>\$ 5,252.65</b> |

\$5369.26  
-257.50  
\$5111.76

AUTHORIZATION [Signature]  
DATE \_\_\_\_\_

TITLE \_\_\_\_\_  
FOREMAN [Signature]

I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE, AND CONDITIONS OF SERVICE ON THE BACK OF THIS FORM ARE IN EFFECT FOR SERVICES IDENTIFIED ON THIS FORM.

CEMENT FIELD TICKET AND TREATMENT REPORT

|                   |                |               |                 |                  |           |
|-------------------|----------------|---------------|-----------------|------------------|-----------|
| Customer          | Dixon Drilling | State, County | Elk , Kansas    | Cement Type      | CLASS A   |
| Job Type          | Plug           | Section       | 20              | Excess (%)       | 0%        |
| Customer Acct #   | 0              | TWP           | 31S             | Density          | 14.7      |
| Well No.          | Dixon #5       | RGE           | 10E             | Water Required   | 6.5       |
| Mailing Address   | 0              | Formation     | 0               | Yeild            | 1.36      |
| City & State      | 0              | Tubing        | 0               | Sacks of Cement  | 0         |
| Zip Code          | 0              | Drill Pipe    | 4 1/2" (16.60#) | Slurry Volume    | 0         |
| Contact           | 0              | Casing Size   | 0               | Displacement     | 35 / 20.3 |
| Email             | 0              | Hole Size     | 7 7/8"          | Displacement PSI | 0         |
| Cell              | 0              | Casing Depth  | 0               | MIX PSI          | 200       |
| Dispatch Location | BARTLESVILLE   | Hole Depth    | 2512'           | Rate             | 3.5 bpm   |

| Time: | Description | Rate (bpm) | Volume (bbl) | Pressure | Notes |
|-------|-------------|------------|--------------|----------|-------|
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |
|       |             |            |              |          |       |

Amount of Cement Left in Casing

Remarks:

Established circulation, ran 15sx of cement w/ 2% gel, approximately 50', and displaced to bottom w/ 35 bbl of mud. Rig pulled up to 1480' and set another 50' plug, 15sx w/ 2% gel, displaced w/ 20.3 bbl of mud. Rig pulled up to 500', ran 160sx w/ 2% gel to surface. Rig pulled drill pipe and topped well off w/ 10sx. Shut down and washed up. Ran a total of 200sx of 2% gel cement. Used rig water. Bottom plug 2512'-2462' / Middle plug 1480'-1430' / Top plug 500' -surface

*← Paid on location check # 10263 →*