



**TRILOBITE TESTING, INC.**

# DRILL STEM TEST REPORT

Russell Oil Inc

**32-15s-34w Scott, Ks**

p.o. box 8050  
Edmond, Ok  
73083  
ATTN: Kitt Noah

**EdwardsTrust B #2-32**

Job Ticket: 56281 **DST#: 2**

Test Start: 2014.02.18 @ 06:41:05

## GENERAL INFORMATION:

Formation: **Alt A-B**

Deviated: No Whipstock: 0.00 ft (KB)

Time Tool Opened: 09:00:50

Time Test Ended: 12:55:05

Test Type: Conventional Bottom Hole (Reset)

Tester: Shane McBride

Unit No: 55

**Interval: 4368.00 ft (KB) To 4420.00 ft (KB) (TVD)**

Reference Elevations: 3056.00 ft (KB)

Total Depth: 4420.00 ft (KB) (TVD)

3045.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 11.00 ft

**Serial #: 6771**

**Inside**

Press @ RunDepth: 26.53 psig @ 4369.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2014.02.18

End Date:

2014.02.18

Last Calib.: 2014.02.18

Start Time:

06:41:05

End Time:

12:42:05

Time On Btm: 2014.02.18 @ 09:00:35


Time Off Btm: 2014.02.18 @ 11:03:20

**TEST COMMENT:** 1/4" in blow died in 11 min.

No return

No blow, Flush tool, Good surge, No blow

No return



## PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2175.88	106.97	Initial Hydro-static
1	19.35	106.29	Open To Flow (1)
31	22.23	107.27	Shut-In(1)
61	622.31	108.23	End Shut-In(1)
61	22.74	108.11	Open To Flow (2)
91	26.53	108.99	Shut-In(2)
122	551.39	109.81	End Shut-In(2)
123	2050.23	110.49	Final Hydro-static

## Recovery

Length (ft)	Description	Volume (bbl)
5.00	mud 100% m	0.02

\* Recovery from multiple tests

## Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE  
TESTING, INC.**

# DRILL STEM TEST REPORT

**FLUID SUMMARY**

Russell Oil Inc

**32-15s-34w Scott, Ks**

p.o. box 8050  
Edmond, Ok  
73083

**EdwardsTrust B #2-32**

ATTN: Kitt Noah

Job Ticket: 56281

**DST#: 2**

Test Start: 2014.02.18 @ 06:41:05

## Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

0 deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

0 ppm

Viscosity: 56.00 sec/qt

Cushion Volume:

bbl

Water Loss: 8.77 in<sup>3</sup>

Gas Cushion Type:

Resistivity: 0.00 ohm.m

Gas Cushion Pressure:

psig

Salinity: 5800.00 ppm

Filter Cake: 1.00 inches

## Recovery Information

Recovery Table

Length ft	Description	Volume bbl
5.00	mud 100%m	0.025

Total Length: 5.00 ft      Total Volume: 0.025 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments:

