

please check the box below and return to the address below.

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

### NOTICE OF INTENT TO DRILL

	month c	day year	Spot Description:
	montn c	day year	
OPERATOR: License#			feet from N / S Line of Section
Name:			feet from E / W Line of Section
Address 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
City:	State:	Zip: +	County:
Contact Person:			Lease Name: Well #:
Phone:			Field Name:
CONTRACTOR: License#			Is this a Prorated / Spaced Field?
Name:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class:	Type Equipment:	
Oil Enh F	Rec Infield	Mud Rotary	
Gas Storag	ge Pool Ext.	Air Rotary	Water well within one-quarter mile:  Yes No
Dispo	osal Wildcat	Cable	Public water supply well within one mile: Yes No
Seismic ;# c	of Holes Other		Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OWWO. and	information as fallows:		Surface Pipe by Alternate: II II
II OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:
Operator:			Length of Conductor Pipe (if any):
Well Name:			Projected Total Depth:
Original Completion Da	ate: Origi	inal Total Depth:	Formation at Total Depth:
			Water Source for Drilling Operations:
Directional, Deviated or Ho		Yes No	Well Farm Pond Other:
•			DWR Permit #:
			(Note: Apply for Ferrill With DWT
KCC DKT #:			Will Cores be taken?
			If Yes, proposed zone:
		٨Ε	FIDAVIT
			IDAVII
The undersigned hereby	affirms that the drilling		ugging of this well will comply with K.S.A. 55 et seg
-	_	g, completion and eventual p	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow	ving minimum requirer	g, completion and eventual poments will be met:	ugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the follow  1. Notify the appropria	ving minimum requirer ate district office <i>prior</i>	g, completion and eventual p ments will be met: r to spudding of well;	
It is agreed that the follow  1. Notify the appropria  2. A copy of the appropria	ving minimum requirer ate district office <i>prior</i> oved notice of intent to	g, completion and eventual ponents will be met:  It to spudding of well;  It of a control of the	h drilling rig;
It is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amou	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as	g, completion and eventual prenents will be met:  r to spudding of well; of drill shall be posted on each specified below shall be se	h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconsor	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus	g, completion and eventual prenents will be met: r to spudding of well; of drill shall be posted on each specified below shall be sets a minimum of 20 feet into the	h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hole	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw	g, completion and eventual presents will be met: It to spudding of well; It to spudding of well; It to spudding be posted on each specified below shall be set a minimum of 20 feet into the veen the operator and the dispersion.	h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be noti	g, completion and eventual prenents will be met: It to spudding of well; It to spud of	h drilling rig; t by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notill COMPLETION, proc	g, completion and eventual prenents will be met: It to spudding of well; It to spud of	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set be underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweetrict office will be notifue to the complete office will be notifued in COMPLETION, proceed to the complete of the complete office will be notifued in COMPLETION, proceed in the complete office will be notifued in the complete of	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notifued in COMPLETION, proceed in the control of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. It ict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notifued in COMPLETION, proceed in the control of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notiful COMPLETION, proceeding the within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation. It ict office on plug length and placement is necessary <b>prior to plugging</b> ; ged or production casing is cemented in; and from below any usable water to surface within <b>120 DAYS</b> of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis  must be completed	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notiful COMPLETION, proceeding the within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropria 2. A copy of the appro 3. The minimum amore through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis  must be completed	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet office will be notiful COMPLETION, proceeding the within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well is either plugding of well is either plugding of well; It to spudding of well;	th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation.  Attrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and placement of surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amount through all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed  ubmitted Electror	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ale, an agreement betweet office will be notifued to the completion of the completion of the within 30 days of the  nically	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well, It to	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and placemented in; and placemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amore through all unconso  4. If the well is dry hol  5. The appropriate dis  6. If an ALTERNATE I Or pursuant to Appropriate dis  with the completed of the complete of the	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwistrict office will be notifue COMPLETION, proceeding the within 30 days of the nically	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well, It to	th drilling rig; the virculating cement to the top; in all cases surface pipe shall be set the underlying formation. thict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
1. Notify the appropria 2. A copy of the appro 3. The minimum amounthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -  Conductor pipe required -	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be noti II COMPLETION, proc oendix "B" - Eastern Ka d within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well in the spudding of well in the spudding of well in the	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 -	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be noti II COMPLETION, proc oendix "B" - Eastern Ka d within 30 days of the	g, completion and eventual prenents will be met: It to spudding of well; It to spudding of well in the spudding of well in the spudding of well in the	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  ubmitted Electror  For KCC Use ONLY  API # 15 - Conductor pipe required -	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ale, an agreement betw strict office will be noti II COMPLETION, proc oendix "B" - Eastern Ka at within 30 days of the	g, completion and eventual prenents will be met:  It to spudding of well; It to spudding of well, It t	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. thrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amouthrough all unconso 4. If the well is dry hol 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appmust be completed  **Ubmitted Electror**  For KCC Use ONLY  API # 15 -  Conductor pipe required -  Minimum surface pipe recompleted	ving minimum requirer ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betweet strict office will be noti II COMPLETION, proceed of within 30 days of the  nically	g, completion and eventual prenents will be met:  It to spudding of well; It to spudding of well, It t	h drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  It ictrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_

Side Two



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 2970 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date collination  Pit capacity:	Existing	SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		dures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of world	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	be closed within 365 days of spud date.	
Submitted Electronically				
	KCC	OFFICE USE O		
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No	



1202571

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:	SecTwpS. R		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 1:			
Address 2:			
City: State: Zip:+			
are preliminary non-binding estimates. The locations may be entered of	k batteries, pipelines, and electrical lines. The locations shown on the plat In the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be lo	act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface ow	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			




## Pro-Stake LLC

Oil Field & Construction Staking

#### P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



Herman L. Loeb, LLC

**Sumner County, KS** 

COUNTY

OPERATOR

003103

2 31s 3w
Sec. Twp. Rng.

N

Clark #7
LEASE NAME

2970' FSL - 1650' FEL (2334'FNL)

LOCATION SPOT

SCALE: 1" = 1000'

DATE: April 25<sup>th</sup>, 2014

MEASURED BY: Ben R.

DRAWN BY: Norby S.


AUTHORIZED BY: Jesse M. & Tracy B.

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: 1288.8°

**Directions:** From the SE side of Conway Springs, Ks at the intersection of Hwy 49 and Parrallel St. / Rd. 90 – Now go 2 miles East on Parrallel St. / Rd. 90 to the NE corner of section 2-31s-3w – Now go 0.7 mile South on Caldwell Rd. – Now go 0.2 mile NW on trail to and ingress West into – Now go approx. 650' West-NW through hay – Now go approx. 360' North through hay – Now go 65.9' North through alfalfa, into staked location.






Pro-Stake LLC

Oil Field & Construction Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



Herman L. Loeb, LLC

**Sumner County, KS** 

COUNTY

OPERATOR

003103

2 31s 3w
Sec. Twp. Rng.

Clark #7
LEASE NAME

29<u>70</u>' FSL – 1650' FEL (2334'FNL)

LOCATION SPOT

SCALE: 1" = 1000'

DATE: April 25<sup>th</sup>, 2014

MEASURED BY: Ben R.

DRAWN BY: Norby S.

AUTHORIZED BY: Jesse M. & Tracy B.


This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

**Directions:** From the SE side of Conway Springs, Ks at the intersection of Hwy 49 and Parrallel St. / Rd. 90 – Now go 2 miles East on Parrallel St. / Rd. 90 to the NE corner of section 2-31s-3w – Now go 0.7 mile South on Caldwell Rd. – Now go 0.2 mile NW on trail to and ingress West into – Now go approx. 650' West-NW through hay – Now go approx. 360' North through hay – Now go 65.9' North through alfalfa, into

staked location.

GR. ELEVATION: 1288.8°





Pro-Stake LLC

Oil Field & Construction Staking

P.O. Box 2324

Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



Herman L. Loeb, LLC

**Sumner County, KS** 

COUNTY

OPERATOR

003103

31s Twp. Clark #7 LEASE NAME

2970' FSL - 1650' FEL (2334'FNL)

LOCATION SPOT


N/A SCALE: April 25<sup>th</sup>, 2014 DATE: Ben R. MEASURED BY: Norby S. DRAWN BY: Jesse M. & Tracy B. AUTHORIZED BY:

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: 1288.8°

**Directions:** From the SE side of Conway Springs, Ks at the intersection of Hwy 49 and Parrallel St. / Rd. 90 – Now go 2 miles East on Parrallel St. / Rd. 90 to the NE corner of section 2-31s-3w – Now go 0.7 mile South on Caldwell Rd. – Now go 0.2 mile NW on trail to and ingress West into – Now go approx. 650' West-NW through hay – Now go approx. 360' North through hay – Now go 65.9' North through alfalfa, into staked location.



# PROPOSED SURFACE FACILITY PLAT



003103 PLAT NO.

# Pro-Stake LLC Oil Field & Construction Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com 11748
INVOICE NO.

Clark #7

LEASE NAME

#### Herman L. Loeb, LLC

OPERATOR

**Sumner County, KS** 

COUNTY

2 31s 3w Sec. Twp. Rng. 2970' FSL – 1650' FEL (2334'FNL)

LOCATION SPOT

SCALE: 1" = 1000"

DATE: April 25<sup>th</sup>, 2014

MEASURED BY: Ben R.

DRAWN BY: Norby S.

AUTHORIZED BY: Jesse M. & Tracy B.

This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

GR. ELEVATION: 1288.8°

**Directions:** From the SE side of Conway Springs, Ks at the intersection of Hwy 49 and Parrallel St. / Rd. 90 – Now go 2 miles East on Parrallel St. / Rd. 90 to the NE corner of section 2-31s-3w – Now go 0.7 mile South on Caldwell Rd. – Now go 0.2 mile NW on trail to and ingress West into – Now go approx. 650' West-NW through hay – Now go approx. 360' North through hay – Now go 65.9' North through alfalfa, into staked location.



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

May 05, 2014

George Payne / Jesse Middagh HERMAN L. LOEB, LLC PO BOX 838 LAWRENCEVILLE, IL 62439

Re: Drilling Pit Application CLARK 7 NE/4 Sec.02-31S-03W Sumner County, Kansas

Dear George Payne / Jesse Middagh:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.