

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1202756

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

### NOTICE OF INTENT TO DRILL

	month day	vear	Spot Description:
	monun day	year	
PERATOR: License#			feet from N / S Line of Section
			feet from E / W Line of Secti
ddress 1:			Is SECTION: Regular Irregular?
			(Note: Locate well on the Section Plat on reverse side)
	State: Zip:		County:
Contact Person:			Lease Name: Well #:
hone:			Field Name:
ONTRACTOR: License#	:		Is this a Prorated / Spaced Field?
ame:			Target Formation(s):
			Nearest Lease or unit boundary line (in footage):
Well Drilled For:	Well Class: Type	e Equipment:	Ground Surface Elevation:feet MS
Oil Enh F	Rec Infield	Mud Rotary	Water well within one-quarter mile:
Gas Stora	ge Pool Ext.	Air Rotary	
Dispo		Cable	
Seismic ;# c			Depth to bottom of fresh water:
Other:			Depth to bottom of usable water:
If OW/WO: old well	information as follows:		Surface Pipe by Alternate:   I   II
			Length of Surface Pipe Planned to be set:
-			
			Projected Total Depth:
Original Completion Da	ate: Original Total	I Depth:	
inactional Deviated on Lla	2 مع ما المدين المام محانين	□ Voo □ No	Water Source for Drilling Operations:
Directional, Deviated or Ho	onzontal wellbore?	Yes No	Well Farm Pond Other:
			DWR Permit #:
			(Note: Apply for Permit with DWR )
			vviii cores se takeri:
			If Yes, proposed zone:
		AF	FIDAVIT
he undersigned hereby	affirms that the drilling, comple		FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
-	affirms that the drilling, compliving minimum requirements wi	etion and eventual pl	
t is agreed that the follow	ving minimum requirements wi	etion and eventual pliill be met:	
is agreed that the follow  1. Notify the appropris		etion and eventual pliill be met:	ugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the follow  1. Notify the appropria  2. A copy of the appro  3. The minimum amo	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> ount of surface pipe as specifie	etion and eventual plill be met: dding of well; nall be posted on each	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amothrough all unconse</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> ount of surface pipe as specifie olidated materials plus a minir	etion and eventual plicible met: dding of well; all be posted on each deletow shall be set mum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe <b>shall be set</b> the underlying formation.
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amothrough all unconse</li> <li>If the well is dry ho</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> ount of surface pipe as specifie olidated materials plus a minir ole, an agreement between the	etion and eventual plicible met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the experience operator and the dis	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging;
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amothrough all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> ount of surface pipe as specifie olidated materials plus a minir ole, an agreement between the strict office will be notified before	etion and eventual plicible met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the experience operator and the dis pore well is either plug.	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum among through all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I</li> </ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> ount of surface pipe as specifie olidated materials plus a minir ole, an agreement between the strict office will be notified befor II COMPLETION, production p	etion and eventual plicible met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the experience operator and the dis pore well is either plug- pipe shall be cemente	h drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum among through all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In Or pursuant to Appropriate of the App</li></ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> ount of surface pipe as specifie olidated materials plus a minir ole, an agreement between the strict office will be notified befor II COMPLETION, production poendix "B" - Eastern Kansas su	etion and eventual plicible met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the experience of the plug- point well is either plug- point shall be cemente aufface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum among through all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In Or pursuant to Appropriate of the Appr</li></ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> ount of surface pipe as specifie olidated materials plus a minir ole, an agreement between the strict office will be notified befor II COMPLETION, production poendix "B" - Eastern Kansas su	etion and eventual plicible met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the experience of the plug- point well is either plug- point shall be cemente aufface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum among through all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In Or pursuant to Appropriate of the App</li></ol>	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> ount of surface pipe as specifie olidated materials plus a minir ole, an agreement between the strict office will be notified befor II COMPLETION, production poendix "B" - Eastern Kansas su	etion and eventual plicible met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the experience of the plug- point well is either plug- point shall be cemente aufface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum amothrough all unconse</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appmust be completed</li> </ol>	ving minimum requirements wing ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifically objected materials plus a minimale, an agreement between the strict office will be notified beform COMPLETION, production poendix "B" - Eastern Kansas substitution 30 days of the spud days	etion and eventual plicible met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the experience of the plug- point well is either plug- point shall be cemente aufface casing order #	ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>s agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum among through all unconst</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE I Or pursuant to Appropriate dis</li> </ol>	ving minimum requirements wing ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifically objected materials plus a minimale, an agreement between the strict office will be notified beform COMPLETION, production poendix "B" - Eastern Kansas substitution 30 days of the spud days	etion and eventual plicible met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the experience of the plug- point well is either plug- point shall be cemente aufface casing order #	th drilling rig; the by circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation.  It ict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
<ol> <li>is agreed that the follow</li> <li>Notify the appropria</li> <li>A copy of the appropria</li> <li>The minimum among through all unconso</li> <li>If the well is dry ho</li> <li>The appropriate dis</li> <li>If an ALTERNATE In Or pursuant to Appropriate of the App</li></ol>	ving minimum requirements wing ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifically objected materials plus a minimale, an agreement between the strict office will be notified beform COMPLETION, production poendix "B" - Eastern Kansas substitution 30 days of the spud days	etion and eventual plicible met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the experience of the plug- point well is either plug- point shall be cemente aufface casing order #	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis with the completed of the complete of the complete of the complete of the completed of the complete of the complet	ving minimum requirements wing attendistrict office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifically objected materials plus a minimale, an agreement between the strict office will be notified before the completion of the production production in the completion of the spud days of the spud	etion and eventual plill be met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the e operator and the dis ore well is either plug- pipe shall be cemente urface casing order # ate or the well shall be	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis must be completed  Ibmitted Electroic Stroke Cuse ONLY  API # 15 -	ving minimum requirements wing ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifically of surface pipe as specifically a minimal of surface pipe as specifically a minimal of surface pipe as specifically a minimal of surface will be notified before the surface of surface will be notified before the surface of surface within 30 days of the spud days of the spud days of the spud days of the surface of surface	etion and eventual plill be met: dding of well; sall be posted on each below shall be set mum of 20 feet into the experience of the poperator and the dispore well is either pluggippe shall be cemented urface casing order # ate or the well shall be	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed  Ibmitted Electroi  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minir ale, an agreement between the strict office will be notified befor II COMPLETION, production poendix "B" - Eastern Kansas su d within 30 days of the spud day	etion and eventual plicible met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the experience of the plug- pipe shall be cemente arface casing order # ate or the well shall be eet	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropria 2. A copy of the appropria 3. The minimum amosthrough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate dis 6. If completed  Ibmitted Electron  For KCC Use ONLY  API # 15  Conductor pipe required	ving minimum requirements wing ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifically of surface pipe as specifically a minimal of surface pipe as specifically a minimal of surface pipe as specifically a minimal of surface will be notified before the surface of surface will be notified before the surface of surface within 30 days of the spud days of the spud days of the spud days of the surface of surface	etion and eventual plicible met: dding of well; all be posted on each ad below shall be set mum of 20 feet into the experience of the plug- pipe shall be cemente arface casing order # ate or the well shall be eet	th drilling rig; the circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
is agreed that the follow  1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate to Electrois  Ibmitted Electrois  For KCC Use ONLY  API # 15  Conductor pipe required  Minimum surface pipe recommendations  1. Notify the appropriate app	ving minimum requirements wi ate district office <i>prior</i> to spud oved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minir ale, an agreement between the strict office will be notified befor II COMPLETION, production poendix "B" - Eastern Kansas su d within 30 days of the spud day	etion and eventual plill be met: dding of well; all be posted on each ded below shall be set mum of 20 feet into the experience of the pluggion of the experience of the well is either pluggione shall be cemented attempted or the well shall be attempted or the well shall be eet the per ALT.	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Approved by:  Conductor pipe required.  Minimum surface pipe reconsorted approved by:	ving minimum requirements wing attendistrict office <i>prior</i> to spud poved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minimale, an agreement between the strict office will be notified before the olidate of the strict office will be notified before the strict office will be notified before the strict office will be notified before the strict of the strict of the strict of the spud days of the spud day	etion and eventual plill be met: dding of well; all be posted on each ded below shall be set mum of 20 feet into the experience of the pluggion of the experience of the well is either pluggione shall be cemented attempted or the well shall be attempted or the well shall be eet the per ALT.	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is defined below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Approved by:  This authorization expires  1. Or pursuant to Approved by:  This authorization expires	ving minimum requirements wing attendistrict office <i>prior</i> to spud poved notice of intent to drill <i>sh</i> unt of surface pipe as specifie olidated materials plus a minimale, an agreement between the strict office will be notified before the olidate of the strict office will be notified before the strict office will be notified before the strict office will be notified before the strict of the strict of the strict of the spud days of the spud day	etion and eventual plicible met: dding of well; all be posted on each decided below shall be set mum of 20 feet into the experience of the well is either pluggippe shall be cemented attempted or the well shall be eet the per ALT. In	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: \_



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.


	ne of Section ne of Section W undary.
Number of Acres attributable to well:  QTR/QTR/QTR of acreage:	W
Number of Acres attributable to well:  QTR/QTR/QTR of acreage:	
Number of Acres attributable to well:  QTR/QTR/QTR of acreage:	
QTR/QTR/QTR of acreage:	undary.
QTR/QTR/QTR of acreage:	undary.
Section corner used: NE NW SE SW	undary.
Section corner used: NE NW SE SW	unuai y.
PLAT	
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of	
· · · · · · · · · · · · · · · · · · ·	
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).	
You may attach a separate plat if desired.	
1980 ft.	
LECEND	
LEGEND	
O Well Location	
Tank Battery Location	1
: : : : : : : : : : : : : : : :	
: : : : : Electric Line Location	
Lease Road Location	
1980 ft.	
EXAMPLE :	
9 : : : : : : : : : : : : : : : : : : :	
	•••
	1980' FSL
	, ••
SEWARD CO. 3390' FFI	

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed  If Existing, date col  Pit capacity:  urea?  Yes	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:
flow into the pit? Yes No  Submitted Electronically		'	e closed within 365 days of spud date.
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No



1202756

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	g
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	-
Email Address:	-
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	and the second in the construction of the cons
City: State: Zip:+	-
	ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1
KCC will be required to send this information to the surface task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the If choosing the second option, submit payment of the \$30.00 handling fee.	owner(s). To mitigate the additional cost of the KCC performing this so of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.  If the fee is not received with this form, the KSONA-1



# fall & Associates

Stake and Elovation Service 719 W. 5" Street P.O. BOX 494 Gangerdia, MS. 86901 1-800-536-2621

Date 4-8-14

0407141

AURFIN DRILLING Operator Number  Cheyenne-KS 9 1s 37w 1980'FNL 1980'FWL County-State S I' R Location  Murfin Drilling 250 N. Water Suite 300 Wichita, KS. 67202  Seat 1" 1890"  Set 5' Iron rod & 4' wood stake. Steep slope draw bank to the E and W.						Invoice Numb	er 0407141
Cheyenne-KS 9 1s 37w 1980FNL 1980FWL County-State S I R Location  Murfin Drilling 250 N. Water Suite 300 Wichita, KS. 67202  Seala 1"    003   Stake 9  Stake 9  Set 5' Iron rod & 4' wood stake . Steep slope	MURFIN DRILLING		4-9		Jones 'B'		
County-State  Murfin Drilling 250 N. Water Suite 300 Wichita, KS. 67202  Seale 1" 1000  Set 5' Iron rod & 4' wood stake. Steep slope	Operator	Salahan A. Salahan Salahan Maria	umber		Farm Nam	le)	
Murfin Drilling 250 N. Water Suite 300 Wichita, KS. 67202  Seale 1"-1000"  Seale 1"-1000"  Set 5' Iron rod & 4' wood stake . Steep slope	Cheyenne-KS			37w	and the common of the common o	O'FWL	
Murrin Drilling 250 N. Water Suite 300 Wichita, KS. 67202  Seale 1"-1000"  Stake  Set 5' Iron rod & 4' wood stake . Steep slope	The state of the s	S	1	R	Location	Magazina	3164 Gr
Seale 1"-1000"  Stake  Set 5' Iron rod & 4' wood stake . Steep slope	250 N. Water						
Set 5' Iron rod & 4' wood stake . Steep slope	Wichita, KS. 67202			Scale 1"-1000"			
Set 5' Iron rod & 4' wood stake . Steep slope	•		And the second s			Anni sering ganganan di sering	
Set 5' Iron rod & 4' wood stake . Steep slope	1		,00			of an invitational state in the state of the	
Set 5' Iron rod & 4' wood stake . Steep slope			661				
Set 5' Iron rod & 4' wood stake . Steep slope	Stake			*		Groundly and a second of the second	
Set 5' Iron rod & 4' wood stake . Steep slope	1900	The state of the s	<u> </u>	V C			
Set 5' Iron rod & 4' wood stake . Steep slope				9			
Set 5' Iron rod & 4' wood stake . Steep slope draw bank to the E and W.			<u> </u>				
Set 5' Iron rod & 4' wood stake . Steep slope draw bank to the E and W.	V						
draw bank to the E and W.				Set 5' Iron rod 8	& 4' wood stake .	Steep slope	
				draw bank to t	he E and W.	Property procedures were re-	-
						сонда «посция гудифести» чегон	
	4					Algent District May 1 And 19	

