

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	, Sec Twp S. R E W
ODEDATOR III "	feet from N / S Line of Section
DPERATOR:	feet from E / W Line of Section
Address 1:	
Address 2:	
State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	is the division operation.
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MSL
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile: Yes No
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ; # of Holes Other	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Occupations	Length of Conductor Pipe (if any):
Operator:	
Original Completion Date: Original Total Depth:	
Original Completion Date.	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	- Will Cores be taken? Yes No
	If Yes, proposed zone:
ΛE	FIDAVIT
AF The undersigned hereby affirms that the drilling, completion and eventual p	
	ragging of this well will comply with N.S.A. 35 Ct. 364.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well;	1. 1.98
2. A copy of the approved notice of intent to drill shall be posted on each	:D QUIIIDQ DQ:
17 11	3 <i>3</i> ·
3. The minimum amount of surface pipe as specified below shall be se	t by circulating cement to the top; in all cases surface pipe shall be set
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the 	t by circulating cement to the top; in all cases surface pipe shall be set
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	It by circulating cement to the top; in all cases surface pipe shall be set he underlying formation. Strict office on plug length and placement is necessary prior to plugging ; agged or production casing is cemented in;
 The minimum amount of surface pipe as specified below shall be se through all unconsolidated materials plus a minimum of 20 feet into the second of the secon	If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; agged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through the set into t	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; the definition of the strict o
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through the set into t	If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; agged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through the set into t	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; the definition of the strict o
 The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; the definition of the strict o
 The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through the set into t	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. At 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
 The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the seco	It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. It is a strict office prior to any cementing on plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the district of the seed of the seed of the well is either plug to the seed of the	the ty circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; the form below any usable water to surface within 120 DAYS of spud date. \$\frac{133}{891}\$-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the displant of the well is dry hole, an agreement between the operator and the displant of the well is either plugions. The appropriate district office will be notified before well is either plugions. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be seen the well shall be seen to the well shall be seen t	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; the form below any usable water to surface within 120 DAYS of spud date. \$\frac{133}{891}\$-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to:* - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the displant of the well is district office will be notified before well is either pluging. 5. The appropriate district office will be notified before well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order with must be completed within 30 days of the spudic date or the well shall be seen the well shall be seen to the shall be seen to the well shall be seen to the shall be seen to	the ty circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; the form below any usable water to surface within 120 DAYS of spud date. \$\frac{133}{891}\$-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the displant of the well is dry hole, an agreement between the operator and the displant of the well is either plugions. The appropriate district office will be notified before well is either plugions. If an ALTERNATE II COMPLETION, production pipe shall be cement or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be seen the well shall be seen to the well shall be seen t	the position of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; The underlying cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. Fig. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.
3. The minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the seed of the well is dry hole, an agreement between the operator and the displant of the well is district office will be notified before well is either pluging. 5. The appropriate district office will be notified before well is either pluging. 6. If an ALTERNATE II COMPLETION, production pipe shall be demented or pursuant to Appendix "B" - Eastern Kansas surface casing order with must be completed within 30 days of the spudic date or the well shall be seen the well shall be seen to the shall be seen to the well shall be seen to the shall be seen to	the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; agged or production casing is cemented in; agged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. F133,891-C, which applies to the KCC District 3 area, alternate II cementing be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

- If well will not be drilled or permit has expired (See; authorized expiration date)

Signature of Operator or Agent:

	Well will not be drilled or Permit Expired	Date:
please check the box below and return to the address below.		
	ii well will not be drilled of permit has expired (ee	c. admonized expiration date)



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwpS. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

4864 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		•	License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:			·
Emergency Pit Burn Pit	Pit is: Proposed Existing		SecTwp R
Settling Pit Drilling Pit If Existing, date con		nstructed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit			Feet from East / West Line of Section
(If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		County
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l
			(For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner? Yes	No	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
	om ground level to dee	,	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining any special monitoring.
material, inickness and installation procedure.		iner integrity, ir	icluding any special monitoring.
Distance to nearest water well within one-mile of pit:			west fresh water feet.
feet Depth of water well	feet	Source of information measured	mation: well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:	1661		over and Haul-Off Pits ONLY:
Producing Formation:			Il utilized in drilling/workover:
Number of producing wells on lease:			king pits to be utilized:
Barrels of fluid produced daily:		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must h	e closed within 365 days of spud date.
now into the pit? Yes I No			
Submitted Electronically			
	KCC	OFFICE USE O	
Data Provinced	h	5	Liner Steel Pit RFAC RFAS
Date Received: Permit Num	nei:	Permi	t Date: Lease Inspection: Yes No



1203916

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:	
Name:		
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:	
Contact Person:	•	
Phone: () Fax: () Email Address:		
Surface Owner Information:		
Name:		
Address 1:	owner information can be found in the records of the register of deeds for the	
Address 2:		
City:		
	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.	
I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax,		
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.	
Submitted Electronically		
I		





© Classroom)r.com. All Rights Reserved.