



Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION 1204430
OIL & GAS CONSERVATION DIVISION

Form ACO-1

August 2013

Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

- New Well Re-Entry Workover
- Oil WSW SWD SIOW
- Gas D&A ENHR SIGW
- OG GSW Temp. Abd.
- CM (Coal Bed Methane)
- Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

- Deepening Re-perf. Conv. to ENHR Conv. to SWD
- Plug Back Conv. to GSW Conv. to Producer
- Commingled Permit #: _____
- Dual Completion Permit #: _____
- SWD Permit #: _____
- ENHR Permit #: _____
- GSW Permit #: _____

Spud Date or Recompletion Date	Date Reached TD	Completion Date or Recompletion Date
-----------------------------------	-----------------	---

API No. 15 - _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

- NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite:

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

- Confidentiality Requested
Date: _____
- Confidential Release Date: _____
- Wireline Log Received
- Geologist Report Received
- UIC Distribution
- ALT I II III Approved by: _____ Date: _____

1204430

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <i>(Attach Additional Sheets)</i>	<input type="checkbox"/> Yes <input type="checkbox"/> No	<input type="checkbox"/> Log	Formation (Top), Depth and Datum	<input type="checkbox"/> Sample
Samples Sent to Geological Survey	<input type="checkbox"/> Yes <input type="checkbox"/> No	Name	Top	Datum
Cores Taken	<input type="checkbox"/> Yes <input type="checkbox"/> No			
Electric Log Run	<input type="checkbox"/> Yes <input type="checkbox"/> No			
List All E. Logs Run:				

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate				
<input type="checkbox"/> Protect Casing				
<input type="checkbox"/> Plug Back TD				
<input type="checkbox"/> Plug Off Zone				

Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*

Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated	Acid, Fracture, Shot, Cement Squeeze Record <i>(Amount and Kind of Material Used)</i>	Depth

TUBING RECORD: Size: _____ Set At: _____ Packer At: _____ Liner Run: Yes No

Date of First, Resumed Production, SWD or ENHR: _____ Producing Method:
 Flowing Pumping Gas Lift Other *(Explain)* _____

Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i> <input type="checkbox"/> Other <i>(Specify)</i> _____	PRODUCTION INTERVAL: _____ _____
--	---	---

Leis Oil Services, LLC

1410 150th Rd
Yates Center, KS 66783

Invoice

Date	Invoice #
5/4/2014	1023

Bill To
Piqua Petro, Inc. 1331 Xylan Rd Piqua, KS 66761

P.O. No.	Terms	Project
	Due on receipt	

Quantity	Description	Rate	Amount
1,262	Little Kramer 2-13	6.25	7,887.50
1	Mississippi Bit Charge	600.00	600.00
1	Drill Pit	100.00	100.00
15	Cement for surface	11.60	174.00
1,273	Little Kramer 3-14	6.25	7,956.25
1	Mississippi Bit Charge	600.00	600.00
1	Drill pit	100.00	100.00
10	Cement for surface	11.60	116.00
1,245	Diebolt 4-13	6.25	7,781.25
1	Mississippi bit charge	600.00	600.00
1	Drill pit	100.00	100.00
8	Cement for surface	11.60	92.80
1,273	Diebolt 5-14	6.25	7,956.25
1	Mississippi bit charge	600.00	600.00
1	Drill pit	100.00	100.00
8	Cement for surface	11.60	92.80
1,209	Shannon 7-14	6.25	7,556.25
1	Mississippi bit charge	600.00	600.00
1	Drill Pit	100.00	100.00
8	Cement for surface	11.60	92.80
1,100	Shannon 9-14	6.25	6,875.00
1	Drill pit	100.00	100.00
8	Cement for surface	11.60	92.80
1,117	Shannon 11-14	6.25	6,981.25
1	Drill pit	100.00	100.00
8	Cement for surface	11.60	92.80
1,118	Shannon 10-14	6.25	6,987.50
1	Drill Pit	100.00	100.00
8	Cement for surface	11.60	92.80
7	Pulling 3-26-14 Diebolt(2hr), Shannon(3hr), Collins Bennett (2hr)	65.00	455.00
8	Pulling 3-27-14 Sovodoba (8hrs)	65.00	520.00
8	Pulling 3-31-14 Woods Ellis (3hr) Wingrave (3hr) Hammond E (2hr)	65.00	520.00
10	Pulling 4-1-14 Hammond E (10hr)	65.00	650.00
7	Pulling 4-7-14 Hammond E (1.5hr) Stranghorner (5.5hr)	65.00	455.00
		Total	



CONSOLIDATED
Oil Well Services, LLC

REMIT TO
Consolidated Oil Well Services, LLC
Dept. 970
P.O. Box 4346
Houston, TX 77210-4346

MAIN OFFICE
P.O. Box 884
Chanute, KS 66720
620/431-9210 • 1-800/467-8676
Fax 620/431-0012

INVOICE

Invoice # 267427

Invoice Date: 04/17/2014 Terms: 0/30/10,n/30

Page 1

LAIR, GREG
DBA: PIQUA PETRO INC
1331 XYLAN ROAD
PIQUA KS 66761
(620)468-2681

SHANNON #11
5220000846
04-16-2014
KS

Part Number	Description	Qty	Unit Price	Total
1131	60/40 POZ MIX	140.00	13.1800	1845.20
1118B	PREMIUM GEL / BENTONITE	500.00	.2200	110.00
1110A	KOL SEAL (50# BAG)	700.00	.4600	322.00
1102	CALCIUM CHLORIDE (50#)	125.00	.7800	97.50
1118B	PREMIUM GEL / BENTONITE	300.00	.2200	66.00
1123	CITY WATER	3000.00	.0173	51.90
4402	2 1/2" RUBBER PLUG	2.00	29.5000	59.00

Sublet Performed	Description	Total
9996-170	CEMENT MATERIAL DISCOUNT	-732.21

Description	Hours	Unit Price	Total
445 CEMENT PUMP	1.00	1085.00	1085.00
445 EQUIPMENT MILEAGE (ONE WAY)	45.00	4.20	189.00
611 TON MILEAGE DELIVERY	1.00	409.25	409.25
637 80 BBL VACUUM TRUCK (CEMENT)	3.00	90.00	270.00

Amount Due 4693.67 if paid after 04/27/2014

Parts:	2551.60	Freight:	.00	Tax:	134.64	AR	3907.28
Labor:	.00	Misc:	.00	Total:	3907.28	<i>5% disc</i>	195.36
Sublt:	-732.21	Supplies:	.00	Change:	.00		3711.92

Signed _____

Date _____

BARTLESVILLE, OK 918/338-0808 EL DORADO, KS 316/322-7022 EUREKA, KS 620/583-7664 PONCA CITY, OK 580/762-2303 OAKLEY, KS 785/672-8822 OTTAWA, KS 785/242-4044 THAYER, KS 620/839-5269 GILLETTE, WY 307/686-4914 CUSHING, O 918/225-2651



LEIS OIL SERVICES



1410 150th Rd. • Yates Center, Kansas 66783 • (620) 212-0752

Operator License #: 30345	API #: 15-001-30994-00-00
Operator: Piqua Petro, Inc.	Lease: Shannon
Address: 1331 Xylan Rd, Piqua, KS 66761	Well #: 11-14
Phone: (620) 433-0099	Spud Date: 4-15-14 Completed: 4-16-14
Contractor License: 34036	Location: NE-NW-NE-NW of 14-25-17E
T.D. : 1117 T.D. of Pipe: 1110 Size: 2.875"	165 Feet From North
Surface Pipe Size: 7" Depth: 21'	1855 Feet From West
Kind of Well: Oil	County: Allen

LOG

Thickness	Strata	From	To	Thickness	Strata	From	To
4	Soil and Clay	0	4	29	Shale	781	810
14	Lime	4	18	10	Oil Sand	810	820
126	Shale	18	144	236	Shale	820	1056
21	Lime	144	165	19	Oil Sand	1056	1075
9	Shale	165	174	10	Dark Sand	1075	1085
56	Lime	174	230	32	Sand	1085	1117
49	Shale	230	279				
6	Lime	279	285				
13	Shale	285	298				
69	Lime	298	367				
9	Shale/Black Shale	367	376				
27	Lime	376	403				
4	Shale/Black Shale	403	407				
32	Lime	407	439				
172	Shale	439	611		T.D. of Pipe		1117
10	Lime	611	621		T.D.		1110
71	Shale	621	692				
4	Lime	692	696				
5	Shale	696	701				
15	Lime	701	716				
5	Shale	716	721				
5	Lime	721	726				
24	Shale	726	750				
2	Lime	750	752				
6	Shale	752	758				
7	Lime	758	765				
6	Shale	765	771				
5	Black Shale	771	776				
5	Lime	776	781				