

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
DPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OVVVO. Oid well information as follows.	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
virectional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Yes, true vertical depth:	Well Farm Pond Other:  DWR Permit #:
Sottom Hole Location:	(Note: Apply for Permit with DWR )
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AEC	IDAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	
	gging of this well will comply with K.S.A. 35 et. seq.
t is agreed that the following minimum requirements will be met:	gging of this well will comply with N.S.A. 33 et. Seq.
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i>!</li> </ol>	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b>
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> </ol>	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation.
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the distriction</li> </ol>	drilling rig; by circulating cement to the top; in all cases surface pipe <b>shall be set</b> underlying formation. ict office on plug length and placement is necessary <b>prior to plugging</b> ;
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> </ol>	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation. cit office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in;
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation. cit office on plug length and placement is necessary <i>prior to plugging</i> ; ed or production casing is cemented in;
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> </ol>	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; If from below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>t is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented.</li> <li>Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; If from below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugge</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; If from below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:</li> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; if from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
<ol> <li>is agreed that the following minimum requirements will be met:         <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the district.</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol> </li> </ol>	drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> ed or production casing is cemented in; if from below any usable water to surface within <i>120 DAYS</i> of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set aunderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> I through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set sunderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> I through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set sunderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> I through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set sunderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> I through all unconsolidated materials plus a minimum of 20 feet into the  4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  Ibmitted Electronically  For KCC Use ONLY  API # 15	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set sunderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distinct of the special set of the special set of the special set of the special set of the set of the special set of the s	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set sunderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; if from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be  submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	drilling rig; by circulating cement to the top; in all cases surface pipe shall be set sunderlying formation. rict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 1537 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Drilling Pit  Workover Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed Existing  If Existing, date constructed:  Pit capacity:		SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No Artificial Liner?  Yes No		No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.	illei		dures for periodic maintenance and determining ncluding any special monitoring.	
Distance to nearest water well within one-mile	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	al utilized in drilling/workover:	
Number of producing wells on lease:		Number of world	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
	KCC	OFFICE USE O		
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS it Date: Lease Inspection: Yes No	



1205104

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	_ Well Location:		
Name:			
Address 1:			
Address 2:			
City: State: Zip:+	_ If filing a Form T-1 for multiple wells on a lease, enter the legal description or		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )	_		
Email Address:	-		
Surface Owner Information:			
Name:	sheet listing all of the information to the left for each surface owner. Surface		
Address 1:			
Address 2:	accepts and in the real estate preparts toy records of the accepts traceurer		
City: State: Zip:+	_		
are preliminary non-binding estimates. The locations may be entered Select one of the following:  I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form	ank batteries, pipelines, and electrical lines. The locations shown on the plated on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Be Act (House Bill 2032), I have provided the following to the surface the located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form mobeing filed is a Form C-1 or Form CB-1, the plat(s) required by this		
form; and 3) my operator name, address, phone number, fax	, and email address.		
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this less of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ing fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
I			




# **Pro-Stake LLC**

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



112023

 DK Operating, Inc.
 Whitley #1-13

 OPERATOR
 LEASE NAME

 Ness County, KS
 13
 20s
 23w
 1537' FSL - 2305' FEL

 COUNTY
 Sec.
 Twp.
 Rng.
 LOCATION SPOT

SCALE: \_\_\_\_\_\_ 1" = 1000'

DATE STAKED: \_\_\_\_\_\_ May 7<sup>th</sup>, 2014

MEASURED BY: \_\_\_\_\_\_ Kent C.

DRAWN BY: \_\_\_\_\_\_ Norby S.


AUTHORIZED BY: \_\_\_\_\_\_ Jason A. & Danny K.

This drawing does not constitute a monumented survey or a land survey plat. This drawing is for construction purposes only.

GR. ELEVATION:  $\frac{2201.5^{\circ}}{}$ 

**Directions**: From the center of Ness city, Ks at the intersection of Hwy 96 and Hwy 283 – Now go 9.3 miles South on Hwy 283 – Now go 5 miles East on Rd. 40 to the NE corner of section 13-20s-23w – Now go 0.6 mile South on Rd. X to ingress stake West into – Now go 0.4 mile West on trail and ingress south into – Now go approx. 720' South through pasture, into staked location.

Final ingress must be verified with land owner or Operator.



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

May 21, 2014

Daniel L. King DK Operating Inc. 621 Benton St. JETMORE, KS 67854

Re: Drilling Pit Application Whitley 1-13 SE/4 Sec.13-20S-23W Ness County, Kansas

Dear Daniel L. King:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations. KEEP PITS on North side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.