

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
	Sec Twp S. R L E L V
PPERATOR: License#	feet from N / S Line of Section
ame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity:	County:
contact Person:hone:	Lease Name: Well #:
	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old wall information as fallows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
Bottom Hole Location:	DWK Pelliit #.
CCC DKT #:	(1000) (1000)
	Will Coles be taken?
	If Yes, proposed zone:
AF	If Yes, proposed zone:
	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual pl	FIDAVIT
The undersigned hereby affirms that the drilling, completion and eventual plates is agreed that the following minimum requirements will be met:	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual pl	FIDAVIT ugging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  h drilling rig;
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the sum o	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of t	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the sum o	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and all the strength of t	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on the posted of the posted on the posted of the posted on each and the sum of the posted of the posted on the posted of the	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on the posted of the posted on the posted of the posted on each and the sum of the posted of the posted on the posted of the	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set of the	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the agreed and the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the sear through all unconsolidated materials plus a minimum of 20 feet into the search of the search through all unconsolidated materials plus a minimum of 20 feet into the search of the	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing to plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the posted on the prior of the posted on the po	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and placement of surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the dise. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemente. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disestant of the structure of the specified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriated before the propriated before the propriated before the well shall be appropriated before the propriated before t	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on eac.  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  **Ibmitted Electronically**  For KCC Use ONLY  API # 15	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all unconsolidated materials plus a minimum of 20 feet into the set through all be compared to the set of the	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an acceptance. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the spud date or and the discount of the spud before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> seen through all unconsolidated materials plus a minimum of 20 feet into the standard plus of the well is dry hole, an agreement between the operator and the distance of the specified district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the specified plus of the well shall be specified plus of the specified pl	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;

Agent:

Spud date: \_

For KCC Use ONLY	
API # 15	_

## IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:							_ Lo	cation of W	/ell: Cou	nty:				
Lease:										1	feet from	N /	S Line	e of Section
Well Num	ber:									1			W Line	of Section
Field:							_ Se	ec	Twp.		_S. R		E	W
	f Acres attr						15	Section:	Regu	ular or [	Irregu	lar		
							If S	Section is ection corne	_	r, locate v			orner bour	ndary.
	lease roa			rell. Show t	d electrica	al lines, as	required b		sas Surfa					
542 ft.		: ) :	:				:				LE	GEND		
			: : :					<u>:</u> :			Tan Pipe	I Location k Battery eline Loca ctric Line se Road I	Location ation Location	
		: : : : :	: : : : :	1	 6					EXAMP	:			
					•••••	·		:			φ <b>=</b>	 1		1980' FSL
					•••••					••••			: 	
		:	<u>:</u>	:		<u>:</u>	:	:		SEWARD CO	<b>)</b> . 3390' F	EL		

NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1205728

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Kansas Corporation Commission Oil & Gas Conservation Division

Submit in Duplicate

Operator Name:		•	License Number:				
Operator Address:							
Contact Person:			Phone Number:				
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R				
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section				
Workover Pit Haul-Off Pit			Feet from East / West Line of Section				
(If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	County				
Is the pit located in a Sensitive Ground Water A	Area? Yes	No	Chloride concentration: mg/l				
			(For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?  Yes No	Artificial Liner?  Yes	No	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
	om ground level to dee	,					
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining any special monitoring.				
material, inickness and installation procedure.		iner integrity, ir	icluding any special monitoring.				
Distance to nearest water well within one-mile	of pit:		west fresh water feet.				
feet Depth of water well	feet	Source of information measured	mation:  well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:	1661		over and Haul-Off Pits ONLY:				
Producing Formation:			Il utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:					
Barrels of fluid produced daily:		Abandonment p	procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill nits must h	e closed within 365 days of spud date.				
Outrositte di Electronica III.							
Submitted Electronically							
	KCC	OFFICE USE O					
Data Provinced	h	5	Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	nei:	Permi	t Date: Lease Inspection: Yes No				

## CORRECTION #1

Kansas Corporation Commission 1205728

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

## **CERTIFICATION OF COMPLIANCE WITH THE** KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)				
OPERATOR: License #					
Name:	·				
Address 1:					
Address 2:  City: State: Zip:+					
Contact Person:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:				
Phone: ( ) Fax: ( )					
Email Address:					
Surface Owner Information:					
Name:					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the				
Address 2:	and the second is the second actata assessment that the second of the second se				
City: State: Zip:+	-				
the KCC with a plat showing the predicted locations of lease roads, ta	hodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat I on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.				
owner(s) of the land upon which the subject well is or will be	e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this , and email address.				
KCC will be required to send this information to the surface	I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and e KCC, which is enclosed with this form.				
If choosing the second option, submit payment of the \$30.00 handlir form and the associated Form C-1, Form CB-1, Form T-1, or Form C	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.				
Submitted Electronically					
1					

## CORRECTION #1

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form must be Signed All blanks must be Filled Form KSONA-1

## KANSAS SURFACE OWNER NOTIFICATION ACT **CERTIFICATION OF COMPLIANCE WITH THE**

This form must be submitted with all Forms C-1/(Nditce of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); F1 (Request for Change of Operator Transfer of Infection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: XC-1(Inlept) DB-1	B-1 (Cathodic Protection Borehole Intent)
OPERATOR: License # 33453	Well Localibn:
Address 1: 12 N ARMSTRONG ST Address 2:	County: Greenwood Lease Name: D Young
Clty: BIXBY State: OK Zlp: 74008 + 4446	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Phone: (918 ) 366-3710 Fax: (918 ) 366-3715 Email Address:	
Surface Owner Information:	
Name: David Young Address 1: 3684 T Road	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2: City: Madison State KS Zip: 66860 +	county, and in the real estate property tax records of the county treasurer.
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cath. the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered to	If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
X  Jecrtify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 20) conner(s) of the land upon which the subject well is or will be located: 1) a copy (CP-1 that I am filling in connection with this form; 2) if the form being filled is a Form form; and 3) my operator name, address, phone number, fax, and email address.	Joertify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface Cowner(s) of the land uppn which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filling in connection with this form; 2) if the form being filled is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information to the surface owner(s). To mitigate the additional costask, I acknowledge that I must provide the name and address of the surface owner by filling out the that I am being objarged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.	Thave not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being obarged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling fee with this form form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.	nd option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 ted Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

I hereby certify that the statements made herein are true and correct to the best of my knowledge and belief.

à		
Signature of Operator or Agent:		
Date:		

# IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

Plat of acreage attributable to a well in a prorated or spaced field

If the intended well is in a prorated or spaced field, please fully complete this side of the form. If the Intended well is in a prorated or spaced field complete the plat below showing that the well will be properly located in relationship to other wells producing from the common source of supply. Please show all the wells and within 1 mile of the boundaries of the proposed acreage attribution unit for gas wells and within 1/2 mile of the boundaries of the anit for oil wells.

PLAT  Ow location of the well and shade attributab (Show footage to the nearest let	feet from X N / S Line of Section teet from E / X W Line of Section S. R. 11 X E W	Is Section: X Regular or . I Irregular  If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW	sced wells.)			EXAMPLE 1960	3390'	SEWARD CO.
table to well:  acreage:  (Show footage in the well and t	of Welli	Is Section: X Regular or .[  If Section is Irregular, locate v	PLAT shade attributable acreage for prorated or spa	o the nearest lease or unit boundary line.)		EXA		SEW
	STEPHEN C. JONES D YOUNG 1 Der.	Number of Acres attributable to well:	(Show location of the well and	Show footage				

NOTE: In all cases locate the spot of the proposed drilling locaton.

## In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections.
  - The distance of the proposed drilling location from the south / north and east / west outside section lines.
     The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (CO-7 for oil wells; CG-8 for gas wells).

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

May 27, 2014

Steve Jones Jones, Stephen C. 12 N ARMSTRONG ST BIXBY, OK 74008-4446

Re: Drilling Pit Application API 15-073-24209-00-00 D Young 1 NW/4 Sec.16-22S-11E Greenwood County, Kansas

## Dear Steve Jones:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.

## **Summary of Changes**

Lease Name and Number: D Young 1 API/Permit #: 15-073-24209-00-00

Doc ID: 1205728

Correction Number: 1

Approved By: Rick Hestermann 05/27/2014

Field Name	Previous Value	New Value
ElevationPDF	1116 Estimated	1175 Estimated
Feet to Nearest Water Well Within One-Mile of	3324	3409
Pit Ground Surface Elevation	1116	1175
Is Footage Measured from the East or the	East	West
West Section Line Is Footage Measured from the East or the West Section Line	East	West
KCC Only - Approved By	NAOMI JAMES 04/11/2014	Rick Hestermann 05/27/2014
KCC Only - Approved Date	04/11/2014	05/27/2014
KCC Only - Date Received	04/10/2014	05/27/2014
KCC Only - Lease Inspection	Yes	No
KCC Only - Regular Section Quarter Calls	W2 NE NE NE	E2 NW NW NW

## Summary of changes for correction 1 continued

Field Name	Previous Value	New Value		
LocationInfoLink	https://kolar.kgs.ku.edu/ kcc/detail/locationInform ation.cfm?section=16&t	https://kolar.kgs.ku.edu/kcc/detail/locationInformation.cfm?section=16&t		
Quarter Call 1 - Largest	NE	NW		
Quarter Call 1 - Largest	NE	NW		
Quarter Call 2	NE	NW		
Quarter Call 2	NE	NW		
Quarter Call 3	NE	NW		
Quarter Call 3	NE	NW		
Quarter Call 4 - Smallest	W2			
Quarter Call 4 - Smallest	W2			
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=11 99095	//kcc/detail/operatorE ditDetail.cfm?docID=12 05728		

## **Summary of Attachments**

Lease Name and Number: D Young 1

API: 15-073-24209-00-00

Doc ID: 1205728

Correction Number: 1

Approved By: Rick Hestermann 05/27/2014

**Attachment Name** 

Form KSONA-1 & Plat

Fluid