

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day	year Sec Twp S. R
OPERATOR: License#	feet from N / S Line of Section
Name:	fact from E / W Line of Continu
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip:	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	
	Target Formation(s):
Well Drilled For: Well Class: Type Equip	
Oil Enh Rec Infield Mud F	Ground Surface Elevation:feet MSL Rotary
Gas Storage Pool Ext. Air Ro	Water well within one-quarter mile: Yes No
Disposal Wildcat Cable	
Seismic ;# of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OMMANO and well information as follows:	Surface Pipe by Alternate: III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : (IT (ID)
Original Completion Date: Original Total Depth	: Formation at Total Depth:
_	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling completion a	
The undersigned hereby affirms that the drilling, completion a	and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be m	net:
Notify the appropriate district office <i>prior</i> to spudding or	of well;
 Notify the appropriate district office <i>prior</i> to spudding o A copy of the approved notice of intent to drill <i>shall be</i> 	of well; posted on each drilling rig;
 Notify the appropriate district office <i>prior</i> to spudding o A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified belo 	of well; posted on each drilling rig; ow shall be set by circulating cement to the top; in all cases surface pipe shall be set
 Notify the appropriate district office <i>prior</i> to spudding o A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified belo through all unconsolidated materials plus a minimum o 	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation.
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operations. 	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging;
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of the appropriate district office will be notified before we 	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in;
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we If an ALTERNATE II COMPLETION, production pipe shall be appropriated in the complex of the complex o	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. attor and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we If an ALTERNATE II COMPLETION, production pipe short pursuant to Appendix "B" - Eastern Kansas surface 	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we If an ALTERNATE II COMPLETION, production pipe shour or pursuant to Appendix "B" - Eastern Kansas surface 	of well; posted on each drilling rig; we shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. attor and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date.
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we If an ALTERNATE II COMPLETION, production pipe short pursuant to Appendix "B" - Eastern Kansas surface 	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or to the complete of the spud date or to the spud date o	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set if 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or to the complete of the spud date or to the spud date o	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. After and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. Casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before weight an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically.	of well; posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation 5. The appropriate district office will be notified before weight 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the complete of the comple	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before weight an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the complete of the complete	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation 5. The appropriate district office will be notified before weighted 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the complete of the comp	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before weight an ALTERNATE II COMPLETION, production pipe short pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe short or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we of 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or to a complete of the spud date or to the spud date of the spud date	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15	posted on each drilling rig; posted on each drilling cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. Actor and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the operation of 5. The appropriate district office will be notified before we of 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	posted on each drilling rig; w shall be set by circulating cement to the top; in all cases surface pipe shall be set f 20 feet into the underlying formation. ator and the district office on plug length and placement is necessary prior to plugging; Ill is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
1. Notify the appropriate district office <i>prior</i> to spudding of 2. A copy of the approved notice of intent to drill <i>shall be</i> 3. The minimum amount of surface pipe as specified below through all unconsolidated materials plus a minimum of 4. If the well is dry hole, an agreement between the opera 5. The appropriate district office will be notified before we 6. If an ALTERNATE II COMPLETION, production pipe short of pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15	posted on each drilling rig; posted on each drilling cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. Patter and the district office on plug length and placement is necessary prior to plugging; Il is either plugged or production casing is cemented in; hall be cemented from below any usable water to surface within 120 DAYS of spud date. Casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:					_ Lo	Location of Well: County:								
Lease:										fe	et from	N /	S Line	of Section
Well Numl	ber:									fe	et from	E /	W Line	of Section
Field:							_ Se	ec	Twp		S. R		E	W
	f Acres attr /QTR/QTR						15	Section:	Regul	lar or	Irregula	ır		
QIIVQIIV	/Q11/Q110	or acreag		_		_								
								Section is I ection corne	_	NE NE	NW		smer boun SW	dary.
							36	ction come	n useu.	INL		_ SL	1300	
							PLAT							
	S.I	how locati	on of the w	all Shows	footogo to	the near		r unit bound	dary lina	Show tho	prodicted	locations	of	
					_			y the Kans	-					
	10030 100	ius, tarik b	atteries, pi	pennes an				e plat if desi		C OWNER I	volice Aci	(11003C I	JIII 2002).	
	3	330 ft.			100 111	ay allaon	a coparato	piat ii acoii	700.					
		:	:	:		:	:	:						
550 ft.	—-(-	;	:								LEG	END		
		:	:	:		:	:	:			LEG	END		
		:	:	:	•••••	:	:	:		0	Well	Location	ı	
		:		:		:		:			Tank	Battery	Location	
				•	••••			•		_	Pipel	ine Loca	ition	
		:	:	:		:	:	:			Elect	ric Line	Location	
		:	:	:		:	:	:			L eas	e Road I	_ocation	
			•	•	••••									
		:	:	:		:	:	:						
		:	:	:		:				EXAMPL	Ē	:	:	
		:	:	:		<u>.</u> :	:	:				:		
		:	:	2	7	:	:	:			· · · · · · · · · · · · · · · ·	:		
		:	:	:		:	:	:				:	:	
	•••••	:		:	•••••	:		:				:	:	
			:							•••••	• • • • • • • • •	•	•	
		•	•					•				:	:	1980' FSL
		:	:	:		:	:	:			Υ-1	:		1900 F3L
		:	:	:		:	:	:		••••••			·	
			•	·										
		:	:	:		:	:	:					:	
		:	<u>:</u>	:		:	:	:	S	SEWARD CO.	3390' FE	i- L		
		:	:	:		:	:	:						

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:	License Number:			
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date col Pit capacity: urea? Yes	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee			
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure:	
flow into the pit? Yes No Submitted Electronically		'	e closed within 365 days of spud date.	
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



1206327

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	Sec Twp S. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description or
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
are preliminary non-binding estimates. The locations may be entered of	k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be le	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the I	
that I am being charged a \$30.00 handling fee, payable to the I	CCC, which is enclosed with this form. fee with this form. If the fee is not received with this form, the KSONA-1



Ruth 3406 1-22H Lease Information Sheet

Unit Description:

W2 Section 22-34S-06W Harper County

Surface Owners:

Herbert L. Wilcox, Jr. 462 SE 40th Ave Anthony, KS 67003

MYRA	3406 4-8H	^	HALLWAN 1	40	44	12
8 😜		9 GARLOW 1-16H	+	10 WICOXS	11	12
DANIELLE 3406	3 1-17H GARLO 3 2-17H €	5W3406 2-16H ⊕	ROBB 3406 1-16H ROBB 3406 2-16H	WECOX5 3954 ×		
				WLCOX 4		
			R	38 1 16 VALCOX 4 5079 ALBERT 2		
			*	ALBERT 2	MANDEVILL 1 5021	
			1		, A	
		WSER 1 4646	EAS IX	THAM 1 ALBERT 3 46000 X 6007		
17		¤ 16		15	14	13
1/		,0		WLCOX 2WLCOX 3406 2-15HWLCOX 3406 1-15H		
				WLCOX 6		
				×		
				WLCOX 1 #4910		
				Д	DONNAMA	E-3408-1-23H
		3.000			•	
					STACEY 1-23 SWD STACEY 2-23 SWD	
				WILCOX1 S324		
		21		2	23	24
20		21				
		4		34S 6W		
				CATON 1 4910 H		
BRITT 340	06 2-20H LAKE	3406 2-21H LAKE 1 20U				
-JAYLOR 3		3406 2-21H LAKE 1-21H				
	→ SHRA	CK 1-28H SHRACK 3406 2-28H	RUTH 340	6 1-22HMOHR 3406 1-21H JOYCE 3406 1-27H YOUNG 3406 1-28H		
				† YOUNG 3406 1-28H		
		00		27	26	25
29		28				
	ROACH 1 5285					
Legend						
■ SandRidge Wells						
Sandridge SWD Wells						
Competitor Wells						
★ ABANDONED LOCATI ★ DRY HOLE, TEMPORE	ION ARILY ABANDONED					
G GAS WELL JUNKED AND ABAND	IONED WELL	33		34	35	36
OIL WELL		55				
● WELL START SandRidge Unit Lines						
	and the manuscript of the states					

Proposed Electric Line