

For KCC Use:	
Effective Date:	
District #	
SGA? Yes No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	month d	ay year	Spot Description:	
	monar	ay your		Ē'
OPERATOR: License#			feet from N / S Line of	Secti
Name:			feet from E / W Line of	Section
Address 1:			Is SECTION: Regular Irregular?	
ddress 2:			(Note: Locate well on the Section Plat on reverse side)	
		Zip: +	County:	
Contact Person:			Lease Name: Well #:	
hone:			Field Name:	
CONTRACTOR: License#			_	
lame:			Target Formation(s):	\Box
Mall Duille et Ferre	14/- 11 01	Torre Construence of	Nearest Lease or unit boundary line (in footage):	
Well Drilled For:	Well Class:	Type Equipment:		et MS
Oil Enh F		Mud Rotary		1
Gas Stora	· 🛏	Air Rotary		
Dispo		Cable	Depth to bottom of fresh water:	
Seismic ;# o			Depth to bottom of resh water:	
Otner:			Surface Pipe by Alternate: I	
If OWWO: old well	information as follows:		Length of Surface Pipe Planned to be set:	
Operator:				
			Projected Total Depth:	
Original Completion Da	ate: Origin	nal Total Depth:		
Directional, Deviated or Ho	rizontal wellhore?	Yes No	Water Source for Drilling Operations:	
			Well Farm Pond Other:	
i 100, trao vortioar aoptin			DWR Permit #:	
Bottom Hole Location:			(Nata Analytes Bound with DMD)	
			(Note: Apply for Permit with DWR)	
			(Note: Apply for Permit with DWR) Will Cores be taken?	
			(Note: Apply for Permit with DWR)	
			(Note: Apply for Permit with DWR) Will Cores be taken?	
CC DKT #:		AF	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone:	1
CCC DKT #: The undersigned hereby	affirms that the drilling	AF , completion and eventual p	- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone:	
CCC DKT #:	affirms that the drilling	AF , completion and eventual p nents will be met:	- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone:	
The undersigned hereby t is agreed that the follow 1. Notify the appropriance of the	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to	AF, completion and eventual potents will be met: to spudding of well; drill shall be posted on each	- (Note: Apply for Permit with DWR) - Will Cores be taken? Yes If Yes, proposed zone:	1
The undersigned hereby t is agreed that the follow 1. Notify the appropriation of the approp	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each	Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set	1
The undersigned hereby t is agreed that the follow 1. Notify the appropriation in the appropriation in the appropriation in the appropriation in the minimum amough all unconstitutions.	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on each specified below shall be see a minimum of 20 feet into the	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation.	
The undersigned hereby t is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all unconsi 4. If the well is dry ho	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw	AF, completion and eventual parents will be met: to spudding of well; drill shall be posted on each specified below shall be see a minimum of 20 feet into the een the operator and the di	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. Ith drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging;	
The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be notif	AF, completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into to een the operator and the di ied before well is either plus	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;	
The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be notif II COMPLETION, prod	AF, completion and eventual parents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into to een the operator and the di ied before well is either plug uction pipe shall be cement	Will Cores be taken? If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date.	
The undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE of the pursuant to App	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notiful COMPLETION, producendix "B" - Eastern Ka	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in;	
The undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE of the pursuant to App	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notiful COMPLETION, producendix "B" - Eastern Ka	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby is agreed that the follow 1. Notify the appropri 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE of the pursuant to App	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notiful COMPLETION, producendix "B" - Eastern Ka	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the follow A copy of the approx The minimum amough all unconsor If the well is dry ho The appropriate dis If an ALTERNATE IN Or pursuant to Approx The completed	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ele, an agreement betwe strict office will be notif II COMPLETION, produced in the company of the surface of the company of the	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th	(Note: Apply for Permit with DWR) Will Cores be taken? Yes If Yes, proposed zone: FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. It drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; aged from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing	
The undersigned hereby It is agreed that the follow It Notify the appropria A copy of the appropria The minimum amough all unconse If the well is dry ho The appropriate dis If an ALTERNATE Or pursuant to Appropriate of the completed	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ele, an agreement betwe strict office will be notif II COMPLETION, produced in the company of the surface of the company of the	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th	(Note: Apply for Permit with DWR) Will Cores be taken?	
The undersigned hereby It is agreed that the follow It is agreed that the follow It is agreed that the follow A copy of the approx The minimum amough all unconsor If the well is dry ho The appropriate dis If an ALTERNATE IN Or pursuant to Approx The completed	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ele, an agreement betwe strict office will be notif II COMPLETION, produced in the company of the surface of the company of the	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be sea a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cementars as surface casing order and the difficult of the state of th	(Note: Apply for Permit with DWR) Will Cores be taken?	J
he undersigned hereby is agreed that the follow 1. Notify the appropriate of the approach of the approach of the approach of the approach of the well is dry how through all unconstant of the well is dry how of the appropriate displayed or pursuant to Approach of the appropriate	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwestrict office will be notiful COMPLETION, produced in the company of the surface of the company of the mically	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be se a minimum of 20 feet into the een the operator and the diffed before well is either pluguction pipe shall be cement insas surface casing order a spud date or the well shall be	(Note: Apply for Permit with DWR) Will Cores be taken?	J
he undersigned hereby is agreed that the follow 1. Notify the appropriate of the appropriate of the appropriate of the well is dry ho 5. The minimum amount of the well is dry ho 6. If an ALTERNATE of the appropriate of	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betw strict office will be notif II COMPLETION, produendix "B" - Eastern Karl within 30 days of the	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on earspecified below shall be see a minimum of 20 feet into the enthe operator and the diffed before well is either pluguction pipe shall be cement insas surface casing order aspud date or the well shall be	(Note: Apply for Permit with DWR) Will Cores be taken?	J
The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to App must be completed Journal Honor For KCC Use ONLY API # 15 - Conductor pipe required	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwe strict office will be notiful COMPLETION, produced in the within 30 days of the inically	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cement ansas surface casing order as spud date or the well shall be spuddeted.	Will Cores be taken? If Yes, proposed zone: SFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 DAYS of spud date. Strict office on below any usable water to surface within 120 DAYS of spud date. Strict office on below any usable water to surface within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all strict office within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all strict office within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all strict office within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all strict office within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or prior to plu	J
The undersigned hereby It is agreed that the follow I. Notify the appropria I. A copy of the appropria I. A copy of the appropria I. The minimum amough all unconso If the well is dry ho I. The appropriate dis If an ALTERNATE Or pursuant to Appropriate to Compute the completed IDMITTED ELECTRON For KCC Use ONLY API # 15 -	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwe strict office will be notiful COMPLETION, produced in the within 30 days of the inically	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the diffied before well is either pluguction pipe shall be cement ansas surface casing order as spud date or the well shall be spuddeted.	(Note: Apply for Permit with DWR) Will Cores be taken?	J
The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all uncons 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to App must be completed Libmitted Electroi For KCC Use ONLY API # 15 - Conductor pipe required	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus ale, an agreement betwestrict office will be notiful COMPLETION, produendix "B" - Eastern Kall within 30 days of the mically	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the diffied before well is either pluguation pipe shall be dementions as surface casing order as spud date or the well shall be spudded in the well shall be sent of the well shall b	Will Cores be taken? If Yes, proposed zone: SFIDAVIT Jugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases, within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases, within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases, within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or prior to plugging; ag	J
The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE or pursuant to App must be completed Ubmitted Electron For KCC Use ONLY API # 15 - Conductor pipe required and in the complete or consumers of the complete or consumers of the consumers of	affirms that the drilling ving minimum requirem ate district office <i>prior</i> oved notice of intent to unt of surface pipe as olidated materials plus le, an agreement betwe strict office will be notiful COMPLETION, produced "B" - Eastern Kate within 30 days of the inically	AF, completion and eventual prents will be met: to spudding of well; drill shall be posted on ear specified below shall be se a minimum of 20 feet into the enthe operator and the diffied before well is either pluguation pipe shall be dementions as surface casing order as spud date or the well shall be spudded in the well shall be sent of the well shall b	Will Cores be taken? If Yes, proposed zone: SFIDAVIT Sugging of this well will comply with K.S.A. 55 et. seq. Sch drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases, within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; all cases, within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and the surface within 120 DAYS of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or production of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or prior to plugging; aged or production of spud date. Strict office on plug length and placement is necessary prior to plugging; aged or prior to	, on

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:	
Signature of Operator or Agent:		

Side Two



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest le lease roads, tank batteries, pipelines and electrical lines, as req	_AT ease or unit boundary line. Show the predicted locations of nuired by the Kansas Surface Owner Notice Act (House Bill 2032). Exparate plat if desired.
	LEGEND
	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
9	EXAMPLE :
	980'FSL


NOTE: In all cases locate the spot of the proposed drilling locaton.

1155 ft.

SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

20 Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:		Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed If Existing, date col Pit capacity: urea? Yes	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from	
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
	Pit dimensions (all but working pits):Length (feet) Depth from ground level to deepest point:			
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.	
		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to		Type of materia	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure:	
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically				
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



1206620

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	the lease helow:		
Contact Person:	_		
Phone: () Fax: () Email Address:			
Surface Owner Information:			
Name:			
Address 1:	owner information can be lound in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+			
are preliminary non-binding estimates. The locations may be entered	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and a KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
I			

COOPER LEASE WELL LOCATIONS SECTION 9, TOWNSHIP 17S, RANGE 22E

