

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KC	C Use:			
Effective	Date:			
District #	#			
SGA?	Yes	No		

SGA?

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

## **NOTICE OF INTENT TO DRILL**

month day year	Spot Description:
month day year	Sec Twp S. R E
PERATOR: License#	feet from N / S Line of Section
ame:	
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment	. Nearest Lease or unit boundary line (in footage):
	Ground Surface Flevation: feet MS
Oil Enh Rec Infield Mud Rotary  Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : IT ID
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
· —	No Well Farm Pond Other:
f Yes, true vertical depth:	DWR Permit #:
Sottom Hole Location:	(Note: Apply for Fernix with DWK)
(CC DKT #:	Will Golds be taken:
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and ev	ventual plugging of this well will comply with K.S.A. 55 et. seq.
t is agreed that the following minimum requirements will be met:	
1. Notify the appropriate district office <i>prior</i> to spudding of well	
O A service falls a service of market of the track to shall after the	ed on each drilling rig;
2. A copy of the approved notice of intent to drill <b>shall be</b> poste	
3. The minimum amount of surface pipe as specified below she	all be set by circulating cement to the top; in all cases surface pipe shall be set
<ol> <li>The minimum amount of surface pipe as specified below she through all unconsolidated materials plus a minimum of 20 fe</li> </ol>	eet into the underlying formation.
<ol> <li>The minimum amount of surface pipe as specified below she through all unconsolidated materials plus a minimum of 20 fe</li> </ol>	eet into the underlying formation.  Indicate the district office on plug length and placement is necessary <i>prior to plugging</i> ;
<ol> <li>The minimum amount of surface pipe as specified below she through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is e</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be</li> </ol>	beet into the underlying formation.  Indeed the district office on plug length and placement is necessary <i>prior to plugging;</i> In the plugged or production casing is cemented in;  In the cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>The minimum amount of surface pipe as specified below sh through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is e</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin</li> </ol>	beet into the underlying formation.  Indeed the district office on plug length and placement is necessary <i>prior to plugging;</i> In the plugged or production casing is cemented in;  In the cemented from below any usable water to surface within 120 DAYS of spud date.  In the company of the co
<ol> <li>The minimum amount of surface pipe as specified below sh through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is e</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin</li> </ol>	beet into the underlying formation.  Indeed the district office on plug length and placement is necessary <i>prior to plugging;</i> In the plugged or production casing is cemented in;  In the cemented from below any usable water to surface within 120 DAYS of spud date.
<ol> <li>The minimum amount of surface pipe as specified below sh through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is e</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin</li> </ol>	beet into the underlying formation.  Indeed the district office on plug length and placement is necessary <i>prior to plugging;</i> In the plugged or production casing is cemented in;  In the cemented from below any usable water to surface within 120 DAYS of spud date.  In the company of the co
<ol> <li>The minimum amount of surface pipe as specified below sh through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is e</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well.</li> </ol>	beet into the underlying formation.  Indeed the district office on plug length and placement is necessary <i>prior to plugging;</i> In the plugged or production casing is cemented in;  In the cemented from below any usable water to surface within 120 DAYS of spud date.  In the company of the co
<ol> <li>The minimum amount of surface pipe as specified below sh through all unconsolidated materials plus a minimum of 20 fe</li> <li>If the well is dry hole, an agreement between the operator at</li> <li>The appropriate district office will be notified before well is e</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well.</li> </ol>	beet into the underlying formation.  Indeed the district office on plug length and placement is necessary <i>prior to plugging;</i> In the plugged or production casing is cemented in;  In the cemented from below any usable water to surface within 120 DAYS of spud date.  In the company of the co
3. The minimum amount of surface pipe as specified below she through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eiter. The appropriate district office will be notified before well is eiter. The appropriate district office will be notified before well is eiter. The appropriate district office will be notified before well is eiter. The appropriate district office will be notified before well is eiter. The appropriate district office will be notified before well is eiter. The appropriate district office will be notified before well is eiter.  Sometimes of the spud date or the well before well is eiter. The appropriate district office will be notified before well is eiter.  Sometimes of the spud date or the well before the spud date or the spud date or the well before the spud date or the	Remember to:
3. The minimum amount of surface pipe as specified below sh through all unconsolidated materials plus a minimum of 20 fe 4. If the well is dry hole, an agreement between the operator and 5. The appropriate district office will be notified before well is eight of the specified below sh the specified before well is eight of the specified below sh through all unconsolidated materials plus a minimum of 20 fe  4. If the well is dry hole, an agreement between the operator and specified below sh through the specified belo	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
3. The minimum amount of surface pipe as specified below she through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is efe. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well be completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below she through all unconsolidated materials plus a minimum of 20 fee.  4. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is e.  6. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well be completed.  Ibmitted Electronically  For KCC Use ONLY  API # 15 -	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;
3. The minimum amount of surface pipe as specified below she through all unconsolidated materials plus a minimum of 20 feet. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eef. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well be completed.  Ibmitted Electronically  For KCC Use ONLY  API # 15	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below she through all unconsolidated materials plus a minimum of 20 feet. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is effect. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well be completed.  Sometime of the well is effect. If the complete is effect.  Sometime of the well is effect. If the complete is effect, it is effect. If the complete is effect. If the complete is effect, it is effect. If the complete is effect. If the complete is effect, it is effect. If the complete is effect. If the complete is effect, it is effect. If the complete	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;
3. The minimum amount of surface pipe as specified below she through all unconsolidated materials plus a minimum of 20 feet. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eee. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well be completed.  **The appropriate district office will be notified before well is eee. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well become surface.  **The appropriate district office will be notified before well is eee. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well become surface.  **The appropriate district office will be notified before well is eee. If an ALTERNATE II COMPLETION, production pipe shall be or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well become surface.  **The appropriate district office will be notified before well is easier.  **The appropriate district office will be notified before well is easier.  **The appropriate district office will be notified before well is easier.  **The appropriate district office will be notified before well is easier.  **The appropriate district office will be notified before well is easier.  **The appropriate district office will be notified before well is easier.  **The appropriate district office will be notified before well is easier.  **The appropriate district office will be notified before well is easier.  **The appropriate district office will be notified before well is easier.  **The appropriate district office will be notified before well is easier.  **The appropriate district office will be notifie	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
3. The minimum amount of surface pipe as specified below she through all unconsolidated materials plus a minimum of 20 feet. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is effect. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the well be completed.  Ibmitted Electronically  For KCC Use ONLY  API # 15	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);
3. The minimum amount of surface pipe as specified below she through all unconsolidated materials plus a minimum of 20 feet. If the well is dry hole, an agreement between the operator at 5. The appropriate district office will be notified before well is eee. If an ALTERNATE II COMPLETION, production pipe shall be Or pursuant to Appendix "B" - Eastern Kansas surface casin must be completed within 30 days of the spud date or the weather the surface of t	Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days);



For KCC Use ONLY	
API # 15	

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.




NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 1999 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1
May 2010
Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Workover Pit  Haul-Off Pit	Pit is:  Proposed  If Existing, date co	Existing	SecTwp R East		
(If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		County		
Is the pit located in a Sensitive Ground Water Area? Yes No			Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?			How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallo	west fresh water feet. mation:		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
	KCC	OFFICE USE O			
Date Received: Permit Num	ber:	Permi	Liner Steel Pit RFAC RFAS  t Date: Lease Inspection: Yes No		



1207586

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

## CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed:  C-1 (Intent)  CB-1	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	3 · · · · · · · · · · · · · · · · · · ·		
Contact Person:	the lease below:		
Phone: ( ) Fax: ( )			
Email Address:			
Surface Owner Information:			
Name:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 1:			
Address 2:			
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, ta are preliminary non-binding estimates. The locations may be entered  Select one of the following:   I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form	nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form to being filed is a Form C-1 or Form CB-1, the plat(s) required by this		
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and		
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form Cl	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
r			




## **Pro-Stake LLC**

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



002214bar PLAT NO.

Hoffmaster #3-23

LEASE NAME

Stafford County, KS
COUNTY

**American Warrior, Inc.** 

23 22s 14v Sec. Twp. Rng. Main loc. = 1999'FSL-1392'FWL = 1931.3' gr. elev. Alt. #1 = 1949'FSL-1392'FWL = 1930.6' gr. elev.

LOCATION SPOT

SCALE: 1" = 1000'

Mar. 14<sup>th</sup>, 2014

MEASURED BY: Ben R.

DRAWN BY: Norby S.

AUTHORIZED BY: Cecil O.


This drawing does not constitute a monumented survey or a land survey plat.

This drawing is for construction purposes only.

SE Douglas Project

**Directions:** From approx. 1 mile South of Seward, Ks at the intersection of Hwy 219 and Hwy 19 – Now go 2.5 miles West on 19 – Now go 2 miles South on NW 50<sup>th</sup> Ave. to the NW corner of section 23-22s-14w – Now go 0.6 mile South on NW 50<sup>th</sup> Ave to ingress stake East into – Now go 0.3 mile East on trail – Now go 24' South through crp, into staked location

Final ingress must be verified with land owner or Operator.



# R. Evan Noll (Petroleum Landman)

P.O. Box 1351 Hays, KS 67601

Office - 785.628.8774 Cell - 785.623.0698 Fax - 785.628.8478

May 30, 2014

Rita G. Miller Trust 637 NW 90<sup>th</sup> Street St. John, KS 67576

RE: Hoffmaster #3-23 Well

Main Location: 1999' from South Line & 1392' from West Line Alt. Location: 1949' from South Line & 1392' from West Line

Section 23-22S-14W Stafford County, Kansas

Dear Property Owner:

Prior to drilling a well, the KCC requires that we notify the landowner. The operator for the captioned well is:

American Warrior, Inc.

P.O. Box 399

Garden City, KS 67846

Contact Man: Kevin Wiles - (620) 271-4407 - kwiles@awioil.com

I'm enclosing a copy of the intent to drill filed with the KCC, a plat showing the well location, lease road, pipeline, electric line and tank battery location. The locations shown are non-binding and preliminary, being there simply to satisfy State requirement. The actual location will be determined when the dirt contractor goes to the location.

Langfeld Dirt Service, Inc. in Ellinwood will be building the lease road and well site location. If you want to be involved with the locations, contact Langfeld Dirt Service at (620) 564-2795, reference the captioned well name and coordinate with them.

Sincerely,

R. Evan Noll

Contract Landman for American Warrior, Inc.




AUTHORIZED BY:\_

### Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159



002214bar PLAT NO.

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com

American Warrior, Inc.

OPERATOR

Hoffmaster #3-23

LEASE NAME

Stafford County, KS

COUNTY

Sec. Twp. Rng. Alt. #1 = 1949'FSL-1392'FWL = 1931.3' gr. elev.

Alt. #1 = 1949'FSL-1392'FWL = 1930.6' gr. elev.

N

SCALE: 1" = 1000"

DATE STAKED: Mar. 14<sup>th</sup>, 2014

MEASURED BY: Ben R.

DRAWN BY: Norby S.

Cecil O.

This drawing does not constitute a monumented survey or a land survey plat.


This drawing is for construction purposes only.

SE Douglas Project

LOCATION SPOT

**Directions:** From approx. 1 mile South of Seward, Ks at the intersection of Hwy 219 and Hwy 19 – Now go 2.5 miles West on 19 – Now go 2 miles South on NW 50<sup>th</sup> Ave. to the NW corner of section 23-22s-14w – Now go 0.6 mile South on NW 50<sup>th</sup> Ave to ingress stake East into – Now go 0.3 mile East on trail – Now go 24' South through crp, into staked location

Final ingress must be verified with land owner or Operator.



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

June 04, 2014

Cecil O'Brate American Warrior, Inc. 3118 CUMMINGS RD PO BOX 399 GARDEN CITY, KS 67846

Re: Drilling Pit Application Hoffmaster 3-23 SW/4 Sec.23-22S-14W Stafford County, Kansas

#### Dear Cecil O'Brate:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.