

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: | |
|------------|--------|--|
| Effective | Date: | |
| District # | | |
| SGA? | Yes No | |

SGA?

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| Expected Spud Date: | month | day | vear | Spot Description: | |
|--|---|--|---|---|------------|
| | monur | uay | year | (0.0.0.0.) | E 🔲 🛚 |
| PERATOR: License# | | | | feet from N / S Line of | f Section |
| ame: | | | | feet from E / W Line o | f Section |
| ddress 1: | | | | Is SECTION: Regular Irregular? | |
| ddress 2: | | | | | |
| City: | | | | County: | |
| Contact Person: | | | | Lease Name: Well #: | |
| hone: | | | | Field Name: | |
| CONTRACTOR: License# | | | | Is this a Prorated / Spaced Field? | N |
| lame: | | | | Target Formation(s): | |
| Well Drilled For: | Well Class | . Type | Equipment: | Nearest Lease or unit boundary line (in footage): | |
| | | | | Ground Surface Elevation: | eet MS |
| Oil Enh F | | = | Mud Rotary Air Rotary | Water well within one-quarter mile: | |
| Dispo | • = | | Cable | Public water supply well within one mile: | - <u> </u> |
| Seismic ;# o | | | | Depth to bottom of fresh water: | |
| Other: | | | | Depth to bottom of usable water: | |
| | | | | Surface Pipe by Alternate: II II | |
| If OWWO: old well | information as foll | ows: | | Length of Surface Pipe Planned to be set: | |
| Operator: | | | | Length of Conductor Pipe (if any): | |
| Well Name: | | | | Projected Total Depth: | |
| Original Completion Da | ate: | Original Total D | Depth: | Formation at Total Depth: | |
| | | | | Water Source for Drilling Operations: | |
| Directional, Deviated or Ho | | | Yes No | Well Farm Pond Other: | |
| f Yes, true vertical depth: _ | | | | DWR Permit #: | |
| Bottom Hole Location: | | | | (Note: Apply for Permit with DWR) | |
| (CC DKT #: | | | | VIII COTCS DC LAKETT: | N |
| | | | | It yes brodosed zone. | |
| | | | | If Yes, proposed zone: | |
| | | | AF | FIDAVIT | |
| | affirms that the d | rilling, complet | | | |
| The undersigned hereby | | | tion and eventual p | FIDAVIT | |
| The undersigned hereby t is agreed that the follow | ving minimum req | uirements will | tion and eventual p | FIDAVIT | |
| The undersigned hereby | ving minimum req | uirements will prior to spudd | tion and eventual p be met: ling of well; | FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. | |
| The undersigned hereby to tis agreed that the follows 1. Notify the appropria 2. A copy of the appropria 3. The minimum amo | ving minimum requate district office poved notice of integrate of integrate pip | prior to spudd ent to drill share e as specified | tion and eventual p be met: ling of well; II be posted on each below shall be se | FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set | |
| The undersigned hereby t is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse | ving minimum req ate district office , oved notice of into unt of surface pip olidated materials | prior to spudd ent to drill sha e as specified s plus a minimu | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the | PIDAVIT Iugging of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. | |
| The undersigned hereby to is agreed that the follows 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconse 4. If the well is dry ho | ving minimum req ate district office oved notice of into unt of surface pip olidated materials le, an agreement | prior to spuddent to drill shape as specified splus a minimulative between the control of the co | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the operator and the dis | FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; | |
| The undersigned hereby to tis agreed that the follows 1. Notify the appropria 2. A copy of the appropria 3. The minimum amouthrough all unconse 4. If the well is dry ho 5. The appropriate dis | ving minimum requate district office poved notice of into unt of surface pipolidated materials le, an agreement strict office will be | prior to spuddent to drill share as specified splus a minimulative to the control of the control | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the operator and the dis- e well is either plug | PRIDAVIT Integring of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; uped or production casing is cemented in; | |
| The undersigned hereby to tis agreed that the follows 1. Notify the appropria 2. A copy of the approach through all unconsects of the well is dry hour 1. The appropriate dis 6. If an ALTERNATE 1. | ving minimum requate district office poved notice of into unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, | prior to spuddent to drill shape as specified splus a minimulative to the control of the production piperson to the production piperson to specified before production piperson | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the operator and the dis- e well is either plug- pe shall be cement | FIDAVIT lugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. strict office on plug length and placement is necessary prior to plugging; | g |
| The undersigned hereby to tis agreed that the follows 1. Notify the appropria 2. A copy of the approach through all unconsects of the well is dry how 1. The appropriate dis 6. If an ALTERNATE In Or pursuant to Appropriate to the second seco | ving minimum requate district office poved notice of into unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, pendix "B" - Easte | prior to spuddent to drill share as specified splus a minimulative in notified before production pigrn Kansas suri | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the operator and the dis- e well is either plug- pe shall be cement face casing order # | PRIDAVIT Integring of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. | g |
| The undersigned hereby to tis agreed that the follows 1. Notify the appropria 2. A copy of the approach through all unconsects of the well is dry how 1. The appropriate dis 6. If an ALTERNATE In Or pursuant to Appropriate to the second seco | ving minimum requate district office poved notice of into unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, pendix "B" - Easte | prior to spuddent to drill share as specified splus a minimulative in notified before production pigrn Kansas suri | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the operator and the dis- e well is either plug- pe shall be cement face casing order # | Interpretation of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing. | g |
| The undersigned hereby at is agreed that the follows 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE In Or pursuant to Appropriate of the second seco | ving minimum requate district office poved notice of into unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, pendix "B" - Easte | prior to spuddent to drill share as specified splus a minimulative in notified before production pigrn Kansas suri | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the operator and the dis- e well is either plug- pe shall be cement face casing order # | Interpretation of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing. | g |
| The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed | ving minimum requate district office poved notice of inte unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the district of days of the completion | prior to spuddent to drill share as specified splus a minimulative in notified before production pigrn Kansas suri | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the operator and the dis- e well is either plug- pe shall be cement face casing order # | Interpretation of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing. | g |
| The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed | ving minimum requate district office poved notice of inte unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the district of days of the completion | prior to spuddent to drill share as specified splus a minimulative in notified before production pigrn Kansas suri | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the operator and the dis- e well is either plug- pe shall be cement face casing order # | Industrial description of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. et 133,891-C, which applies to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing. | g |
| The undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconso 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed | ving minimum requate district office poved notice of inte unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the district of days of the completion | prior to spuddent to drill share as specified splus a minimulative in notified before production pigrn Kansas suri | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the operator and the dis- e well is either plug- pe shall be cement face casing order # | In the drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; aged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. | |
| The undersigned hereby to a six agreed that the follows 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amough all unconses 4. If the well is dry how 5. The appropriate dis 6. If an ALTERNATE IN Or pursuant to Appropriate dis completed with the completed submitted Electron | ving minimum requate district office poved notice of inte unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the district of days of the completion | prior to spudd ent to drill sha e as specified s plus a minimu between the c e notified before production pig rn Kansas surf f the spud date | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the operator and the dis- e well is either plug- pe shall be cement face casing order # | Industrial description of this well will comply with K.S.A. 55 et. seq. In drilling rig; If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In strict office on plug length and placement is necessary prior to plugging; igged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. et 133,891-C, which applies to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing. | |
| The undersigned hereby to is agreed that the follows to agreed that the follows to agreed that the follows to agreed that the appropriate and through all unconsects. If the well is dry how the appropriate distriction of the appropriate distriction | ving minimum requate district office poved notice of integrated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte I within 30 days on ically | prior to spudd ent to drill sha e as specified between the ce notified before production pigrn Kansas surf the spud date | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the operator and the dise e well is either plug pe shall be cement face casing order # e or the well shall be | In the drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; god or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notificat | |
| the undersigned hereby is agreed that the follow 1. Notify the appropria 2. A copy of the appro 3. The minimum amo through all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to App must be completed Ibmitted Electroi For KCC Use ONLY API # 15 Conductor pipe required | ving minimum requate district office poved notice of integrated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte I within 30 days o | prior to spuddent to drill share as specified splus a minimulative notified before production pigrn Kansas surif the spud date | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the perator and the dise well is either plug pe shall be cement face casing order # e or the well shall be | In the drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; and or production casing is cemented in; and form below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; | |
| The undersigned hereby is agreed that the follows 1. Notify the appropria 2. A copy of the approach 3. The minimum amough all unconse 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate to the completed submitted Electron For KCC Use ONLY | ving minimum requate district office poved notice of integrated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte I within 30 days o | prior to spuddent to drill share as specified splus a minimulative notified before production pigrn Kansas surif the spud date | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the perator and the dise well is either plug pe shall be cement face casing order # e or the well shall be | In the drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It is that the content of the top; in all cases surface pipe shall be set the underlying formation. It is that the content of the top; in all cases surface pipe shall be set the underlying formation. It is that the content of the top; in all cases surface pipe shall be set the underlying formation. It is necessary prior to plugging; in ged or production casing is cemented in; in the set of the form below any usable water to surface within 120 DAYS of spud date. It is all cases, NOTIFY district 3 area, alternate II cementing in the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; | |
| The undersigned hereby to is agreed that the follows 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amosthrough all unconses 4. If the well is dry how 5. The appropriate dis 6. If an ALTERNATE IN Or pursuant to Appropriate be completed a completed by the completed submitted Electron For KCC Use ONLY API # 15 - Conductor pipe required and control of the conductor pipe required and conductor | ving minimum requate district office poved notice of integrated unt of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the completion | prior to spudd ent to drill sha e as specified s plus a minim between the c e notified befor production pig rn Kansas sur f the spud date | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the poperator and the die e well is either plug pe shall be cement face casing order fi e or the well shall be et per ALT. I | In the drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this increase is a surface pipe shall be set the underlying formation. In this increase is a surface pipe shall be set the underlying formation. In this increase is a surface pipe shall be set the underlying formation. In this increase is a surface pipe shall be set the underlying formation. In this increase is a surface pipe shall be set the underlying form below any usable water to surface within 120 DAYS of spud date. In this increase is a surface prior to any cementing. In this increase is a surface prior to any cementing. In this increase is a surface prior to any cementing. Remember to: In this increase is a surface pipe shall be set the set of surface prior to any cementing. Remember to: In this increase is a surface pipe shall be set of surface pipe shall be | on |
| The undersigned hereby to is agreed that the follows 1. Notify the appropria 2. A copy of the appropria 3. The minimum amough all unconsed 4. If the well is dry ho 5. The appropriate dis 6. If an ALTERNATE I Or pursuant to Appropriate to the completed submitted Electron For KCC Use ONLY API # 15 - Conductor pipe required 1. Minimum surface pipe recomposition of the conductor pipe required 1. | ving minimum requate district office poved notice of integrated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte I within 30 days o | prior to spudd ent to drill sha e as specified s plus a minim between the c e notified befor production pig rn Kansas sur f the spud date | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the poperator and the die e well is either plug pe shall be cement face casing order fi e or the well shall be et per ALT. I | In the drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this increase of the production casing is cemented in; the drilling rig is cemented in; the plugged or production casing is cemented in; the drilling rig is cemented in; the plugged. In all cases, NOTIFY district 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notificat Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days) | on |
| The undersigned hereby to a sagreed that the follows 1. Notify the appropriate 2. A copy of the appropriate 3. The minimum amosthrough all unconses 4. If the well is dry how 5. The appropriate dis 6. If an ALTERNATE IN Or pursuant to Appropriate be completed a submitted Electron For KCC Use ONLY API # 15 | ving minimum requate district office poved notice of interpretation of surface pipolidated materials le, an agreement strict office will be II COMPLETION, bendix "B" - Easte II within 30 days of the completion | prior to spudd ent to drill sha. e as specified s plus a minimu between the ce entified before production pig rn Kansas sur f the spud date | tion and eventual p be met: ling of well; II be posted on each below shall be se um of 20 feet into the perator and the disperator and the disperator and the disperator and the se um of 20 feet into the perator and the disperator and the disperator and the se perator and the disperator and the self or the well shall be et per ALT. I I II | In the drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. In this increase is a surface pipe shall be set the underlying formation. In this increase is a surface pipe shall be set the underlying formation. In this increase is a surface pipe shall be set the underlying formation. In this increase is a surface pipe shall be set the underlying formation. In this increase is a surface pipe shall be set the underlying form below any usable water to surface within 120 DAYS of spud date. In this increase is a surface prior to any cementing. In this increase is a surface prior to any cementing. In this increase is a surface prior to any cementing. Remember to: In this increase is a surface pipe shall be set the set of surface prior to any cementing. Remember to: In this increase is a surface pipe shall be set of surface pipe shall be | on ; |



| For KCC Use ONLY | |
|------------------|---|
| API # 15 | - |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | Sec Twp S. R |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

3177 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: | | | | | | |
|--|------------------------|---|--|--|--|--|--|--|--|
| Operator Address: | | | | | | | | | |
| Contact Person: | | | Phone Number: | | | | | | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | | | | | | |
| Type of Pit: | Pit is: | | | | | | | | |
| Emergency Pit Burn Pit | Proposed | Existing | SecTwp R | | | | | | |
| Settling Pit Drilling Pit | If Existing, date co | nstructed: | Feet from North / South Line of Section | | | | | | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section | | | | | | |
| (II WE Supply AFT No. of feat Diffied) | | (bbls) | County | | | | | | |
| Is the pit located in a Sensitive Ground Water A | Area? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | | | | | | |
| Is the bottom below ground level? Yes No | Artificial Liner? | No | How is the pit lined if a plastic liner is not used? | | | | | | |
| Pit dimensions (all but working pits): | Length (fe | et) | Width (feet) N/A: Steel Pits | | | | | | |
| Depth fro | om ground level to dee | epest point: | (feet) No Pit | | | | | | |
| material, thickness and installation procedure. | | iller integrity, il | cluding any special monitoring. | | | | | | |
| Distance to nearest water well within one-mile | of pit: | Depth to shallo | west fresh water feet. | | | | | | |
| feet Depth of water well | feet | measured | well owner electric log KDWR | | | | | | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | ver and Haul-Off Pits ONLY: | | | | | | |
| Producing Formation: | | Type of materia | l utilized in drilling/workover: | | | | | | |
| Number of producing wells on lease: | | Number of working pits to be utilized: | | | | | | | |
| Barrels of fluid produced daily: | | Abandonment p | procedure: | | | | | | |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to | Drill pits must be closed within 365 days of spud date. | | | | | | | |
| Submitted Electronically | - | | | | | | | | |
| | ксс | OFFICE USE O | NLY Liner Steel Pit RFAC RFAS | | | | | | |
| Date Received: Permit Num | ber: | Permi | t Date: Lease Inspection: Yes No | | | | | | |



1207742

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 | (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) |
|---|---|
| OPERATOR: License # | Well Location: |
| Name: | SecTwpS. R East West |
| Address 1: | County: |
| Address 2: | Lease Name: Well #: |
| City: | If filing a Form T-1 for multiple wells on a lease, enter the legal description of |
| Contact Person: | the lease below: |
| Phone: () Fax: () | |
| Email Address: | |
| Surface Owner Information: | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the |
| Address 2: | county, and in the real estate property tax records of the county treasurer. |
| City: | |
| the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form form; and 3) my operator name, address, phone number, fax, I have not provided this information to the surface owner(s). I KCC will be required to send this information to the surface of task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the | acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. If the fee is not received with this form, the KSONA-1 |
| form and the associated Form C-1, Form CB-1, Form T-1, or Form CF Submitted Electronically | - I wiii be returnea. |
| T. | |

| en. | 5115 | 4950 | 4785 | 4620 | 4455 | 4290 | 4125 | 3950 | 1795 | 3630 | 1465 | \$300 | 3135 | 2970 | 2805 | 2540 | 2475 | 7310 | 2145 | 1980 | 1815 | 1650 | 1485 | 1420 | 1155 | 990 | 825 | 560 | 495 | 3.50 | 165 |
|-----|----------|----------|------|------|------|-------|----------|----------|-------|----------|----------|----------------|-------|-------|----------|----------|----------|--------------------------------------|---|-----------------------|--------|--------------|----------|------|-------------------------|----------|----------|----------------------|--------------|---------|--|
| 80 | J.13 | 1930 | 7703 | 4020 | 1100 | 12.00 | 7440 | 32,00 | 1,00 | 3030 | 1 | 1 | 3,00 | 2370 | 1 | 1 | #74.4 | | *************************************** | | **** | | 1300 | ١ | \ T | # | | | | I | Add de la constitución de la con |
| | | | | | | | | H | ļ — | | | | | | | t | | | | | | | | ri i | \mid | | | | | | |
| | | - | - | - | | | - | | - | | - | | | | \vdash | ┢ | \vdash | | | | - | | | - An | aln thectrical rvice | - | | | - | | _ |
| | | - | - | - | | - | | Н | - | - | - | - | | | - | ╀ | - | interna 10 A 15 003-2435 00:00 | #16 6 | | - | - | | - T | - | Ħ | | | | - | _ |
| _ | | <u> </u> | - | - | - | | - | - | | | - | - | _ | | - | - | | - | - | | _ | - | _ | _ | | _ | | \vdash | | / | _ |
| | | _ | _ | _ | _ | | | Ш | | _ | | | | | | _ | | | | | Щ | 1 | _ | | | _ | | | Leate | load _ | |
| | | | | | | | | Ш | | | | _ | | | | | | | | | | ļ | | | | 1 | | | / | | |
| | | | | _ | | | | | | | | | | | | _ | | | | | | | | | | \perp | | / | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | 9 | | | | | |
| | | | Ì | 1 | | Î | | | | | | | 10 | | | İ | | - | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | Well# 13 15-003-2 | APM 49KI- | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | - 30-00 | | | |
| | | | | | | | | | | | | | | | | Ī | | | | | | | | | | | | Well# 12 15:003-2 | APIR | | |
| - | | İ | - | | | | | | | | | | | | | | | | | | | | | | | | | 00 00 | | | |
| | - | 1 | | | 1 | | \vdash | | | | \vdash | | | | 1 | | | Meta 1 | 1 APIN | tromist 1 15-001-2 | IS APM | | | | | White 5 | APW 15- | Well 6 M | He IS | | |
| | | 1 | | | | | \vdash | - | | | | | - | | | | | 15-001-2 | 1 | - 00-00 | | Walle 2 APII | 15. | | | 008-249 | 17-90-00 | 003-74919 000 | | | |
| | | 1 | | - | | | | - | | \vdash | | | - | | / | Wells | 20 AFM | State of St. | ZI APIR | Sittement 3 | | 003-24955-0 | - | | | West 47 | SPIN ES- | | Wells 2 | FIR LS- | |
| - | \vdash | - | - | ╁ | +- | - | - | ╁ | - | - | +- | ╁ | - | + | + | 69 00 00 | ×107- | 15-003- 00-00 | 26104- | 15-001-2 00-00 | 100 | | | | - | 003-2488 | 1 00 00 | | 003-2478 | 4-00-00 | |
| | - | | | ╁ | - | - | - | ╀ | | ┢ | | — | | | | + | | | | | H | | - | | _ | _ | - | _ | | | |
| | - | | - | ╁ | - | | - | - | | ┈ | | — | - | | 1 | ╂ | | | | - | H | - | <u> </u> | | | _ | - | | | | |
| | - | | | ├ | - | | - | - | | - | | - | - | | - | ╂ | | | _ | _ | - | - | _ | - | | | | | _ | | |
| _ | _ | ļ., | _ | ╀ | - | _ | ₩ | ╀ | | _ | - | _ | - | - | - | - | - | _ | | | _ | - | | | | | _ | Н | | _ | |
| _ | | | | _ | 1 | | | | | | | _ | _ | _ | | 1 | | <u> </u> | L, | _ | | | | | | | | | | | |
| | | | | _ | | | | | | | | _ | | | | 1_ | | _ | <u></u> | | | | | | | | | | | | |
| | | | | | | | | | | | | _ | | | | _ | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | 1 | | | | 1 | | | | | | | | | | | | | | | | | | | |
| | | İ | | T | | ì | | İ | | | | | | | | T | | | | | | | | | | | | | | 11791 | |
| | | + | | | | | 1 | 1 | | | 1 | 1 | | | | 1 | | | | | | | | | | | | | | | |
| | | 1 | | - | | | | + | + | | 1 | 1 | | + | | 1 | | | | | | | | | | | | | | | |
| | 1 | | - | | 0 | 1 | + | + | + | | 1 | | | | | | | | - | | | | | - | | | | | | | |
| 16 | 5 33 | 0 49 | 5 66 | 0 82 | 5 99 | 0 115 | 5 132 | 0 148 | 5 165 | 0 181 | 5 198 | 0 214 | 5 231 | 0 247 | 5 26 | 40 280 | 5 297 | 0 3135 | 3300 | 3465 | 363 | 0 379 | 3960 | 4125 | 4290 | 4455 | 4620 | 4785 | 4950 | 5115 | 528 |

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

May 29, 2014

Burt Peterson Hunt Oil, LLC 259 W. PARK RD GARNETT, KS 66032

Re: Drilling Pit Application Banks 25 NE/4 Sec.22-20S-20E Anderson County, Kansas

Dear Burt Peterson:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.