

Confidentiality Requested:

Yes No

### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1205339

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from North /	South Line of Section
City:	State: Z	ip:+	Fe	eet from East /	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section C	Corner:
Phone: ()			□ NE □ NW	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	W	ell #:
	e-Entry	Workover	Field Name:		
	_		Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW ∏ SIGW	Elevation: Ground:	Kelly Bushing:	
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total D	epth:
CM (Coal Bed Methane)	dow	Temp. Abd.	Amount of Surface Pipe Se	et and Cemented at:	Feet
☐ Cathodic ☐ Other (Co	ore. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well I			If yes, show depth set:		
Operator:			If Alternate II completion, c	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:					
Deepening Re-perf	J	ENHR Conv. to SWD	Drilling Fluid Managemer	nt Plan	
Plug Back	Conv. to G		(Data must be collected from to		
Commingled	Permit #		Chloride content:	ppm Fluid volume	: bbls
Dual Completion			Dewatering method used:_		
SWD			Location of fluid disposal if	hauled offsite:	
ENHR	Permit #:				
GSW	Permit #:		Operator Name:		
			Lease Name:		
Spud Date or Date R	eached TD	Completion Date or	Quarter Sec	TwpS. R	East West
Recompletion Date		Recompletion Date	County:	Permit #:	

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:				Lease N	Name: _			_ Well #:			
Sec Twp	S. R	East	West	County	:						
	ow important tops of fo ing and shut-in pressu o surface test, along wi	res, whe	ther shut-in pre	ssure reacl	hed stati	c level, hydrosta	tic pressures, bo				
Final Radioactivity Logilles must be submitted						gs must be ema	iled to kcc-well-lo	ogs@kcc.ks.go	v. Digital	electronic log	
Drill Stem Tests Taken (Attach Additional S		Ye	es No			3	on (Top), Depth a		Sample		
Samples Sent to Geological Survey			es 🗌 No		Nam	9		Тор	L	Datum	
Cores Taken Electric Log Run		☐ Y€									
List All E. Logs Run:											
			CASING	RECORD	│ Ne	w Used					
		Repo				rmediate, producti	on, etc.				
Purpose of String	Size Hole Drilled		e Casing t (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		and Percent additives	
Purpose	Depth					EEZE RECORD					
Purpose: Perforate	Top Bottom	Туре	of Cement	# Sacks Used		Type and Percent Additives					
Protect Casing Plug Back TD											
Plug Off Zone											
Did you perform a hydrau	ilic fracturing treatment or	this well?	?			Yes	No (If No, sk	aip questions 2 ar	nd 3)		
	otal base fluid of the hydra		•		•			rip question 3)			
Was the hydraulic fractur	ing treatment information	submitted	to the chemical of	disclosure reg	gistry?	Yes	No (If No, fil	out Page Three	of the ACC	D-1)	
Shots Per Foot			RD - Bridge Plug Each Interval Perl			Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)					
TUBING RECORD:	Size:	Set At:		Packer At	t:	Liner Run:					
							Yes No	1			
Date of First, Resumed	Production, SWD or ENH	R.	Producing Meth Flowing	nod:	g 🗌	Gas Lift C	other (Explain)				
Estimated Production Per 24 Hours	Oil Bl	bls.	Gas	Mcf	Wate	er Bl	ols.	Gas-Oil Ratio		Gravity	
DIODOGITI	ON OF CAC			ACTUOD OF	COMPLE	TION		DDODUOTI		\/AL.	
Vented Sold	ON OF GAS:  Used on Lease		N Open Hole	NETHOD OF $\Box$ Perf.	Dually	Comp. Con	nmingled	PRODUCTIO	λιν ΙΙΝ Ι ΕΚ\	VAL	
(If vented, Sub			Other (Specify)		(Submit A	ACO-5) (Subi	mit ACO-4)				

Form	ACO1 - Well Completion
Operator	Linn Operating, Inc.
Well Name	WINGER 5 ATU-250
Doc ID	1205339

# Tops

Name	Тор	Datum
Krider	2295	КВ
Winfield	2334	KB
Towanda	2399	КВ
FtRiley	2445	КВ
Funston	2561	КВ
Crouse	2611	KB
Morrill	2713	КВ
Grenola	2759	КВ

Form	ACO1 - Well Completion
Operator	Linn Operating, Inc.
Well Name	WINGER 5 ATU-250
Doc ID	1205339

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
SURFACE	12.25	8.625	24	770	Premium Class C	480	
PRODUC TION	7.875	5.50	15.50	3108	O-Tex LowDense	430	

	J	OB SUM	AAR'	Υ		TN# 49	34	TICKET DATE	2/11/201	4		
Stanton		Linn Energy				CUSTOMER REP				1-1100		
LEASE NAME	Well No.	JOB TYPE	JOB TYPE				Weldon Higgins					
Winger 5 ATU 2	bu	Production				Bryon H	ackett					
Bryon Hackett												
Steve Crocker	_	-					$\overline{}$	-				
Chris Layton				$\vdash$								
Tony Lewis												
Form. Name	Type:				÷							
Packer Type ——	Set At		Date	Called	Out 2/10/14	On Location 02/11	on J	ob Started 02/11/14	Job C	ompleted 2/11/14		
Bottom Hole Temp.	Pressu	ire					'''	02011114	"	27   17   17		
	Total D		Time	2	130	1230		1500	1	641		
Type and Size Q	<del>essone</del> γ	Make			New/Used	Well (	Data Size Grad	te From	То	Max. Allow		
Auto Fill Tube 1		IR	Casing		New	15.5		KB	3108	2600		
Insert Float Valve 1		IR	Liner							1		
Centralizers 20		R	Liner									
Top Plug 1 HEAD 1		IR IR	Tubing									
Limit clamp 1		IR	Drill Pig				-			Shots/Ft.		
Weld-A 2		R	Perfora							Snots/Ft.		
Guide Shoe 1		IR	Perfora	tions								
Cement Basket 0		IR	Perfora	ions					_			
Mud Type Materials  Mud Type Dept	sitv	0 Lb/Gall	Hours C	Dr Loc	ation House	Operating Date	Hours Hours	Descrip	dot to noit			
Disp Fluid H20 Den	viiz	8.33 Lb/Gal	02/11/	14	5.0	02/11/14	1.5	Produc	tion			
Spacer type SodSilH20 BBL.	20											
Spacer type BBL.		.,,							to surface	: 40 bbl		
Acid TypeGal Acid Type Gal.		%						or 100 s	ks			
Spacer type BBL. Acid Type Gal, Acid Type Gal. Surfactant Gal.		in —		-				Topics	Sement : 0'			
NE Agent Gal.		ln						- 100001	sement. O			
Fluid Loss Gal/Lb		ln						]				
Gelling Agent Gal/Lb Fric. Red. Gal/Lb		<u>ln</u>	<u> </u>									
MISC. Gal/Lb		In In	Total	-	5.0	Total	1.5	┥				
						1000	1,0					
Perfpac Bails(							essures					
Other			MAX		1500	AVG	200 Rates in Bl	514				
Other			MAX		3.5	AVEIAGE	7 ares 111 DI	PIVI		1		
Other							Left in Pig	e				
Other			Feet	44		Reason		Shoe	Track			
Stage Sacks Cement			Additives	ment C	Jata			W/Rg	. Yield	Lbs/Gai		
1 430 O-Tex LowDen	se	2% Gyp, 2% Calcium Chio			5, 0.4% C-41P, 0	2% C-51, 0.25 #/	sk Calofiake	13.29		11.5		
2 0 0		0						0	0	0		
3												
4	-			<del></del>								
			Sur	ımary								
	Гуре:		Qui		flush:	вві і	20.00	Type:	SodS	ilH20		
	MIXAN			Loa	d & Bkdn:	Gal - BBl 📑		Pad:Bbi	-Gal			
	ost Re Iclual	turns-N	0		ess /Return	BBI .	40	Calc Dis				
		radient			c. TOC. atment:	Gal - BBI	0	Actual [ Disp:Bb		73.00		
	0 Min		1	Cer	ment Slurry:	BBI I	172.0	DISD BD	-			
					al Volume	BBI	265,00					
					1	/	-1					
CUSTOMER REPRESEN	TATIV	/E			(V.	1.		70				
				- 1		SIGNATURE						
								ı For Usii				
						0	- TEX	Pumping	7			

JOB SUMMARY					TN# 49		TICKET DATE	2/10/2014		
Stanton	Linn Energy			CUSTOMER REP						
LEASE HAND	ill No. 108 TYPE	7.17			Orlando EMPLOTEL NUME					
Winger 5 ATU 250	Surface	Surface				Jesus Jimenez				
EMP NAME					2000	300000	1200000	<u> </u>		
Jesus Jimenez Beau Clem			+				ļ			
Eric Poole	+				<del></del>					
Tommy Lewis	<del> </del>						<del> </del>			
Form, Name Chase-Council Grove Ty	/pe:		111							
			Called		On Location		b Started		mpleted	
	et At	Date	2	2-9-14	02/09/	14	02/10/14	02	2/10/14	
	otal Depth	Time	12	2:00	22:00		00:05	01	:30	
Tools and Acces	sories				Well D					
Type and Size Oty	Make	0		New/Used	Weight			To	Max. Allow	
Auto Fill Tube 0 Insert Float Valve 0	IR IR	Casing		New	24	8,625 4	4 0	770	2000	
Centralizers 0	IR IR	Liner								
Top Plug 0	IR	Tubing								
HEAD 0	IR	Drill Pipe								
Limit clamp 0 Weld-A 0	IR.	Open Ho							Shots/Ft.	
Texas Pattern Guide Shoe 0	IR IR	Perforati Perforati			10		1			
Cement Basket 0	İR	Perforati	ons				<del> </del>			
Materials		Hours O	n Loc	ation	Operating		Descrip	tion of Job		
Mud Type 0 Densit Disp. Fluid H20 Densit		02/09/1	4	Hours 4.0	Date 02/10/14	Hours 2.0	Surface			
Spacer type H20 BBL.	10	02,03/1	<del>-</del>	7.0	02/10/14	2.0	1			
Spacer type BBL.										
Acid Type Gal. Acid Type Gal.	— % — — — — — — — — — — — — — — — — — —						-			
Acid Type Gal. Surfactant Gal. NE Agent Gal. Fluid Loss Gal/Lb Gelling Agent Gal/Lb Fric. Red. Gal/Lb MISC. Gal/Lb							<del> </del>			
NE Agent Gal.	In									
Fluid Loss Gal/Lb Gelling Agent Gal/Lb	<u>In</u>									
Fric. Red. Gal/Lb	In									
MISC. Gal/Lb	in	Total		4.0	Total	2.0				
Peripac BallsQ	ν	мах		900	AVG.	ssures 100			1	
Perfpac Balls Question Other Other		IVU		300		Rates in B	PM			
Other		MAX		3	AVG	3				
Other Other		Cement Left in Pipe Feet 44 Reason Shoe Joint						-		
Offici		Feet 4	14	·	Reason		2106	Joint		
		Car	ment (	Data					^	
Stage Sacks Cement		Additives	iiçiic c	504			W/Rq	. Yield	Lbs/Gai	
1 480 Premium Class (	2% Calcium Chloride an	d ,25 #/sk CeB	oflake				6.34	1.35	14.8	
3										
4								_		
	-24									
		Sum	mary							
	De:			eflush:	BBI DOL	10.00	Type:		20	
	AXIMUM st Returns-h	NO		ad & Bkdn: cess /Retun		20	Pad:Bb Calc Di			
Ac	tual TOC		Ca	lc. TOC:	Short .	Surface			45.00	
	ac. Gradient Min 15 Mit	2		eatment: ment Slurry	Gal - BBI	115.0	Disp Bb			
J 10	THE CT.	,		tal Volume		171.00				
				10.011.0						
	1,7 /	10 /	7							
CUSTOMER REPRESENTA	ATIVEULL	IL A	uc	-						
			17		SIGNATURE					
					The	ank You	ı For Usii	ng		
					0	- TEX	Pumping	3		