



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

Vincent Oil Corporation
155 N Market Ste 700
Wichita, KS 67202
ATTN: Ken LeBlanc


4-26S-24W Ford
Lix 3-4
Job Ticket: 51916 **DST#: 1**
Test Start: 2014.01.12 @ 03:50:19

GENERAL INFORMATION:

Formation: **Basal Penn**
Deviated: No Whipstock: ft (KB) Test Type: Conventional Bottom Hole (Initial)
Time Tool Opened: 06:42:04 Tester: Leal Cason
Time Test Ended: 13:10:34 Unit No: 74
Interval: 4955.00 ft (KB) To 4982.00 ft (KB) (TVD) Reference Elevations: 2549.00 ft (KB)
Total Depth: 4982.00 ft (KB) (TVD) 2536.00 ft (CF)
Hole Diameter: 7.88 inches Hole Condition: Good KB to GR/CF: 13.00 ft

Serial #: 6798 Inside
Press @ Run Depth: 1391.28 psig @ 4956.00 ft (KB) Capacity: 8000.00 psig
Start Date: 2014.01.12 End Date: 2014.01.12 Last Calib.: 2014.01.12
Start Time: 03:50:20 End Time: 13:10:34 Time On Btm: 2014.01.12 @ 06:40:49
Time Off Btm: 2014.01.12 @ 09:44:19

TEST COMMENT: IF: Strong Blow , BOB in 90 seconds
IS: No Blow Back
FF: Fair Blow , BOB in 5 minutes
FS: No Blow Back



PRESSURE SUMMARY

Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2461.44	109.36	Initial Hydro-static
2	42.15	109.34	Open To Flow (1)
31	1151.94	126.55	Shut-In(1)
92	1462.89	122.49	End Shut-In(1)
93	1169.75	122.61	Open To Flow (2)
122	1391.28	126.23	Shut-In(2)
182	1463.56	123.22	End Shut-In(2)
184	2379.34	120.74	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
1512.00	Water	21.21
504.00	SOMCW 2%O 40%M 58%W	7.07
378.00	OWCM 5%O 45%W 50%M	5.30
266.00	OWCM 5%O 35%W 60%M	3.73

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Vincent Oil Corporation

4-26S-24W Ford

155 N Market Ste 700
Wichita, KS 67202

Lix 3-4

Job Ticket: 51916

DST#: 1

ATTN: Ken LeBlanc

Test Start: 2014.01.12 @ 03:50:19

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

59000 ppm

Viscosity: 55.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 6.40 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 3000.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
1512.00	Water	21.209
504.00	SOMCW 2%O 40%M 58%W	7.070
378.00	OWCM 5%O 45%W 50%M	5.302
266.00	OWCM 5%O 35%W 60%M	3.731

Total Length: 2660.00 ft Total Volume: 37.312 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0


Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW w as .2 @ 45 degrees
180 Feet of sand

Pressure vs. Time



Serial #: 8367

Outside Vincent Oil Corporation

Lix 3-4

DST Test Number: 1

