

DIAMOND TESTING

General Information Report

General Information

Company Name MULL DRILLING COMPANY, INC.
Contact MARK SHREVE
Well Name RUFENACHT #1-11
Unique Well ID DST #3, CHEROKEE, 4380-4475
Surface Location SEC 11-17S-24W, NESS CO. KS.
Field YOST
Well Type Vertical
Test Type CONVENTIONAL
Formation DST #3, CHEROKEE, 4380-4475
Well Fluid Type 01 Oil

Representative TIM VENTERS
Well Operator MULL DRILLING COMPANY, INC.
Report Date 2014/02/14
Prepared By TIM VENTERS
Qualified By KEVIN KESSLER

Start Test Date 2014/02/14
Final Test Date 2014/02/14

Start Test Time 13:21:00
Final Test Time 22:21:00


Test Recovery:

RECOVERED: 870' HMCW W/TR. O, TRACE OIL, 55% WATER, 45% MUD
1410' SMCW W/TR. O, TRACE OIL, 96% WATER, 4% MUD
2280' TOTAL FLUID

TOOL SAMPLE: 3% OIL, 82% WATER, 15% MUD

CHLORIDES: 14,000 ppm
PH: 7.0
RW: .42 @ 68 deg.

RUFENACHT #1-11





DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: RUFENACHT1-11DST3

TIME ON: 13:21
TIME OFF: 22:21

Company MULL DRILLING COMPANY, INC. Lease & Well No. RUFENACHT #1-11
Contractor DUKE DRILLING COMPANY, INC. RIG #8 Charge to MULL DRILLING COMPANY, INC.
Elevation 2488 KB Formation CHEROKEE Effective Pay _____ Ft. Ticket No. T313
Date 2-14-14 Sec. 11 Twp. 17 S Range 24 W County NESS State KANSAS
Test Approved By KEVIN KESSLER Diamond Representative TIMOTHY T. VENTERS

Formation Test No. 3 Interval Tested from 4380 ft. to 4475 ft. Total Depth 4475 ft.
Packer Depth 4375 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 4380 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 4361 ft. Recorder Number 8457 Cap. 10,000 P.S.I.
Bottom Recorder Depth (Outside) 4472 ft. Recorder Number 11029 Cap. 5,025 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 57 Drill Collar Length 0 ft. I.D. 2 1/4 in.
Weight 9.5 Water Loss 8.8 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 5,000 P.P.M. Drill Pipe Length 4347 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number 2 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 31 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. ^{64' DP IN ANCHOR} Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: GOOD 2 INCH BLOW, BUILDING, REACHING BOB 2 MIN. (NO BB)
2nd Open: GOOD 2 INCH BLOW, BUILDING, REACHING BOB 2 MIN. (NO BB)

Recovered 870 ft. of HMCW W/TR. O, TRACE OIL, 55% WATER, 45% MUD
Recovered 1410 ft. of SMCW W/TR. O, TRACE OIL, 96% WATER, 4% MUD
Recovered 2280 ft. of TOTAL FEET

Recovered _____ ft. of _____	CHLORIDES: 14,000 ppm	Price Job
Recovered _____ ft. of _____	PH: 7.0	Other Charges
Remarks: _____	RW: .42 @ 68 deg.	Insurance
TOOL SAMPLE: 3% OIL, 82% WATER, 15% MUD		Total

Time Set Packer(s) 3:34 PM ^{A.M.}/_{P.M.} Time Started Off Bottom 7:09 PM ^{A.M.}/_{P.M.} Maximum Temperature 126 deg.

Initial Hydrostatic Pressure..... (A) 2129 P.S.I.
Initial Flow Period..... Minutes 5 (B) 86 P.S.I. to (C) 225 P.S.I.
Initial Closed In Period..... Minutes 30 (D) 1255 P.S.I.
Final Flow Period..... Minutes 60 (E) 230 P.S.I. to (F) 1033 P.S.I.
Final Closed In Period..... Minutes 120 (G) 1240 P.S.I.
Final Hydrostatic Pressure..... (H) 2118 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.