

PO Box 93999 Southlake, TX 76092

Voice: Fax:

(817) 546-7282 (817) 246-3361

#### Bill To:

Lotus Operating Co., LLC Lotus Exploration Co. 100 S. Main, STE 420 Wichita, KS 67202

### INVOICE

Invoice Number: 141159

Invoice Date: Jan 29, 2014

Page: 1

VECE/VED

FEB 0 8 2014

Customer ID	Field Ticket#	Payment	Terms
Lotus	62236	Net 30	Days
Job Location	Camp Location	Service Date	Due Date
KS1-07	Medicine Lodge	Jan 29, 2014	2/28/14

Quantity	Item		Description	Unit Price	Amount
1.00	WELL NAME	Eads B #1			
150.00	CEMENT MATERIALS	Class A Common		17.90	2,685.00
60.00	CEMENT MATERIALS	Pozmix		9.35	561.00
3.00	CEMENT MATERIALS	Gel		23.40	70.20
9.00	CEMENT MATERIALS	Chloride		64.00	576.00
80.00	CEMENT MATERIALS	Flo Seal		2.97	237.60
332.23	CEMENT SERVICE	Cubic Feet Charge		2.48	823.93
434.41	CEMENT SERVICE	Ton Mileage Charge		2.60	1,129.47
1.00	CEMENT SERVICE	Conductor		1,512.25	1,512.25
30.00	CEMENT SERVICE	Pump Truck Mileage		7.70	231.00
1.00	CEMENT SERVICE	Manifold Head Rental		275.00	275.00
30.00	CEMENT SERVICE	Light Vehicle Mileage		4.40	132.00
1.00	EQUIPMENT SALES	13-3/8 Baffle Plate		630.00	630.00
1.00	EQUIPMENT SALES	13-3/8 Wooden Plug		220.00	220.00
1.00	EQUIPMENT SALES	13-3/8 Basket	GL# 9208	775.00	775.00
1.00	CEMENT SUPERVISOR	David Felio		-	
1.00	EQUIPMENT OPERATOR	Scott Priddy	DESC. Coment 131/8"		
1.00	CEMENT SUPERVISOR	Joe Halcomb	c Sq		
			WELL# Eals B		

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

1,646.76

ONLY IF PAID ON OR BEFORE

Feb 23, 2014

Subtotal	9,858.45
Sales Tax	454.63
Total Invoice Amount	10,313.08
Payment/Credit Applied	
TOTAL	10,313.08

ENTERED

FEB 1 0 2014

-1,044.76 8,666,32

# ALLIED OIL & GAS SERVICES, LLC 062236

Federal Tax I.D. # 20-8651475

REMIT TO P.O. BOUTH	OX 93999 ILAKE, T	EXAS 760	92				SERVI	CE POINT:	cloyets
DATE 01-29-13	SEC. 26	TWP 295	RANGE 15W		ALLED OUT	ON LO	OAM	JOB START	JOB FINISH 9:15 An
LEASE Eads B	1 .		LOCATION S	un Gir	4, KS 10,	<u> 30, 3</u>	45 EK	PRO H	JCS
OLD OR NEW (Ci					/ F - J	, ,	. , ,		
CONTRACTOR	Duke				OWNER	Lotu	s		
TYPE OF JOB C	gaduet	72 - 20	153		CEMENT				
HOLE SIZE 172 CASING SIZE 1	3 1/4	48 <sup>#</sup> DE	. 73.3 РТН 167		AMOUNT O	ŖDERED	150	5x 60:40	:38ut2
TUBING SIZE	70		PTH		sel 4	160 s	X closs	4+2%c	+1/2 Flos
ORILL PIPE			PTH	· ·					· · · · · · · · · · · · · · · · · · ·
rool	10		PTH		COMMON	LesA	1508	@ 17.90	2685.
PRES. MAX 20	U test	OUW MI	NIMUM OE JOINT <i>41</i>	,	POZMIX	<u> </u>	60		561.0
MEAS. LINE CEMENT LEFT II	VCSG 4	11'	OBJOINT 71		GEL _	<del></del>	35×	@ 2340	70.5
PERFS.	· C3O	LI			CHLORIDE	·	9 54	@ 64.00	576.00
DISPLACEMENT	20B	6 & FRE	31 H30		ASC			@	
		JIPMENT			<del></del>		CIA #	· @	- <del> </del>
	200				Floral		80 #	_@_ <del></del>	721.0
PUMP TRUCK	CEMENT	ER D. F	elip					_@ @	
# <b>\$</b> 58- <i>5</i> 55	HELPER		iddy					_@	
BULK TRUCK		• :						_	
#819-823	DRIVER	5. Ho	comb					@	
BULK TRUCK								@	
#	DRIVER				HANDLING	c <u> 332 ʻ</u>	22 Fr3	- % <del>2 .41</del>	823, 4.
					MILEAGE	14.48 ton	30 6	2,00	6083.F
150 sy 60: 40 Stop: Release See increase 20BH; total	Plus St	SLEEP SLEEP	te Bump Play	Plus	DEPTH OF PUMP TRU EXTRA FO MILEAGE MANIFOL	OCK CHA OTAGE_ D Henda	30	7' @ 7''' @ 440	1512.2 231.9 275.9
CHARGE TO:	otus	Open.			-	- 41 - 70			L 2150.2
STREET	_				<u>-</u>				
CITY	S	TATE	ZIP		-	PLUG	& FLOA	T EQUIPME	ENT
To: Allied Oil &	k Gas Ser	vices. LL	( *	33/6"	PR 1- Baff 1- Wass	le Plate Lea Wood Let	len Plug	@ @	630°° 220°° 775°°
You are hereby				pment		<del></del>			
and furnish cerr	nenter and	helper(s)	to assist owne	er or				@	
contractor to do	work as	is listed.	The above wor	rk was				mor.	L 1625.
done to satisfac	tion and s	upervisio	n of owner age	ent or				TOTA	L /- /-
contractor. I ha	ve read a	nd unders	tand the "GEN	IERAL	SALES TA	X (If Anu	<b>\</b>		
TERMS AND O	CONDITI	ONS" list	ed on the rever	rse side	. SALES IA	(II AIII)	,	9858	11-3
	<i>^</i>				TOTAL CH	HARGES.		AROR!	,7d
PRINTED NAM	E Into	120	Rosel.		_ DISCOUN	Т		IF P.	AID IN 30 DA
THE POST OF	- <u> </u>	·····				1104	8211.	74	-
SIGNATURE (	Polos.	577	0.			NEI	יוואט		



PO Box 93999 Southlake, TX 76092

Voice: Fax: (817) 546-7282 (817) 246-3361

Bill To:

Lotus Operating Co., LLC Lotus Exploration Co. 100 S. Main, STE 420 Wichita, KS 67202

## INVOICE

Invoice Number: 141160

Invoice Date: Jan 30, 2014

Page: 1

KECEIVE

FEB 0 8 2014

Customer ID	Field Ticket #	Payment	Terms
Lotus	62237	Net 30	Days
Job Location	Camp Location	Service Date	Due Date
KS1-08	Medicine Lodge	Jan 30, 2014	3/1/14

Quantity	Item		Description	Unit Price	Amount
1.00	WELL NAME	Eads B #1			
600.00	CEMENT MATERIALS	Class A Common		17.90	10,740.00
19.00	CEMENT MATERIALS	Chloride		64.00	1,216.00
310.00	CEMENT MATERIALS	Light Weight		16.50	5,115.00
255.00	CEMENT MATERIALS	Flo Seal		2.97	757.35
981.06	CEMENT SERVICE	Cubic Feet Charge		2.48	2,433.03
1,671.90	CEMENT SERVICE	Ton Mileage Charge		2.60	4,346.94
1.00	CEMENT SERVICE	Intermediate		2,058.50	2,058.50
30.00	CEMENT SERVICE	Pump Truck Mileage		7.70	231.00
1.00	CEMENT SERVICE	Manifold Head Rental		275.00	275.00
30.00	CEMENT SERVICE	Light Vehicle Mileage		4.40	132.00
1.00	EQUIPMENT SALES	8-5/8 Top Rubber Plu		131.00	131.00
1.00	EQUIPMENT SALES	8-5/8 Basket		560.00	560.00
1.00	EQUIPMENT SALES	8-5/8 Baffle Plate		320.00	320.00
1.00	CEMENT SUPERVISOR	David Felio	and the second of the second o		
1.00	EQUIPMENT OPERATOR	Scott Priddy	GL# 9208		
1.00	CEMENT SUPERVISOR	Jake Heard	DESC. coment such		
1.00	OPERATOR ASSISTANT	James Bowen			
			The second secon		
			WELL # Eacls B		
				<del></del>	20 215 92

ALL PRICES ARE NET, PAYABLE 30 DAYS FOLLOWING DATE OF INVOICE. 1 1/2% CHARGED THEREAFTER. IF ACCOUNT IS CURRENT, TAKE DISCOUNT OF

\$

5,457.36

ONLY IF PAID ON OR BEFORE
Feb 24, 2014

TOTAL	29,804.13
Payment/Credit Applied	
Total Invoice Amount	29,804.13
Sales Tax	1,488.31
Subtotal	28,315.82

ENTERED

FEB 1 0 2014

- 5,457, 3,6 24,346,77

# ALLIED OIL & GAS SERVICES, LLC 062237 Federal Tax I.D. # 20-8651475

REMIT TO P.O. BOX 93999 SOUTHLAKE, TEXAS 76092	SERVICE POINT:
oo mining in the contract of t	013114
DATE 01 30 14 SEC. TWP. RANGE CA	GOOPM ON LOCATION JOB START JOB FINISH
LEASE Eads B WELL# 1 LOCATION Sun C'4	, ES 10 m, 3 m, Ks, ES Part STATES
OLD OR NEW (Circle one)	, , , , , , , , , , , , , , , , , , , ,
CONTRACTOR Puke#7	OWNER LOTUS
TYPE OF JOB Intermediate	OWNER 2070)
HOLE SIZE 121/4 T.D. 1010	CEMENT 210 / 2 2 4/ / 20
CASING SIZE 8'5/F DEPTH 909	AMOUNT ORDERED 310 sx 65:35:6% gul + 29
TUBING SIZE DEPTH	(c+ / "Flosen & 4 BOSx class A+2%
DRILL PIPE DEPTH	ce + 14# Flored & 200 ixclass A + 1/acc
TOOL DEPTH PRES. MAX MINIMUM —	COMMON Class A 600 Sta 17.90 10740:0
PRES. MAX MINIMUM — MEAS. LINE SHOE JOINT 42.2	POZMIX @
CEMENT LEFT IN CSG. 42	GEL @
PERFS.	CHLORIDE 19 5X@ 64.00 1216"
DISPLACEMENT B6/s Fresh H70	ASC @
EQUIPMENT	light whight 310 sx@ 16.30 5115.00
	Flosed 255 #@ 2.77 757.33
PUMPTRUCK CEMENTER DFelia	@
#558-555 HELPER S- Priddy / J. Heard	
BULK TRUCK	
#56/-553 DRIVER James Bowen	@
BULK TRUCK	. @
#819-823 DRIVER Tony Hagandro (terry)	HANDLING 981.06 (3 @ 2.48 2433.05
	MILEAGE 55.73/m - 30mi - 2.60 4346.99
REMARKS:	TOTAL 24608,32
Pipeon B+4m Break Giran Puma Spaces	TOTAL DE LOCAL
THE TOTAL CONTRACT TO A STATE OF THE STATE O	
m: x 3/0 x 65 35 , met Blad my 150x A	SERVICE
m:x3105x6535cement Blend, mx 150x A	SERVICE
m: x 3105x 65 35 cement Blent, mix 150x A	
Mix 3/05x 65 35 cent Bleat, Mix 150sx A +2/ca Blend Stop fump, Releasefly, Stant Disp.w/ Faesh H2 Wash upon Pluy, See increase in PST, S/2 Whate, Domp Pluy, Shutth, Court D.3 NOTC;	SERVICE  DEPTH OF JOB 989  ABUMP TRUCK CHARGE 2058,50
Mix 3/0sx 65 35 cement Blend, Mix 150sx A +27cc Blend Stop firms, Releasefly, Stant Disp. W/ Facsh H2 Wash upon Pluy, See increase in PST, S/w Cleate, Domp Pluy, Shuttin, Count Did Not Ci Pump 100sx to 1 through 1" - Pump 2005x A+	DEPTH OF JOB 989
Mix 3/05x 65 35 cement Blead, Mix 150x A +21/c Blend Stop fump, Releasefly, Stant Disp. W/ Fresh HD Wash upon Pluy, See increase in PST. S/w Clare, Domp Pluy, Shutth, Count Did NOTC; Pump 1005x toil through I" - Pump 2005x A+ 1 //cc through 1" - Pump 150 yx A+2% through	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50
Mix 3/0sx 65 35 cement Blend, Mix 150sx A +27cc Blend Stop firms, Releasefly, Stant Disp. W/ Facsh H2 Wash upon Pluy, See increase in PST, S/w Cleate, Domp Pluy, Shuttin, Count Did Not Ci Pump 100sx to 1 through 1" - Pump 2005x A+	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70 23,00  MANIFOLD Acadestal @ 275
Mix 3/05x 65 35 cement Blead, Mix 150x A +21/c Blend Stop fump, Releasefly, Stant Disp. W/ Fresh HD Wash upon Pluy, See increase in PST. S/w Clare, Domp Pluy, Shutth, Count Did NOTC; Pump 1005x toil through I" - Pump 2005x A+ 1 //cc through 1" - Pump 150 yx A+2% through	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MILEAGE 30 @ 7.70  MANIFOLD Acadestal @ 4,40  Light Vehicle 30 @ 4,40
Mix 3/0sx 65 35 cement Blend, Mix 150sx A + 2/c. Blend Stop firm, Releasely, Start Disp. W/ Faesh HD Wash upon Pluy, See increase in PST, 3/swlante, Domp Pluy, Shutth, Count D.3 NOTC: Pump 1005x toil through "- Pump 2005x A+ 1% center through 1"- Pump 2005x A+ 1% center Did top 0 At	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70 23,00  MANIFOLD Acadestal @ 275
Mix 3/05x 65 35 cement Blead, Mix 150x A +21/c Blend Stop fump, Releasefly, Stant Disp. W/ Fresh HD Wash upon Pluy, See increase in PST. S/w Clare, Domp Pluy, Shutth, Count Did NOTC; Pump 1005x toil through I" - Pump 2005x A+ 1 //cc through 1" - Pump 150 yx A+2% through	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MILEAGE 30 @ 7.70  MANIFOLD Acadrestal @ 4,40  Light Vehicle 30 @ 4,40  [
Mix 3/0sx 65 35 cement Blend, Mix 150sx A + 2/c. Blend Stop firm, Releasely, Start Disp. W/ Faesh HD Wash upon Pluy, See increase in PST, 3/swlante, Domp Pluy, Shutth, Count D.3 NOTC: Pump 1005x toil through "- Pump 2005x A+ 1% center through 1"- Pump 2005x A+ 1% center Did top 0 At	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MILEAGE 30 @ 7.70  MANIFOLD Acadestal @ 4,40  Light Vehicle 30 @ 4,40
Mix 3/0sx 65 35 cement Blend Mix 150sx A + 2/c Blend Stop firms, Releasely, Start Disp. W/ Faesh HD Wash upon Pluy, See incease in PST, 3/sw Carte, Dimp Pluy, Shutth, Count D.3 NOTC; Pump 100sx to Hadovah [" - Pump 2005x A + 1% center though 1" - Pump 150 sx A + 2% through 1", Center to Did top o At.  CHARGE TO: Lotus  STREET	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MILEAGE 30 @ 7.70  MANIFOLD Acadrestal @ 4,40  Light Vehicle 30 @ 4,40  [
Mix 3/0sx 65 35 cement Blead, Mix 150sx A + 2kc Blend Stop firms, Releasely, Start Disp. W/ Faesh His Wash upon Plus, See increase in PST, 3/sw Parts Disp Plus, Shuth, Count Dis Not Ci. Pump 100sx + oil through I" - Pump 2005x A + 1 / Lee through 1" - Pump 150 sx A + 2% through I", Cement Did top off	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MILEAGE 30 @ 7.70  MANIFOLD Acadrestal @ 4,40  Light Vehicle 30 @ 4,40  [
Mix 3/Osx 65 35 cement Blend, Mix 150sx A + 2/cc Blend Stop fump, Releasely, Stant Disp. W/ Faesh HD Wash upon Plux, See incease in PST, 3/sw Cate, Dump Plux, Shutth, Count Did NoTCi Pump 100sx toil through 1" - Pump 2005x A + 1/cc through 1" - Pump 150 sx A + 2% through 1", Cennent Did top 0 At  CHARGE TO: Lotus  STREET  CITY STATE ZIP	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70 331,00  MANIFOLD Acadental @ 4,40 132.00  (ight Vehicle 30 @ 7.70 132.00  TOTAL 2696.50
Mix 3/0sx 65 35 cement Blend Mix 150sx A + 2/c Blend Stop firms, Releasely, Start Disp. W/ Faesh HD Wash upon Pluy, See incease in PST, 3/sw Carte, Dimp Pluy, Shutth, Count D.3 NOTC; Pump 100sx to Hadovah [" - Pump 2005x A + 1% center though 1" - Pump 150 sx A + 2% through 1", Center to Did top o At.  CHARGE TO: Lotus  STREET	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MANIFOLD Acadestal @ 4,40 132.00  TOTAL 2(96.50  PLUG & FLOAT EQUIPMENT
Mix 3/Osx 65 35 cement Blend, Mix 150sx A +2/cc Blend Stop fump, Releasefly, Start Disp. w/ Faesh HD Wash upon Pluy, See incease in PSI, Shwllate, Dump Pluy, Shuttin, Court Did NOTC; Pump 100sx to 1 through 1" - Pump 2005x A + 19/cc through 1" - Pump 150 sx A + 2% through 1", Cement Did top off  CHARGE TO: Lotus  STREET  CITY STATE ZIP	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70 33,00  MANIFOLD Acadestal @ 4,40 132.00  FUGA FLOAT EQUIPMENT  1-TRP @ 131.00
Mix 3/Osx 65 35 cement Blend, Mix 150sx A+2/cc Blend Stop fump, Releasely, Start Disp. w/ Faesh H2 Wash upon Plux, See incease in PSI, S/swllate, Dump Plux, Shutth, Court Did NOTC; Pump 100sx to 1 through 1" - Pump 2005x A+ 1 // cc through 1" - Pump 150 sx A+2/: through 1", Cement Did top off  CHARGE TO: Lofus  STREET  CITY STATE ZIP  To: Allied Oil & Gas Services, LLC.	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MANIFOLD Acadestal @ 4,40 132.00  MANIFOLD Acadestal @ 4,40 132.00  TOTAL 2(96.50  PLUG & FLOAT EQUIPMENT  1-TRP @ 131.00  1-TRP @ 131.00  1-Bastet @ 560.00  320.00
Mix 3/Osx 65 35 cement Blend, Mix 150sx A+27cc Blend Stop fump, Releasefly, Stant Disp. w/ Faesh Hro Wash room Pluy, See incease in PSI,  3/1 wllate, Dump Pluy, Shuttin, Court Did Not Co. Pring 100sx to 14 through 1" - Pring 2005x A+  1 ", cement Did top off  CHARGE TO: Lofus  STREET  CITY STATE ZIP  To: Allied Oil & Gas Services, LLC.  You are hereby requested to rent cementing equipment	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70 33,00  MANIFOLD Acadestal @ 4,40 132.00  FUGA FLOAT EQUIPMENT  1-TRP @ 131.00
Mix 3/Osx 65 35 cement Blend, Mix 150sx A +2/cc Blend Stop fump, Releasefly, Stant Disp. w/ Faesh Hro Wash room Pluy, See incease in PSI, S/swllate, Dump Pluy, Shutth, Court Did Not Co. Pump 100sx to 14 through 1" - Pump 2005x A + 1/1.cc through 1" - Pump 150 sx A + 2% through I", Cement Did top off  CHARGE TO: STATE ZIP  To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or	DEPTH OF JOB 989  ARUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MILEAGE 30 @ 7.70  ANIFOLD Acadestal @ 132.00  Gight Vehicle 30 @ 7.70  PLUG & FLOAT EQUIPMENT  - TRP @ /31.00  - Bastet @ 560.00  - Bastet @ 320.00  @ @
Mix 3/Osx 65 35 cement Blend, Mix 150sr A +2/cc Blend Stop fump, Releasely, Stant Disp. w/ Facish His Wash room Pluy, See increase in PST, S/swllate, Dump Pluy, Shutth, Court Did Not Co. Pump 100sr to 14 houst 1" - Pump 2005x A + 1-1/cc though 1" - Pump 150 sx A + 2% through 1", Cement Did to your off  CHARGE TO: STATE ZIP  To: Allied Oil & Gas Services, LLC. You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was	DEPTH OF JOB 989  ARUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MILEAGE 30 @ 7.70  ANIFOLD Acadestal @ 132.00  Gight Vehicle 30 @ 7.70  PLUG & FLOAT EQUIPMENT  - TRP @ /31.00  - Bastet @ 560.00  - Bastet @ 320.00  @ @
Mix 3/Osx 65 35 cement Blend, Mix 150sr A +2/cc Blend Stop fump, Releasely, Stant Disp. w/ Facish Hro Wash room Pluy, See incease in PST, 3/1 wllate, Dump Pluy, Shutth, Court Did Not Co. Pump 100sr to 14 doorsh /" - Pump 200sk A + / 1/cc though 1" - Pump 150 sx A + 2% through I", Cement Did to 9  CHARGE TO: Lofus  STREET  CITY STATE ZIP  To: Allied Oil & Gas Services, LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MANIFOLD Acadestal @ 4,40 132.00  MANIFOLD Acadestal @ 4,40 132.00  PLUG & FLOAT EQUIPMENT  - TRP @ /3/.00  - Bastet @ 560.00  - Daffle Plate @ 320.00
Mix 3/Osx 65 35 cement Bleak, Mix 150sr A +2/cc Blead Stop fung, Releasely, Start Dig. w/ Facish His Wash room Pluy, See increase in PST,  3/1 wllate, Dung Pluy, Shuth, Court Did Not Co. Pump 100sr to 14 doorsh /" - Pump 200sk A + / 1/cc though 1" - Pump 150 sx A + 2% though  T", Cement Did to 20  STREET  CITY STATE ZIP  To: Allied Oil & Gas Services, LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL	DEPTH OF JOB 989  ARUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MILEAGE 30 @ 7.70  ANIFOLD Acadestal @ 132.00  Gight Vehicle 30 @ 7.70  PLUG & FLOAT EQUIPMENT  - TRP @ /31.00  - Bastet @ 560.00  - Bastet @ 320.00  @ @
Mix 3/Osx 65 35 cement Blend, Mix 150sr A +2/cc Blend Stop fump, Releasely, Stant Disp. w/ Facish Hro Wash room Pluy, See incease in PST, 3/1 wllate, Dump Pluy, Shutth, Court Did Not Co. Pump 100sr to 14 doorsh /" - Pump 200sk A + / 1/cc though 1" - Pump 150 sx A + 2% through I", Cement Did to 9  CHARGE TO: Lofus  STREET  CITY STATE ZIP  To: Allied Oil & Gas Services, LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or	DEPTH OF JOB 989  APUMP TRUCK CHARGE 2058,50  EXTRA FOOTAGE @ 7.70  MILEAGE 30 @ 7.70  MANIFOLD Acadestal @ 4,40 132.00  FLUG & FLOAT EQUIPMENT  - TRP @ /3/.00  - Baffle Plate @ 320.00  TOTAL 1011.00  SALES TAX (If Any)
Mix 3/Osx 65 35 cement Bleat Mix 150x A +2/cc Blead Stopfung, Releasely, Stant Disp.w/ Eash HD Wash upon Plux, See incease in PST, 3/w Cate, Amp Plux, Shutth, Count D.3 No TC, Pump 1005x to 1 through 1" - Pump 2005x A t 1/cc through 1" - Pump 150 xx A t 2% through 1", Cennent Did to yo A  CHARGE TO:	DEPTH OF JOB
Mix 3/Osx 65 35 cement Bleak, Mix 150sr A +2/cc Blead Stop fung, Releasely, Start Dig. w/ Facish His Wash room Pluy, See increase in PST,  3/1 wllate, Dung Pluy, Shuth, Court Did Not Co. Pump 100sr to 14 doorsh /" - Pump 200sk A + / 1/cc though 1" - Pump 150 sx A + 2% though  T", Cement Did to 20  STREET  CITY STATE ZIP  To: Allied Oil & Gas Services, LLC.  You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL	DEPTH OF JOB
Mix 3/Osx 65 35 cement Bleat Mix 150x A +2/cc Blead Stopfung, Releasely, Stant Disp.w/ Eash HD Wash upon Plux, See incease in PST, 3/w Cate, Amp Plux, Shutth, Count D.3 No TC, Pump 1005x to 1 through 1" - Pump 2005x A t 1/cc through 1" - Pump 150 xx A t 2% through 1", Cennent Did to yo A  CHARGE TO:	DEPTH OF JOB