



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Mustang energy corp.

SEC. 15 - 19 s. - 22 w./ Ness

P.O. BOX 1121
HAYS KS.
67601
ATTN: HERB DEINES / ROD BR

Kleweno # 2 - 15

Job Ticket: 56172 **DST#: 1**


Test Start: 2014.04.01 @ 11:15:00

GENERAL INFORMATION:

Formation: **Mississippi**
 Deviated: No Whipstock: ft (KB)
 Time Tool Opened: 13:46:30
 Time Test Ended: 17:54:00
 Interval: **4262.00 ft (KB) To 4330.00 ft (KB) (TVD)**
 Total Depth: 4330.00 ft (KB) (TVD)
 Hole Diameter: 7.88 inches Hole Condition: Fair
 Test Type: Conventional Bottom Hole (Initial)
 Tester: Bob Hamel
 Unit No: 67
 Reference Elevations: 4262.00 ft (KB)
 4255.00 ft (CF)
 KB to GR/CF: 7.00 ft

Serial #: 8679 Inside
 Press @ Run Depth: 36.60 psig @ 4296.00 ft (KB) Capacity: 8000.00 psig
 Start Date: 2014.04.01 End Date: 2014.04.01 Last Calib.: 1899.12.30
 Start Time: 11:15:01 End Time: 17:54:00 Time On Btm: 2014.04.01 @ 13:45:30
 Time Off Btm: 2014.04.01 @ 15:58:30

TEST COMMENT: I.F. - 45 - 1/2" INT. BLOW BUILT TO (1" IN 45 MIN.)
 I.S.I. - 60 - W.S.B.B. @ 60 MIN.
 F.F. - 15 - 1/4" INT. BLOW NO BUILD (PULLED IT @ 15 MIN.)
 F.S.I. - NO FINAL SHUT IN.



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation
0	2138.73	108.76	Initial Hydro-static
1	33.07	107.91	Open To Flow (1)
47	36.60	109.42	Shut-In(1)
108	698.56	111.68	End Shut-In(1)
109	38.27	111.49	Open To Flow (2)
133	2095.05	113.83	Final Hydro-static

Recovery

Length (ft)	Description	Volume (bbl)
15.00	S,O,S,M, MUD100% SHOW OF FREE OIL	0.07 OL

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



TRILOBITE TESTING, INC.

DRILL STEM TEST REPORT

Mustang energy corp.

SEC. 15 - 19 s. - 22 w./ Ness

P.O. BOX 1121

Kleweno # 2 - 15

HAYS KS.

Job Ticket: 56172

DST#: 1

67601

Test Start: 2014.04.01 @ 11:15:00

ATTN: HERB DEINES / ROD BR

GENERAL INFORMATION:

Formation: **Mississippi**

Deviated: No Whipstock: ft (KB)

Time Tool Opened: 13:46:30

Time Test Ended: 17:54:00

Test Type: Conventional Bottom Hole (Initial)

Tester: Bob Hamel

Unit No: 67

Interval: **4262.00 ft (KB) To 4330.00 ft (KB) (TVD)**

Reference Elevations: 4262.00 ft (KB)

Total Depth: 4330.00 ft (KB) (TVD)

4255.00 ft (CF)

Hole Diameter: 7.88 inches Hole Condition: Fair

KB to GR/CF: 7.00 ft

Serial #: **6625** Outside

Press @ Run Depth: psig @ 4296.00 ft (KB)

Capacity: 8000.00 psig

Start Date: 2014.04.01

End Date: 2014.04.01

Last Calib.: 2014.04.01

Start Time: 11:15:01

End Time: 17:55:00

Time On Btm:


Time Off Btm:

TEST COMMENT: I.F. - 45 - 1/2" INT. BLOW BUILT TO (1" IN 45 MIN.)

I.S.I. - 60 - W.S.B.B. @ 60 MIN.

F.F. - 15 - 1/4" INT. BLOW NO BUILD (PULLED IT @ 15 MIN.)

F.S.I. - NO FINAL SHUT IN.



PRESSURE SUMMARY


Time (Min.)	Pressure (psig)	Temp (deg F)	Annotation

Recovery

Length (ft)	Description	Volume (bbl)
15.00	S,O,S,M, MUD100% SHOW OF FREE OIL	0.07 OL

Gas Rates

Choke (inches)	Pressure (psig)	Gas Rate (Mcf/d)



Serial #: 6625

Outside Mustang energy corp.

Klew eno # 2 - 15

DST Test Number: 1

