



11 Lewis Drive

Paola, KS 66071

Oil & Gas Well Drilling  
Water Wells  
Geo-Loop Installation

Phone: 913-557-9083

Fax: 913-557-9084

**WELL LOG**

SCZ Resources, LLC

Cannon #C-7

API #15-001-30,992

April 23 - April 25, 2014

<u>Thickness of Strata</u>	<u>Formation</u>	<u>Total</u>
1	soil/clay	1
15	lime	16
24	shale	40
15	lime	55
48	shale	103
4	lime	107
3	shale	110
45	lime	155
4	shale	159
13	lime	172
7	shale	179
4	lime	183
2	shale	185
18	lime	203
3	shale	206
26	lime	232
7	shale	239
18	lime	257 base of the Kansas City
161	shale	418
12	lime	430
88	shale	518
16	lime	534 brown
5	shale	539
4	lime	543
36	shale	579
15	lime	594 oil show
12	shale	606
4	lime	610
85	shale	695
3	lime	698
1	coal	699
47	shale	746
4	broken sand	750 brown & green, light bleeding
6	shale	756
4	oil sand	760 brown, good bleeding
5	broken sand	765 brown & grey, light bleeding
12	shale	777
1	coal	778
19	shale	797

3	oil sand	800	brown, ok bleeding
7.5	broken sand	807.5	brown & green, ok bleeding
1	oil sand	808.4	brown, light bleeding
11.5	sand	820	brown, no oil show
60	shale	880	
8	silty shale	888	TD

Drilled a 9 7/8" hole to 22.6'

Drilled a 5 5/8" hole to 888'

Set 22.6' of 7" surface casing, cemented with 5 sacks cement.

Set 888' of 2 7/8" 8 round upset tubing including 2 centralizers, 1 float shoe and 1 clamp.

Core Times  
Minutes   Seconds

800	1	13
801		57
802	1	2
803		46
804		49
805		57
806		58
807		59
808		54
809		55
810		50
811		52
812		59
813		55
814		51
815		56
816		59
817		57
818	1	25
819		49