

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

| For KCC | Use: |
|------------|--------|
| Effective | Date: |
| District # | |
| SGA? | Yes No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

| month day year | Spot Description: |
|--|---|
| | |
| PERATOR: License# | feet from N / S Line of Section |
| ame: | |
| ddress 1: | |
| ddress 2: | |
| ty: | County. |
| ontact Person:hone: | Lease Name: Well #: |
| ione. | Field Name: |
| ONTRACTOR: License# | Is this a Prorated / Spaced Field? Yes No |
| ame: | Target Formation(s): |
| Well Drilled For: Well Class: Type Equipment: | Nearest Lease or unit boundary line (in footage): |
| Oil Enh Rec Infield Mud Rotary | Ground Surface Elevation:feet MS |
| Gas Storage Pool Ext. Air Rotary | Water well within one-quarter mile: |
| Disposal Wildcat Cable | Public water supply well within one mile: |
| Seismic ; # of Holes Other | Depth to bottom of fresh water: |
| Other: | Depth to bottom of usable water: |
| If OWN/Or old wall information as follows: | Surface Pipe by Alternate: III |
| If OWWO: old well information as follows: | Length of Surface Pipe Planned to be set: |
| Operator: | |
| Well Name: | Projected Total Depth: |
| Original Completion Date: Original Total Depth: | |
| Directional, Deviated or Horizontal wellbore? | Water Source for Drilling Operations: |
| f Yes, true vertical depth: | Tam Fold Substitution |
| ottom Hole Location: | DWK Pellill #. |
| CC DKT #: | (Note: Apply for Fernit With DVV (|
| | vviii Cores de takerr? |
| | If Yes, proposed zone: |
| | AFFIDAVIT |
| he undersigned hereby affirms that the drilling, completion and eventu | al plugging of this well will comply with K.S.A. 55 et. seq. |
| t is agreed that the following minimum requirements will be met: | |
| 1. Notify the appropriate district office <i>prior</i> to spudding of well; | |
| 2. A copy of the approved notice of intent to drill shall be posted or | each drilling rig; |
| | e set by circulating cement to the top; in all cases surface pipe shall be set |
| | |
| through all unconsolidated materials plus a minimum of 20 feet in | , , |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and the | e district office on plug length and placement is necessary prior to plugging; |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either | e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cere | e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or the content of t | e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or the content of t | e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or the content of t | e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. | e district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern Or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. | the district office on plug length and placement is necessary <i>prior to plugging</i> ; plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cern or pursuant to Appendix "B" - Eastern Kansas surface casing ord must be completed within 30 days of the spud date or the well shall be completed. | the district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. In the der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to: |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh Ubmitted Electronically For KCC Use ONLY | re district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing. **Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh Ubmitted Electronically For KCC Use ONLY API # 15 - | the district office on plug length and placement is necessary <i>prior to plugging;</i> plugged or production casing is cemented in; nented from below any usable water to surface within <i>120 DAYS</i> of spud date. In the der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. **Remember to: |
| through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh Ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | re district office on plug length and placement is necessary prior to plugging; plugged or production casing is cemented in; mented from below any usable water to surface within 120 DAYS of spud date. der #133,891-C, which applies to the KCC District 3 area, alternate II cementing hall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; |
| through all unconsolidated materials plus a minimum of 20 feet in 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh ubmitted Electronically For KCC Use ONLY API # 15 - | re district office on plug length and placement is necessary prior to plugging; replugged or production casing is cemented in; renented from below any usable water to surface within 120 DAYS of spud date. Ider #133,891-C, which applies to the KCC District 3 area, alternate II cementing reall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; |
| through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh ubmitted Electronically For KCC Use ONLY API # 15 | Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; |
| through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cer Or pursuant to Appendix "B" - Eastern Kansas surface casing or must be completed within 30 days of the spud date or the well sh UDMITTED Electronically For KCC Use ONLY API # 15 | Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |
| through all unconsolidated materials plus a minimum of 20 feet ir 4. If the well is dry hole, an agreement between the operator and th 5. The appropriate district office will be notified before well is either 6. If an ALTERNATE II COMPLETION, production pipe shall be cere Or pursuant to Appendix "B" - Eastern Kansas surface casing order must be completed within 30 days of the spud date or the well shall be completed. Library Conductor pipe required | Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); |

_ Agent: .



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator: | Location of Well: County: |
|---------------------------------------|--|
| Lease: | feet from N / S Line of Section |
| Well Number: | feet from E / W Line of Section |
| Field: | Sec Twp S. R |
| Number of Acres attributable to well: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |

PLAT


Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



LEGEND


O Well Location
Tank Battery Location
Pipeline Location
----- Electric Line Location
Lease Road Location



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| Operator Name: | | | License Number: | |
|---|------------------------|------------------------------------|--|--|
| Operator Address: | | | | |
| Contact Person: | | | Phone Number: | |
| Lease Name & Well No.: | | | Pit Location (QQQQ): | |
| Type of Pit: Pit is: | | | | |
| ☐ Emergency Pit ☐ Burn Pit ☐ Proposed ☐ Settling Pit ☐ Drilling Pit If Existing, date | | Existing | SecTwp R | |
| | | nstructed: | Feet from North / South Line of Section | |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section | |
| | (bbls) | | County | |
| Is the pit located in a Sensitive Ground Water A | rea? Yes | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) | |
| Is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is not used? | |
| Yes No | Yes N | No | | |
| Pit dimensions (all but working pits): | Length (fe | et) | Width (feet) N/A: Steel Pits | |
| | om ground level to dee | | | |
| If the pit is lined give a brief description of the li material, thickness and installation procedure. | ner | | dures for periodic maintenance and determining cluding any special monitoring. | |
| | | | | |
| | | | | |
| | | | | |
| Distance to nearest water well within one-mile of pit: | | Depth to shallo Source of infor | west fresh water feet. | |
| feet Depth of water wellfeet | | measured | well owner electric log KDWR | |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | ver and Haul-Off Pits ONLY: | |
| Producing Formation: | | Type of materia | l utilized in drilling/workover: | |
| Number of producing wells on lease: | | Number of world | king pits to be utilized: | |
| Barrels of fluid produced daily: | | Abandonment | procedure: | |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No | | Drill pits must b | e closed within 365 days of spud date. | |
| | | | | |
| Submitted Electronically | | | | |
| Cashintoa Electromeany | | | | |
| | | | | |
| | ксс | OFFICE USE O | NLY Liner Steel Pit RFAC RFAS | |
| Date Received: Permit Num | her: | Darmi | t Date: Lease Inspection: Yes No | |



1208205

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB- | -1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) | | |
|--|--|--|--|
| OPERATOR: License # | _ Well Location: | | |
| Name: | | | |
| Address 1: | | | |
| Address 2: | Lease Name: Well #: | | |
| City: | If filing a Form T-1 for multiple wells on a lease, enter the legal description on the lease below: | | |
| Contact Person: | | | |
| Phone: () Fax: () | _ | | |
| Email Address: | _ | | |
| Surface Owner Information: | | | |
| Name: | _ When filing a Form T-1 involving multiple surface owners, attach an additional | | |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the | | |
| Address 2: | accepts, and in the week extent avanerty toy records of the accepts traceurer | | |
| City: | _ | | |
| | thodic Protection Borehole Intent), you must supply the surface owners and | | |
| | ank batteries, pipelines, and electrical lines. The locations shown on the plat d on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. | | |
| Select one of the following: | | | |
| owner(s) of the land upon which the subject well is or will b | e Act (House Bill 2032), I have provided the following to the surface e located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form m being filed is a Form C-1 or Form CB-1, the plat(s) required by this x, and email address. | | |
| KCC will be required to send this information to the surface | I acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ess of the surface owner by filling out the top section of this form and the KCC, which is enclosed with this form. | | |
| If choosing the second option, submit payment of the \$30.00 handli form and the associated Form C-1, Form CB-1, Form T-1, or Form C | ing fee with this form. If the fee is not received with this form, the KSONA-1 CP-1 will be returned. | | |
| Submitted Electronically | | | |
| I | | | |

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

| | TODO WELL OF THE LEVE DELONA |
|--|---|
| In all cases, please fully complete this side of the form | m. Include items 1 through 5 at the bottom of this page. |
| Operator: All Water Inc. Lease: NOTTH DEMONICH | Location of Well: County: AMESON |
| Well Number: 16-20-2011 Field: 50FNOH, Shooston | feet from N / S Line of Section feet from E / W Line of Section |
| Number of Acres attributable to well: | Sec. ZZ Twp. ZO S. R. ZO DE W |
| QTR/QTR/QTR/QTR of acreage: | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |
| Show location of the well. Show footage to the nearest le lease roads, tank batteries, pipelines and electrical lines, as requ | AT Pase or unit boundary line. Show the predicted locations of uired by the Kansas Surface Owner Notice Act (House Bill 2032). uparate plat if desired. |
| | : |
| | LEGEND |
| Charles and Charle | O Well Location Tank Battery Location Pipeline Location |
| | Electric Line Location Lease Road Location |
| | ······ |

EXAMPLE 1980' FSL SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

in plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached; (C0-7 for oil wells;
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

June 03, 2014

Christian L. Martin Tailwater, Inc. 6421 AVONDALE DR STE 212 OKLAHOMA CITY, OK 73116-6428

Re: Drilling Pit Application North Kempnich 16-IWU NW/4 Sec.22-20S-20E Anderson County, Kansas

Dear Christian L. Martin:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 432-2300 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 432-2300.