

For KCC	Use:		
Effective Date:			
District #			
SGA?	Yes No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1208259

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

	Spot Description:
month day	<i>year</i> , Sec Twp S. R E \(\begin{align*} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
Name:	foot from F / W Line of Socie
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip:	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Eq	Nearest Lease or unit boundary line (in footage):
	Ground Surface Flevation: feet MS
	Id Rotary Water well within one-quarter mile: Yes N
	Public water supply well within one mile:
Disposal Wildcat Ca	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : (IT (ID)
Original Completion Date: Original Total De	pth: Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	BWICT CHIRCH.
Bottom Hole Location:	(Note: Apply for Fernit with DVV)
KCC DKT #:	vviii cores se takeri:
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completio	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be	e met:
 Notify the appropriate district office prior to spudding 	
 A copy of the approved notice of intent to drill shall it. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum. If the well is dry hole, an agreement between the open of the appropriate district office will be notified before the intention of the appropriate district office will be notified before the intention of the inte	elow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging ; well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approved notice of intent to drill shall at the minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum and the surface pipe as specified by through all unconsolidated materials plus a minimum and the surface of the surface of the surface of the surface pipe and the surface of the	elow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging ; well is either plugged or production casing is cemented in;
 A copy of the approved notice of intent to drill shall at the minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum. If the well is dry hole, an agreement between the opens. The appropriate district office will be notified before the appropriate of the complete of the complete of the complete of the specific of the spud date of the complete of the spud date of the complete of the spud date of the complete of the spud date of the	elow <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <i>prior to plugging;</i> well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. See casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the approved notice of intent to drill shall at the minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum and the surface pipe as specified by through all unconsolidated materials plus a minimum and the surface of the surface of the surface of the surface pipe and the surface of the	elow shall be set by circulating cement to the top; in all cases surface pipe shall be set in of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. See casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
 A copy of the approved notice of intent to drill shall at the shall and through all unconsolidated materials plus a minimum and a lift the well is dry hole, an agreement between the open and the shall are the appropriate district office will be notified before a lift an ALTERNATE II COMPLETION, production pipe or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of the shall are the s	elow <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <i>prior to plugging;</i> well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. See casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the approved notice of intent to drill shall at the shall of the shall of	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approved notice of intent to drill shall a 3. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before to 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approved notice of intent to drill shall a 3. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope of the appropriate district office will be notified before to the appropriate district office will be notifie	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall a 3. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before to 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

 If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
_ease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	SecTwp S. R
Number of Acres attributable to well:	is Section. Regular of Integular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
lease roads, tank batteries, pipelines and electrical lin	PLAT e nearest lease or unit boundary line. Show the predicted locations of nes, as required by the Kansas Surface Owner Notice Act (House Bill 2032). attach a separate plat if desired. 1980 ft.
	LEGEND
	O Well Location Tank Battery Location Pipeline Location Electric Line Location
	Lease Road Location 330 ft.
	EXAMPLE
2	
· · · · · · · · · · · · · · · · · · ·	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Emergency Pit Burn Pit	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		 SecTwp R		
Settling Pit Drilling Pit			Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)			Feet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No Artificial Liner? Yes No		No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
material, thickness and installation procedure. liner integrity, including any special monitoring.					
Distance to nearest water well within one-mile of pit:		Depth to shallowest fresh water feet. Source of information:			
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		



1208259

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R East _ West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:		
Contact Person:			
Phone: () Fax: ()			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface		
Address 2:	owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.		
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered of Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice A owner(s) of the land upon which the subject well is or will be location CP-1 that I am filing in connection with this form; 2) if the form I form; and 3) my operator name, address, phone number, fax, at I have not provided this information to the surface owner(s). I at KCC will be required to send this information to the surface owner.	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1		
Submitted Electronically			




BOX 8604 - PRATT, KS 67124 (620) 672-6491

522144 INVOICE NO.

_L	OTUS OPERATING CO LLC OPERATOR	1 AC	HENBACH A	
Ba	$\frac{\text{arber}}{\text{COUNTY}} \qquad \frac{2}{\text{S}} \frac{35\text{s}}{\text{T}} \frac{13\text{w}}{\text{R}}$	C E/2 SE	NE (1980' FN	L & 330' FEL)
1	LOTUS OPERATING CO LLC 100 S Main, Ste 420 Wichita, KS 67202	;	ELEVATION: 149	2º GR
AUTH	ORIZED BY: Tim Hellman		_	
	SCAL	E: 1" = 1000'		
	Set 5' iron rod & wood stake	•	1	
	Slight to moderate slope, terraced wheat field.		xx	xxx
	20' east to low terrace.		1980'	
ı				
		STAKE 2	/	
	GPS Coordinates: 37.030277 98.695064 NAD 27		_	330

5/22/14

DATE STAKED: __



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

June 04, 2014

Tim Hellman Lotus Operating Company, L.L.C. 100 S Main, Ste 420 Wichita, KS 67202-3737

Re: Drilling Pit Application Achenbach A 1 NE/4 Sec.02-35S-13W Barber County, Kansas

Dear Tim Hellman:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 96 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.