

Confidentiality Requested:

Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1208384

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15				
Name:	Spot Description:				
Address 1:	SecTwpS. R 🗌 East 🗌 West				
Address 2:	Feet from North / South Line of Section				
City: State: Zip: +	Feet from _ East / _ West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
Oil WSW SWD SIOW Gas D&A ENHR SIGW OG GSW Temp. Abd. CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):  If Workover/Re-entry: Old Well Info as follows:  Operator: Well Name: Original Comp. Date: Original Total Depth:	Producing Formation: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth: Feet Multiple Stage Cementing Collar Used? Yes No If yes, show depth set: Feet If Alternate II completion, cement circulated from: sx cmt.				
□ Deepening       □ Re-perf.       □ Conv. to ENHR       □ Conv. to SWD         □ Plug Back       □ Conv. to GSW       □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls  Dewatering method used:				
Dual Completion Permit #:					
SWD         Permit #:	Location of fluid disposal if hauled offsite:				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or Recompletion Date	QuarterSec.         TwpS. R East West           County:         Permit #:				

## **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Page Two



Operator Name:				_ Lease N	ame: _			Well #:		
Sec Twp	S. R	East	West	County:						
open and closed, flow and flow rates if gas t Final Radioactivity Lo	now important tops of for ving and shut-in pressu o surface test, along w ng, Final Logs run to ob ed in LAS version 2.0 o	ires, whet ith final ch tain Geop	her shut-in pre nart(s). Attach physical Data a	ssure reach extra sheet nd Final Ele	ed stati if more ectric Lo	c level, hydros space is need	static pressures ded.	, bottom hole tempe	rature, fl	uid recovery,
Drill Stem Tests Taker (Attach Additional		Ye	s No			og Forma	ation (Top), Dep	th and Datum	S	Sample
Samples Sent to Geo	logical Survey	Ye	s No		Nam	е		Тор	D	atum
Cores Taken Electric Log Run		☐ Ye ☐ Ye								
List All E. Logs Run:										
			CASING	RECORD	☐ Ne	w Used				
		Repor	t all strings set-c	onductor, sur	face, inte	ermediate, produ	uction, etc.			
Purpose of String	Size Hole Drilled		Casing (In O.D.)	Weigh Lbs. / I		Setting Depth	Type of Cement			and Percent dditives
			ADDITIONAL	CEMENTIN	G / SQL	LEEZE RECOF	RD			
Purpose:  Depth Top Bottom  Type of Ceme Top Bottom  Protect Casing Plug Back TD			of Cement	# Sacks l	Jsed	Type and Percent Additives				
Plug Off Zone										
Does the volume of the t	ulic fracturing treatment or total base fluid of the hydra ring treatment information	aulic fractui	-		-	Yes Yes Yes	No (If N	lo, skip questions 2 and lo, skip question 3) lo, fill out Page Three o		)-1)
Shots Per Foot PERFORATION RECORD - Bridge Plugs Set/Type Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used)					Depth					
	.,,							,		
TUBING RECORD:	Size:	Set At:		Packer At:		Liner Run:	Yes	No		
Date of First, Resumed	Production, SWD or ENH	IR.	Producing Meth	od:		Gas Lift	Other (Explain)			
Estimated Production Per 24 Hours	Oil B	bls.		Mcf	Wate		Bbls.	Gas-Oil Ratio		Gravity
Vented Solo	ON OF GAS:  d Used on Lease  bmit ACO-18.)		Nopen Hole	IETHOD OF (	_	Comp.	Commingled Submit ACO-4)	PRODUCTIO	N INTERV	/AL:

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

NOTICE TO OWNER

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

CARRIT

DE11/25 ANDY DANELLA 169 N TO 1750 E 6.5 MI TO WILSON N 2 MI TO 1900 E 4.5 TO DEVLIN RD N 1 MI FIRST NOTUEWAY W SD

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
	WELL	6.00 yd	6. 00 yd	0.00	35	0.00	LINCO
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
12-04-13	o Date Today	1 2	6.00 yd	25986	6/yd 0.0	4.00 in	35756

WARNING IRRITATING TO THE SKIN AND EYES

Contains Portland Cement, Wear Rubber Boots and Gloves, PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE IS A PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered

A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$50/HR.

PROPERTY DAMAGE RELEASE

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to Dear Outstomer the driver of this truck in presenting this hazards. To you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent property, buildings, sidewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so also agree to help limit relinor mount of the wheels of the state that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indemnify and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arisin out of delivery of this order.

X

Excessive Water is Detrimental to Concrete Performance H<sub>2</sub>0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

Se No.

LOAD RECEIVED BY:

DESCRIPTION CODE QUANTITY WELL (10 SACKS PER UNIT) 6.00 WINTER CHARGE 1.00 MIXING & HAULING MIX&HAUL TRUCKING CHARGE

**EXTENDED PRICE** UNIT PRICE 6.00 25.00 1.00 25.00 150.00 25.00

ETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN		TIME ALLOWED	bTotal \$	670.00
The state of			1. JOB NOT READY 2. SLOW POUR OR PUMP	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	Ī	ax % 6.150	41.21
	ARRIVED JOB	START UNLOADING	TRUCK AHEAD ON JOB     CONTRACTOR BROKE DOWN     ADDED WATER	9. OTHER	TIME DUE	otal \$ nder \$	711.21
	1:40					ADDITIONAL CHARGE 1	
	TAL AT JOB	UNLOADING TIME			DELAY TIME	ADDITIONAL CHARGE 2	
						GRAND TOTAL	i i

## Lone Jack Oil Company Blue Mound, KS 1-913-756-2307 1-620-363-0492

Lease:	Wollard-	Kennedy Operator:	Pec	ople's Oil	LLC A	PI#	15-007-24853-00-00		
Contractor:	Lone Jack	Oil Company Date Started:	12	2/2/13	Date Comp	oleted:	12/4/13		
Total Depth	ntractor: Lone Jack Oil Company Date Started tal Depth: 602 feet Well #  rface Pipe: 20' 7" Surface Bit:		5		Hole Size:		5 5/8		
Surface Pipe	e:	20' 7" Surface Bit:	9 7/8		Sacks of Cem	ent:	5		
Depth of Seat Nipple: Rag Packer At:									
Depth of Seat Nipple: Rag Packer At:  Length and Size of Casing: No Casing Sacks of Cement: 60  Legal Description: NE NE SE SE Sec: 19 Twp: 20S Range: 22E County: Linn									
Legal Descr	ription: 1	NE NE SE SE Sec: 19	Twp:	20S	Range: 22E	Cc	ounty:Linn		
Thickness	Depth	Type of Formation	T	hickness	Depth		Type of Formation		
2	2	Top Soil		9	595		Oil Sand (Fair Bleed)		
6	8	Lime		7	602		Shale		
22	30	Shale			602	Section 1	TD		
2	32	Lime							
10	42	Shale			Solder				
10	52	Lime							
40	92	Shale							
9	101	Lime							
7	108	Shale							
36	144	Lime							
7	151	Shale							
2	153	Lime							
4	157	Shale							
19	176	Lime							
4	180	Shale							
2	182	Lime							
5	187	Shale							
5	192	Lime							
169	361	Shale							
3	364	Lime							
8	372	Shale							
3	375	Lime							
3	378	Shale							
9	387	Lime		n (15)		Mary Control of the C			
54	441	Shale			Dr	у Но	le		
9	450	Lime			Plugg	•			
16	466	Shale			TD 60				
4	470	Lime				10 sa			
28	498	Shale							
8	506	Lime			200 to sui	race	+u sacks		
16	522	Shale		-	-				
1	523	Lime							
15	538	Shale							
2	540	Lime							
22	562	Shale							
6	568	Sandy Shale (Slight Odor)							
28	586	Oil Sand (No Bleed)							