Confidentiality Requested: Yes No

### KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1208716

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

#### WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
GG GSW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening       Re-perf.       Conv. to ENHR       Conv. to SWD         Plug Back       Conv. to GSW       Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	O constant Name
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

#### Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1208716
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East _ West	County:	
INCTRUCTIONS. Chow important tang of formations populated	Dotail all coros Report all	final copies of drill stoms tests giving interval tested, time teal

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		0	on (Top), Depth an		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne		on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	

Purpose. Perfe	orate	Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
Prot	ect Casing Back TD				
	Off Zone				

Did you perform a hydraulic fracturing treatment on this well?	Yes
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

No

No

No

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION REC Specify Footage	ORD - Bridge Plu of Each Interval Pe		e	ŀ	Acid, Fracture, Shot, Ce (Amount and Kind	ement Squeeze Record of Material Used)	Depth
TUBING RECORD:	Size	e: Set	At:	Packer	r At:	Liner R		No	
Date of First, Resumed F	Productio	on, SWD or ENHR.	Producing Me	ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bbls.	Gas	Mcf	Wate	ər	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF G	AS:		METHOD	OF COMPLE	TION:		PRODUCTION IN	TERVAL:
Vented Sold	U:	sed on Lease	Open Hole	Perf.	Dually (Submit A	Comp. 1 <i>CO-5)</i>	Commingled (Submit ACO-4)		
(If vented, Subi	mit ACO-	18.)	Other (Specify)		·		. /		

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	M Laymon 4-14
Doc ID	1208716

Tops

Name	Тор	Datum
Soil	12	
Shale	200	
Lime	240	
Shale	280	
Lime	420	
Shale	540	
Lime	560	
Shale & Lime	840	
Shale	1116	
5' Lime	1119	
Shale	1124	
Upper Squirrel Sand	1134	
Shale	1159	
Cap Rock	1160	
Lower Squirrel Sand	1170	
Shale	1240	

## The New Klein Lumber Company 201 N. MADISON P.D. BOX 805 Iola, KS 66749 PHONE; (620) 165-2201

) indired

PAGE NO 1

MIKE LAYMON 1206 N. GROVE	USTOMER NO. JOB NO. PURCHASE ORDER NO. 253447	REFERENCE	terms Net 10th of Nonth	CLERK DATE TIME BE 10/22/13 10:34
HIRE LAMMON 1396 N. GROVE YATES CENTER KS 66783 BHIPPED DADERED UN SKU DESCRIPTION BHIPPED DADERED UN SKU DESCRIPTION BASK 4 5 /6 1, 898, 88 MC HONL 10-13-10 DKS Alagarof & 3-13 10 DKS Alagarof & 3-13 10 DKS Alagarof & 3-14 10 DKS BUI WISSON #13 10 DKS BUI WISSON #215 10 DKS BUI WISSON #215 10 DKS BUI WISSON #215 10 DKS BUI WISSON #2 2,14 10 DKS BUI WISSON #2 2,14 10 DKS BUI WISSON #2 3,14 10 DKS BUI WISSON #2 4,14 10 DKS				
$\begin{array}{c c c c c c c c c c c c c c c c c c c $			CXP, DATE: 19/23/	1
SHIPPED         ORDERED         UN         SKU         DESCRIPTION         SUGG         UNITE         PROCEPER         EXTENSION           MC HON         10-13-10 DKS.         PORTLAND CENENT         Light L - 31-13-10 DKS.         Job DKS.	YATES CENTER KS 66783	T O		<b>济湖外接受法</b> 并在外有关条件
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$			TAX 1 601 10	
McHone 10-13-10 pks. Shaperol 2 3-13 10 pks. SE Robison 4213 10 pks. SE Robison 4213 10 pks. SE Robison 4213 10 pks. Sub Weston 4213 10 pks. GW Weston 4214 10 pks. GW		and and the second s	Transferrence and the second s	The second se
Hum-taxaele 0.00	Sheparol 2 3-13 10 0k2 2 E Robison 4413 10 0k2 2 E Robison 42-13 10 0k A E Robison 42-13 10 0k A Lashon 42-13 10 0k Gul bliston 42-14 102 Gul bliston #2 2-14 102 Gul bliston #2 2-14 102 Gul bliston 11-14 10 2 Liekng 8-14 10	2 2 ko 2 ko 2 ko 2 ko 2 ko 2 ko 2 ko 2	Schornick Haymon Saymon I M Baymo	18-14 10 pres- 80 6-14 10 pres- 30 5-14 10 pres- 2-14 10 pres- 30 2-14 10 pres-
				HUN-TAXAELE 0.00

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

TOTAL ROUND TRIP

TOTAL AT JOB

UNLOADING TIME

# **Payless Concrete Products, Inc.**

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's six. The maximum allotted time for unioading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. NOTICE TO OWNER Pailure of this contractor to pay those persons supplying material or services to complete this contract or nesult in the filing of a mechanic's lien on the property which is the subject of this contract.

**ADDITIONAL CHARGE 1** 

**ADDITIONAL CHARGE 2** GRAND TOTAL

**DELAY TIME** 

12

LEASE: M. LAYMON

546 TO 75 HWY N 6 MITO 160TH 3/4 MI N SD ENTER @ TANKS

KS 66758

TIME FORMULA LOAD SIZE YARDS ORDERED DRIVER/TRUCK PLANT/TRANSACTION # DATE LOAD # YARDS DEL. BATCH# WATER TRIM SLUMP TICKET NUMBER WELL#4-14 0.00 4.00 in Excessive Water is Detrimental to Concrete Performance WARNING PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE) Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the optionin that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if i places the material in this load where you desire it. It is our wish to help you in every way that we can, but in order to do this the driver is requesting that you sign this IFLEASE releaving him and this supplier from any responsibility from any damage that may docur or the premises and/or adjacent property, buildings dewalks, driveways, curbs, etc., by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not littler the public street. Further, as additional consider-tion, the undersigned agrees to indemnity and hold harmless the driver of this truck and this supplier for any and all damage to the premises and/or adjacent property which may be claimed by anyone to have arise out of delivery of this order. SIGNED IRRITATING TO THE SKIN AND EYES Contains Portland Cement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Initiation Persists, Get Medical Attention. KEEP CHILDREN AWAY. H<sub>2</sub>0 Added By Request/Authorized By GAL X WEIGHMASTER CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed. CATES THAT I HAVE READ THE HEALTH WARNING BE RESPONSIBLE FOR ANY DAMAGE CAUSED NOTICE: MY SIGNATURE BELOW INDI NOTICE AND SUPPLIER WILL NOT WHEN DELIVERING INSIDE CURB LINE All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum. Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered. LOAD RECEIVED BY A \$25 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. X Excess Delay Time Charged @ \$50/HR. Х QUANTITY CODE DESCRIPTION UNIT PRICE EXTENDED PRICE 16,50 WELL. WELL (10 SACKS PER UNIT) 2.50 2.50 MIX&HALL MIXING AND HALLING 16.50 **RETURNED TO PLANT** LEFT JOB **FINISH UNLOADING** DELAY EXPLANATION/CYLINDER TEST TAKEN TIME ALLOWED 1. JOB NOT READY 6. TRUCK BROKE DOWN 7.15 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN 7. ACCIDENT 8. CITATION LEFT PLANT 9. OTHER ABRIVED JOB START UNLOADING TIME DUE 5. ADDED WATER

- 3