

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC	Use:
Effective	Date:
District #	·
SGA?	Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1208926

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day yea	Sec. Twp. S. R E W
OPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Name:	fact from E / W Line of Caption
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip: + _	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
	Negreet Lease or unit houndary line (in feetage):
Well Drilled For: Well Class: Type Equipme	nt.
Oil Enh Rec Infield Mud Rota	Ground Surface Elevation:feet MSL
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile: Yes No
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OVVVO. old well information as follows.	Length of Surface Pipe Planned to be set:
Operator:	
Well Name:	
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
	es No Well Farm Pond Other:
If Yes, true vertical depth:	DWK Fellill #.
Bottom Hole Location:	(Note: Apply for 1 errink with DWK)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completion and	eventual plugging of this well will comply with K.S.A. 55 et. seg.
	eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be met:	
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we	əll;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pos	ell; eted on each drilling rig;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of words. A copy of the approved notice of intent to drill <i>shall be</i> posts. The minimum amount of surface pipe as specified below <i>s</i>	ell; sted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of words. A copy of the approved notice of intent to drill <i>shall be</i> posts. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 200	ell; sted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of words. A copy of the approved notice of intent to drill <i>shall be</i> posts. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 200	ell; ted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall	tell; teld on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas	tell; teld on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
 Notify the appropriate district office <i>prior</i> to spudding of wo A copy of the approved notice of intent to drill <i>shall be</i> pos The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 If the well is dry hole, an agreement between the operator The appropriate district office will be notified before well is If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas 	tell; teld on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we. 2. A copy of the approved notice of intent to drill <i>shall be</i> poses. 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas	tell; teld on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved notice of intent to drill <i>shall be</i> pos. 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the state of th	tell; teld on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the	tell; teld on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we. 2. A copy of the approved notice of intent to drill <i>shall be</i> poses. 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.	tell; teld on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved notice of intent to drill <i>shall be</i> pos. 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the state of th	tell; sted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we. 2. A copy of the approved notice of intent to drill <i>shall be</i> poses. 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically.	ted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved notice of intent to drill <i>shall be</i> pos. 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically. For KCC Use ONLY API # 15 -	lell; ted on each drilling rig; hall be set by circulating cement to the top; in all cases surface pipe shall be set feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we. 2. A copy of the approved notice of intent to drill <i>shall be</i> pos. 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically. For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved notice of intent to drill <i>shall be</i> pos. 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically. For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to fine all cases aurface on the top; in all cases surface pipe shall be set on the set on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of we. 2. A copy of the approved notice of intent to drill <i>shall be</i> pos. 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically. For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to filed proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved notice of intent to drill <i>shall be</i> pos. 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically. For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to Gdays); - Submit plugging report (CP-4) after plugging is completed (within 60 days);
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of wo 2. A copy of the approved notice of intent to drill <i>shall be</i> pos 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20 4. If the well is dry hole, an agreement between the operator 5. The appropriate district office will be notified before well is 6. If an ALTERNATE II COMPLETION, production pipe shall Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	reted on each drilling rig; thall be set by circulating cement to the top; in all cases surface pipe shall be set of feet into the underlying formation. and the district office on plug length and placement is necessary prior to plugging; either plugged or production casing is cemented in; be cemented from below any usable water to surface within 120 DAYS of spud date. ing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water.
It is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of w. 2. A copy of the approved notice of intent to drill <i>shall be</i> pos. 3. The minimum amount of surface pipe as specified below <i>s</i> through all unconsolidated materials plus a minimum of 20. 4. If the well is dry hole, an agreement between the operator. 5. The appropriate district office will be notified before well is. 6. If an ALTERNATE II COMPLETION, production pipe shall. Or pursuant to Appendix "B" - Eastern Kansas surface cas must be completed within 30 days of the spud date or the submitted Electronically. For KCC Use ONLY API # 15	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to scompleted (within 60 days); - Submit plugging report (CP-4) after plugging is completed (within 60 days);



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Well Number:	Operator:	Location of Well: County:
Number of Acres attributable to well: Sec.	Lease:	feet from N / S Line of Section
Number of Acres attributable to well:	Well Number:	feet from E / W Line of Section
If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	Field:	SecTwp S. R 🗌 E 🔲 W
If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 1920 ft. LEGEND Well Location Tank Battery Location Pipeline Location Lease Road Location 1600 ft. EXAMPLE	Number of Acres attributable to well:	Is Section: Regular or Irregular
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 1920 ft. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE	QTR/QTR/QTR of acreage:	is deciron. Tregular of Integral
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location Pipeline Location Lease Road Location Lease Road Location 1600 ft.		If Section is Irregular, locate well from nearest corner boundary.
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 1920 ft. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location 1600 ft. EXAMPLE		Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 1920 ft. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location 1600 ft. EXAMPLE		
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 1920 ft. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location 1600 ft. EXAMPLE	DI	AT
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location Pipeline Location Lease Road Location Lease Road Location EXAMPLE 14		
LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE 14		
LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE 1980'FSL	You may attach a ser	parate plat if desired.
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 14 1980' FSL	1920	it.
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 14 1980' FSL		
O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE 144		LEGEND
Pipeline Location Electric Line Location Lease Road Location 1600 ft. EXAMPLE 1980'FSL		O Well Location
Pipeline Location Electric Line Location Lease Road Location 1600 ft. EXAMPLE 1980'FSL		Tank Battery Location
1600 ft. EXAMPLE 1980' FSL		
14 EXAMPLE 1980' FSL		Electric Line Location
TA EXAMPLE 1980' FSL		
14 1980' FSL		1600 ft.
14 1980' FSL		
1980' FSL		EXAMPLE :
1980' FSL	: : : : :	
1980' FSL	14	
1980' FSL		
1980' FSL		
1980' FSL		
		1980' FSL
SEWARD CO. 3300' FEI		
		SEWARD CO. 3300' FEI

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit: Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water Area?			Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No Yes		No			
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
	om ground level to dee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet.		
feet Depth of water wellfeet		measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of world	king pits to be utilized:		
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.		
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	her:	Darmi	t Date: Lease Inspection: Yes No		



1208926

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	, , ,		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	0 1		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
are preliminary non-binding estimates. The locations may be entered of	k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
Select one of the following:			
owner(s) of the land upon which the subject well is or will be le	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this		
task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the I			
that I am being charged a \$30.00 handling fee, payable to the I	CCC, which is enclosed with this form. fee with this form. If the fee is not received with this form, the KSONA-1		

Logan County, KS


COUNTY

Pro-Stake LLC

Oil Field & Construction Site Staking

P.O. Box 2324 Garden City, Kansas 67846 Office/Fax: (620) 276-6159

Cell: (620) 272-1499 burt@pro-stakellc.kscoxmail.com



Shakespeare Oil Company, Inc.

141432

OPERATOR

145 32w Ottley #6-14 LEASE NAME

1920' FNL - 1600' FEL LOCATION SPOT

1" = 1000" SCALE: May 28th, 2014 DATE STAKED: Kent C. MEASURED BY: Norby S. DRAWN BY: AUTHORIZED BY: Alex B.

This drawing does not constitute a monumented survey or a land survey plat This drawing is for construction purposes only GR. ELEVATION: 2808.5°

Directions: From the South side of Oakley, Ks at the intersection of Hwy 40 & Hwy 83 South - Now go 20 miles South on Hwy 83 to the SW corner of section 14-14s-32w - Now go 1 mile East on Jayhawk - Now go 0.7 mile North on 450 Rd. to ingress stake West into - Now go 1600' West through dry land corn stubble, into staked location.

Final ingress must be verified with land owner or Operator.

