

| Confiden | tiality Requested: |
|----------|--------------------|
| Yes | No |

Kansas Corporation Commission Oil & Gas Conservation Division

1209034

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

| OPERATOR: License # | | | API No. 15 | | |
|--|------------------|----------------------|--------------------------------|----------------------------|-----------------------|
| Name: | | | Spot Description: | | |
| Address 1: | | | Sec. | TwpS. R | East _ West |
| Address 2: | | | F6 | eet from | South Line of Section |
| City: S | tate: Zi | p:+ | Fe | eet from East / V | West Line of Section |
| Contact Person: | | | Footages Calculated from | Nearest Outside Section Co | orner: |
| Phone: () | | | □ NE □ NV | V □SE □SW | |
| CONTRACTOR: License # | | | GPS Location: Lat: | , Long: | |
| Name: | | | | (e.g. xx.xxxxx) | (e.gxxx.xxxxx) |
| Wellsite Geologist: | | | Datum: NAD27 | NAD83 WGS84 | |
| Purchaser: | | | County: | | |
| Designate Type of Completion: | | | Lease Name: | We | ell #: |
| New Well Re | -Entry | Workover | Field Name: | | |
| | _ | | Producing Formation: | | |
| ☐ Oil ☐ WSW ☐ D&A | ☐ SWD | ∐ SIOW □ SIGW | Elevation: Ground: | Kelly Bushing: _ | |
| ☐ OG | GSW | Temp. Abd. | Total Vertical Depth: | Plug Back Total De | epth: |
| CM (Coal Bed Methane) | dow | iemp. Abd. | Amount of Surface Pipe Se | et and Cemented at: | Feet |
| Cathodic Other (Con | e. Expl., etc.): | | Multiple Stage Cementing | Collar Used? Yes | No |
| If Workover/Re-entry: Old Well In | | | If yes, show depth set: | | Feet |
| Operator: | | | If Alternate II completion, of | cement circulated from: | |
| Well Name: | | | feet depth to: | w/ | sx cmt. |
| Original Comp. Date: | Original To | otal Depth: | | | |
| Deepening Re-perf. | Conv. to E | NHR Conv. to SWD | Drilling Fluid Manageme | nt Plan | |
| ☐ Plug Back | Conv. to G | SW Conv. to Producer | (Data must be collected from t | | |
| O constitued and | D | | Chloride content: | ppm Fluid volume: | bbls |
| CommingledDual Completion | | | Dewatering method used: | | |
| SWD | | | Location of fluid disposal if | f haulad offsita: | |
| ☐ ENHR | | | Location of fluid disposal fi | nauled offsite. | |
| GSW | | | Operator Name: | | |
| _ | | | Lease Name: | License #: | |
| Spud Date or Date Rea | ached TD | Completion Date or | QuarterSec | TwpS. R | East _ West |
| Recompletion Date | | Recompletion Date | County: | Permit #: | |

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

| KCC Office Use ONLY | | | | | | | |
|---------------------------------|--|--|--|--|--|--|--|
| Confidentiality Requested | | | | | | | |
| Date: | | | | | | | |
| Confidential Release Date: | | | | | | | |
| Wireline Log Received | | | | | | | |
| Geologist Report Received | | | | | | | |
| UIC Distribution | | | | | | | |
| ALT I II III Approved by: Date: | | | | | | | |

Page Two



| Operator Name: | | | | _ Lease I | Name: _ | | | Well #: | |
|--|---|--------------|--|--------------------------|-----------|-------------------------------------|--------------------|--------------------|------------------------------|
| Sec Twp | S. R | East | West | County | : | | | | |
| INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to | ring and shut-in press o surface test, along v | ures, whe | ther shut-in pre chart(s). Attach | ssure reac extra shee | hed stati | c level, hydrosta space is neede | tic pressures, b | ottom hole temp | erature, fluid recov |
| Final Radioactivity Lo files must be submitted | | | | | | ogs must be ema | liled to kcc-well- | logs@kcc.ks.go | v. Digital electronic |
| Drill Stem Tests Taker (Attach Additional | | Y | es No | | | J | on (Top), Depth | | Sample |
| Samples Sent to Geo | logical Survey | Y | es No | | Nam | е | | Тор | Datum |
| Cores Taken Electric Log Run | | | es No | | | | | | |
| List All E. Logs Run: | | | | | | | | | |
| | | | | RECORD | Ne | | | | |
| | 0: 11.1 | | | | | ermediate, product | | " 0 1 | T 15 |
| Purpose of String | Size Hole Drilled | | ze Casing t (In O.D.) | Weig Lbs. | | Setting Depth | Type of Cement | # Sacks Used | Type and Percer Additives |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | ADDITIONAL | CEMENTI | NG / SQL | JEEZE RECORD | | | |
| Purpose: | Depth Top Bottom | Туре | of Cement | # Sacks | Used | Type and Percent Additives | | | |
| Perforate Protect Casing | Top Dottom | | | | | | | | |
| Plug Back TD Plug Off Zone | | | | | | | | | |
| 1 lug 0 li 20 lio | | | | | | | | | |
| Did you perform a hydrau | ulic fracturing treatment | on this well | ? | | | Yes | No (If No, s | skip questions 2 a | nd 3) |
| Does the volume of the t | | | - | | - | | _ ` ` | skip question 3) | |
| Was the hydraulic fractur | ing treatment informatio | n submitted | to the chemical of | disclosure re | gistry? | Yes | No (If No, 1 | ill out Page Three | of the ACO-1) |
| Shots Per Foot | | | RD - Bridge Plug Each Interval Perl | | | | cture, Shot, Ceme | nt Squeeze Recor | rd Depth |
| | | | | | | (* * | | | 200 |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| TUBING RECORD: | Size: | Set At: | | Packer A | t· | Liner Run: | | | |
| | | 0017111 | | | | [| Yes N | o | |
| Date of First, Resumed | Production, SWD or EN | HR. | Producing Meth | nod: | g 🗌 | Gas Lift (| Other (Explain) | | |
| Estimated Production Per 24 Hours | Oil | Bbls. | Gas | Mcf | Wat | er B | bls. | Gas-Oil Ratio | Gravity |
| DIODOCITI | 01.05.040 | | | 4ETUOD 05 | . 00145/ | TION: | | DDOD! ICT! | |
| DISPOSITION Solo | ON OF GAS: Used on Lease | | N Open Hole | ∥ETHOD OF Perf. | | | nmingled | PRODUCTION | ON INTERVAL: |
| | bmit ACO-18.) | | Other (Specify) | | (Submit | | mit ACO-4) | | |

Well Refined Drilling Company, Inc. 4230 Douglas Road - Thayer, KS 66776 Contractor License # 33072 - FEIN # 48-1248553

620-839-5581/Office; 620-432-6170/Jeff Cell; 620-839-5582/FAX

ok

| Rig #: | 2 | | | Rig#2 | S9 | T34S | R17E | |
|-------------|------------------------------|--|--------|-------------------------|--|------------|--|-------------|
| API#: | 15-125- | 32011-0000 | | | Pin#2 | Location | | SW,SW,NE |
| Operator: | Endeavor Energy Resources LP | | | A 148 14 15 | County | | Montgomery | |
| Address: | РО Вох | 40 | | | TIDE | | | |
| | Delawa | re, Ok 74027 | | | STREET, STREET, | Gas T | ests | |
| Well #: | 9-5 Lease Name: Bill White | | Depth | Oz. | Orfice | flow - MCF | | |
| Location: | 2310 | FNL | Line | | | | | |
| | 2310 | | Line | 120.500 | See Page 3 | | | |
| Spud Date: | | 11/1/2010 | | | | | | |
| Date Comple | | 11/2/2010 | TD: | 955 | | | | |
| Driller: | Josiah I | | | | | | | |
| Casing Rec | ord | Surface | Produc | | | | | |
| Hole Size | | 12 1/4" | | 7 7/8" | | | | |
| Casing Siz | е | 8 5/8" | | | | | | |
| Weight | | | | | | | | |
| Setting De | | 22' 11" | | | | | | |
| Cement Ty | ре | Portland | | | | | | |
| Sacks | | 4 | | | | | | |
| Feet of Ca | sing | | | | | | | |
| Note: | | | | | | | | |
| Note. | 19 | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| 101 1 1100 | 10 50 0 | | | er in the second second | | | | |
| 10LJ-1102 | 10-R2-04 | 4-Bill White 9-5-I | EER | | | | | |
| | | | | Well L | | | SOUS-BER | |
| Тор | Bottom | THE RECOGNISHABLE TO SERVICE STREET, SAN THE SERVICE S | Тор | Bottom | The state of the s | Тор | Bottom | |
| | | overburden | 289 | | soft and brown | 526 | | shale |
| 2 | | clay | 309 | 329 | | 543 | | lime |
| 9 | | sandy clay | 329 | | shale | 549 | | coal |
| 13 | | shale | 333 | | blk shale | 550 | | shale |
| 77 | | coal | 336 | | shale | 561 | The second secon | coal |
| 78 | | shale | 340 | | coal | 562 | 101000-000 | shale |
| 80 | | lime | 341 | | shale | 568 | | sandy shale |
| 102 | | shale | 358 | | blk shale | 500 | | oil odor |
| 127 | | | 360 | | | 569 | | sand oil |
| 127.5 | | shale | 361.5 | | shale | 575 | | sandy shale |
| 129 | | lime | 381 | | lime | 583 | | coal |
| 142 | | shale | 440 | | shale | 584 | | shale |
| 145 | | lime | 442 | | blk shale | 587 | | sand |
| 158 | | shale | 444 | | lime | 596 | | sandy shale |
| 183 | | sand | 458 | | shale | 629 | | coal |
| 208 | | shale | 513 | | lime | 630 | | shale |
| 219 | | sandy shale | 514 | | shale | 646 | | Weir coal |
| 236 | 309 | shale | 525 | 526 | coal | 647 | J 695 | shale |

| Operator: | Endeavor | Energy | Lease Na | ame: | Bill White | Well# | 9-5 | page 2 |
|------------|----------|--------------------|----------|--------|------------|-------|--------|-----------|
| Top | Bottom | Formation | Тор | Bottom | Formation | Тор | Bottom | Formation |
| 695 | | laminated sand | | | | | | |
| 698 | 734 | shale | | | | | | |
| 734 | 737 | laminated sand | | | | | | |
| 737 | 740 | sand | | | | | | |
| 740 | 777 | shale | | | | | | |
| 777 | 778 | coal | | | | | | |
| 778 | 844 | shale | | | | | | |
| 844 | 845.5 | | | | | | | |
| 845.5 | | shale | | | | | | |
| 856 | 856.5 | | | | | | | |
| 856.5 | | shale | | | | | | |
| 883 | 887 | sand | | | | | | |
| 887 | | shale | | | | | | |
| 914.5 | 916 | coal | | | | | | |
| 916 | 921 | shale | | | | | | |
| 921 | 929 | chert | | | | | | |
| 929 | 955 | Mississippi brown | | | | | | |
| | | lime | | | | | | |
| 955 | | Total Depth | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | 9 | | | | | | |
| | | | | | | | | |
| 10LJ-11021 | 0-R2-04 | 14-Bill White 9-5- | EER | | | | | |