

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

Kansas Corporation Commission Oil & Gas Conservation Division

1209345

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	month		Spot Description:	
	month day	year	Sec Twp	S. R E W
OPERATOR: License#			(0/0/0/0) feet from N	/ S Line of Section
Name:			feet from E	/ W Line of Section
Address 1:			Is SECTION: Regular Irregular?	
Address 2:			(Note: Locate well on the Section Plat on re	overse side)
City:			County:	*
Contact Person:			Lease Name:	
Phone:			Field Name:	
CONTRACTOR: License#			Is this a Prorated / Spaced Field?	Yes No
Name:			Target Formation(s):	
			Nearest Lease or unit boundary line (in footage):	
Well Drilled For:	Well Class:	Type Equipment:	Ground Surface Elevation:	
Oil Enh Red	c Infield	Mud Rotary	Water well within one-quarter mile:	Yes No
Gas Storage	<u>—</u>	Air Rotary	Public water supply well within one mile:	Yes No
Disposa		Cable	Depth to bottom of fresh water:	
Seismic ;# of H			Depth to bottom of resh water:	
Other:			Surface Pipe by Alternate:	
If OWWO: old well inf	formation as follows:		Length of Surface Pipe Planned to be set:	
			Length of Conductor Pipe (if any):	
Operator:			Projected Total Depth:	
Well Name:				
Original Completion Date	Original	otal Depth	Water Source for Drilling Operations:	
Directional, Deviated or Horiz	ontal wellbore?	Yes No	Well Farm Pond Other:	
If Yes, true vertical depth:				
Bottom Hole Location:			DWR Permit #:(Note: Apply for Permit with DWR	
KCC DKT #:			Will Cores be taken?	Yes No
			If Yes, proposed zone:	
			11 100, proposod 20110.	
			FIDAVIT	
The undersigned hereby aff	irms that the drilling, co	mpletion and eventual pl	ugging of this well will comply with K.S.A. 55 et. seq.	
It is agreed that the following	g minimum requirement	s will be met:		
1. Notify the appropriate	e district office prior to s	pudding of well:		
2. A copy of the approve			h drilling rig;	
			by circulating cement to the top; in all cases surface pipe	shall be set
		ninimum of 20 feet into the		
	•		trict office on plug length and placement is necessary price	or to plugging;
			ged or production casing is cemented in; ed from below any usable water to surface within <i>120 DAY</i> .	S of could date
			133,891-C, which applies to the KCC District 3 area, altern	
			e plugged. <i>In all cases, NOTIFY district office</i> prior to a	
'	, ,		, , , , , , , , , , , , , , , , , , , ,	, 0
ubmitted Electronic	cally			
			Barrandar (a	
For KCC Use ONLY			Remember to:	Owner Netts 1
			- File Certification of Compliance with the Kansas Surface	Owner Notification
			Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;	
Conductor pipe required			- File Completion Form ACO-1 within 120 days of spud da	
Minimum surface pipe requi	red	feet per ALT. I II	File acreage attribution plat according to field proration of	
Approved by:			Notify appropriate district office 48 hours prior to workove	
This authorization expires:			- Submit plugging report (CP-4) after plugging is complete	
	ing not started within 12 mc		- Obtain written approval before disposing or injecting salt	water

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

If well will not be drilled or permit has expired (See: authorized expiration date)
please check the box below and return to the address below.
_

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	



For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: _	Operator:			_ L	Location of Well: County:					
Lease:										feet from N / S Line of Section
Well Numb	er:									feet from E / W Line of Section
Field:							_	Sec	Twp.	S. R 🗌 E 🔲 W
Number of QTR/QTR/							18	s Section:	Reg	ular or Irregular
								f Section is Section corr	_	r, locate well from nearest corner boundary. NE NW SE SW
		ids, tank b			d electrica	l lines, as	required		sas Surfa	e. Show the predicted locations of ace Owner Notice Act (House Bill 2032).
1125 ft		-6				:				LEGEND
			:							O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
				2						EXAMPLE
										1980' FSL
		:	:	<u>.</u>			:	:		SEWARD CO. 3390' FEL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:		Phone Number:			
Lease Name & Well No.:		Pit Location (QQQQ):			
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	Pit is: Proposed Existing If Existing, date constructed: Pit capacity: (bbls)		SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level? Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all s		Type of materia	over and Haul-Off Pits ONLY: all utilized in drilling/workover: king pits to be utilized: procedure:		
Submitted Electronically Drill pits must be closed within 365 days of spud date.					
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		



1209345

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	Sec TwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
are preliminary non-binding estimates. The locations may be entered of	k batteries, pipelines, and electrical lines. The locations shown on the plat n the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be le	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
	cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
task, I acknowledge that I must provide the name and address that I am being charged a \$30.00 handling fee, payable to the I	
that I am being charged a \$30.00 handling fee, payable to the I	CC, which is enclosed with this form. fee with this form. If the fee is not received with this form, the KSONA-1

TOPOGRAPHIC LAND SURVEYORS
6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219

Certificate of Authorization No. LS-99, Exp. Dec. 31, 2015 HARPER _ County, Kansas 200'FNL - 1125'FWL Section 2 Township 35S _ Range <u>8W</u>P.M. Township Line P T34S-R8W 200% Lot 2 Boundary of Osage Lands Lot 3 Lot 4 X= 2103319 Y= 134777 330' HARDLINE X= 2098035 Y= 134743 1125' (1515') Lot 8 Lot 7 Lot 5 Lot 6 િક્ of the said section(s not performed per therator shown hereon. (2440') HARDLINE S/2-NE/4 S/2-NW/4 A boundary survey o shown hereon was n request of the opero 2 PROPOSED DRILL GRID NAD-27 Kansas South US Feet (2310') Bottom Hole 330'FSL-1320'FWL NAD-27 (US Feet) 37'01'21.3" N 98'09'34.7" W 37.022590268' N Note: 3.280833 Ft.=1 Meter Scale: 1"= 1000' 98.159636667 W X=2099375 Y=120781 500' 1000' Y=129781 (1320')1320' 330' HARDLINE X= 2103352 Y= 129486 X= 2098056 Y= 129440 330 Distances shown in (parenthesis) are calculated based upon the Quarter Section being 2640 feet, those shown in [brackets] are based on GLO (General Land Office) distances and have <u>NOT</u> been measured on the ground. BOTTOM HOLE AND DRILL PATH INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED. Operator: SANDRIDGE EXPLORATION & PRODUCTION, LLC **ELEVATION:** Lease Name: FOSTER 3508 Well No.: 3-2H 1276' Gr. at Stake Topography & Vegetation Loc. fell in rolling sandy pasture, ±180' West of old windmill Reference Stakes or Alternate Location Good Drill Site? _____ Yes Stakes Set None Best Accessibility to Location From North off county road Distance & Direction From Waldron, OK, go ±2.0 mi. North, then ±1.0 mi. East to from Hwy Jct or Town_ the NW Cor. of Sec. 2-T35S-R8W Date of Drawing: Jun. 04, 2014 DATUM: NAD-27 LAT: 37'02'08.5"N LONG: 98'09'37.1"W Invoice # 223562 Date Staked: Jun. 02, 2014 AC **CERTIFICATE:** LAT: 37.035689814° N LONG: 98.160309107° W T. Wayne Fisch __a Kansas Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify to the information STATE PLANE COORDINATES: (US Feet) shown herein NO SURVE This ered ±1 fo ZONE: KS SOUTH X: 2099161

Y: 134550

Foster 3508 3-2H Lease Information Sheet


Unit Description:

All of Section 2-35S-06W Harper County

Surface Owner:

Harold D and Mary E. Waldschmidt 525 SW 100 Road Waldron, KS 67150

28	27	26	25 DANEES 11/25-		
33	34	34S 8W 35 Hudhes 8-1 X 8502	36	34S 7W 31	
, 4J RANCI	MACY 2-34 SWD 3408 4-33HJENNIFER 1-34H JENNIFER 3408 3-34HJENNIFER 3408 2-34H CMACY 1-34 SWD	STARKS 1-35H STARKS 3408 4-35HFOSTER 3508 1-2HFOSTER 3508 STARKS 3403 4-35H STARKS	32-2H 3408 3-35H 31-35	아마 36-34-8 5WO 1 ROBIÑ 36-34-8 SV	
BOB 3508 2-4H GOB 3508 1-4H QOB 3508 1-4H	3	2	1	6	
	BRYANT 3508 3-10H BRYANT 3508 1-10H BRYANT 3508 4-10H BRYAN	35S 8W	NIGLET 1-11 SWD	35S 7W	
9	10	11	BRAD 3508 2-12H BRAD 3508 3-12H BRAD 3 PATRICI 12 MIC	508 4-12H A 3507 1-7분 습 HAEL 3507 1-7H 7	
Legend SanoRdge Viets Sandrdge SWD Wells Competitor Wells X ABANDONED LOCATIK	5	I IT. TO LICE TERMS & ANALITY TO LICE TO THE STATE OF THE	BRAD 1-12H		
☐ DRY HOLE, TEMPORA ☐ GAS WELL ☐ JUNKEDAND ABANDO ☐ OIL WELL ☐ WELL START ☐ SandRidge Unit Lines	RILY ABANDONED	UT-TRUST-3508-S-HILLIT TRUST-3508-5	13	18	



Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

June 16, 2014

Wanda Ledbetter SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Foster 3508 3-2H NW/4 Sec.02-35S-08W Harper County, Kansas

Dear Wanda Ledbetter:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 2 weeks after drilling operations have ceased. KEEP PITS ON SOUTH SIDE OF STAKE.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.