Confidentiality Requested: Yes No

Recompletion Date

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1209544

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15 -
Name:	Spot Description:
Address 1:	Sec TwpS. R East West
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx) Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	County:
Purchaser:	Lease Name: Well #:
Designate Type of Completion:	Field Name:
New Well Re-Entry Workover	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
GG GSW Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Defilies Field Management Dise
Plug Back Conv. to GSW Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West

County:

AFFIDAVIT

Recompletion Date

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

Permit #:_

	Page Iwo	1209544
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS: Chain important tang of formations paratrated Da	tail all aaraa Bapart all final	apping of drill stome tools giving interval toolad, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		Log Formatio	on (Top), Depth an	d Datum	Sample
Samples Sent to Geolog		Yes No	Nar	ne		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-o		lew Used termediate, product	tion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SC	UEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing Plug Back TD							
Plug Off Zone							

Did you perform a hydraulic fracturing treatment on this well?
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?

Yes	No
Yes	No

No

Yes

(If No, skip questions 2 and 3) (If No, skip question 3)

(If No, fill out Page Three of the ACO-1)

Shots Per Foot		PERFORATION Specify For		RD - Bridge Pl Each Interval P		e		Acid, Fracture, Shot, Ce (Amount and Kino	ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Siz	e:	Set At:		Packer	At:	Liner R	un:	No	
Date of First, Resumed	l Producti	on, SWD or ENHF	ł.	Producing M	ethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	s.	Gas	Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITI	ON OF G	AS:			METHOD		TION:		PRODUCTION INTER	VAL:
Vented Solo (If vented, Su		Jsed on Lease -18.)		Open Hole Other <i>(Specify)</i>	Perf.	Uually (Submit)	,	Commingled (Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

1. A. 19	Д АТОТ ПИАЯЭ			A Charles and the			
	S 3DRAHO JANOITIDDA	DELAY TIME			AMIT ONIDAOJNU	BOL TA JATOT	SIRT QUUOR JATO
	ADDITIONAL CHARGE 1		-			stit	10/2
872, 99	tete tete	LI BNG BWLL	9. OTHER	4. CONTRACTOR BROKE DOWN 8. ADDED WATER 8.	DNIDAOJNU TRATS	ARRIVED JOB	LEFT PLANT
60 020 62'15	002 9 3 XV	1	6 TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	3 TRUCK AHEAD ON JOB 5 SLOW POUR OR PUMP 1 JOB NOT READY		and the second s	
SS 158 42	* * Istolduc		No. of the second se	DELAY EXPLANATION/CYLIND	EINIZH ONFONDING		ТИАЛЯ ОТ ДЭИЯЛТЭЙ
00.04	00°04	1.00		JENA	LUNCKING CH	TRUCKING	00.1
SS-187	¥~~20	15.50			MELL	METT	15.50
EXTENDED PRICE	UNIT PRICE	n n y		V	DESCRIPTION	CODE © \$e0/HV	Excess Delay Time Charged @ 6
	\sim	1/ 1		X SIGNED		Loss of the Cash Discount will be collected	Material is Delivered. A \$25 Service Charge and Lo
	CAUB FINE WIT NOL BE BESLONSIBLE FOR	COVD BECEIVED BY WHEN DELIVERING INSIDE CO NOTICE FIND SOFFICIER MI	sestment of the premies in bremes	of this truck and this supplier for any and artisin out of delivery of this order SIGNED		o star set to see the set of the	b 00 nithiw bied for the score of the source
NINAAW HTJAƏH ƏHT O ƏZUAƏ ƏƏAMAA YAA	ELOW INDICATES THAT I HAVE READ WILL NOT BE RESPONSIBLE FOR .	NOTICE: MY SIGNATURE BE	Mage wheels of his vehicle so within, as additional considera- by add hold harmess the driver	Empty for a second much check of second to the second for the second for the second for the second second for the second se	prive incurred in collecting	c bay all costs, including reasonable attome o bay all costs, including reasonable attome	
			or day damage in an inal you occur of the second	tion with the state of the state of the delivery of the state of the s	NORU RAFACER UPON 64 TRUM SNOTTOURTEN JAN	E BEFORE LOADING STARTS CHANGES OR CANCELLATION of ORIGIN CHANGES OR CANCELLATION OF ORIGIN	O YNA TNAJ9 OAT ONIVAS
	The The T	MEICHMASTER	DUR WILL BUIARIAJ DEVETTIALSI	ati or seamsb seuso yidiseoq yam yoyu . ki airti m kinatam arti seosiq ti fi yheqorq wi tati yaw yawa ni uoy qilar oi tawiyuo artifi ngia uoy tarti gintaupen ai tavih arti mmit yilingisooraa yan anot yalonus arti mmit yilingisooraa yan anot yalonus arti	mailon Persister, Get Madical	HANAY ss: Fush Thoroughy With Water, Light	Vilkupoli KEEP CHILDREN Contact With Skin of Eves
		CAL X	aid to tripiew one exis entitlent	The second secon	DUTECT WITH SKOT, IN USER OF	TING TO THE SKIN AN PING TO THE SKIN PRODUCTION PING SUPPORT SYSTEM TO THE SYSTEM PRODUCTION PING STATES STATES STATES PING STATES STAT	CAUSE BURNE, AVOID CO
and the second of the second	er is Detrimental to Concrete Added By Request/Authorized		WDE INSIDE COUR FINE)	PAMAG YTRAPOPA 10 CHAPT CONTRACT OF CONTRACT 10 CHAPT CONTRACT 10 C	Several and a several seve	WARNING WARNING WARNING	ATIARI (
63571	, ui 00.0		637	15°20 Aq	1.	6epo1	01330
LICKET NUMBER	JWNTS	WIAT ABTAW	BATCH#	DE DE CE	2 # 0401	9380 01	BTAQ
Coordinate and the second	00*0	The	00:0	15°20 Aq	15°20 Aq	SIA TIM	dog:52110
	× BIR	DW	163 %			614	and the second second
PLANT/THANSACTION	A P	DBIAEB/LBNCK	A AWTER	DEREG ORDERED	FOAD SIZE	FORMULA	LIME
Aludi turgeneral or services t services the responsibility (or sestime responsibility (services contains contect any improvement or sidewallow any manner to sidewallow or intramonation or sidewallow or sidewallow	GLOI this contract.	D., /CRNR, 6, DM *NEW 169 asumes no provide with provide the CON RD, and the control onder the control	13 'S' 'W - 1 101 ' 191 EF		ayless Con	88929-2988 ((8 992-46 4 Ft	802 N. Indus P.O. Box 664 Iola, Kansas Selp 10 CAØN CAØN

,	JORAHO JANOITIDDA	DELAY TIME			NALOADING TIME	BOLTA JATOT	AIRT GNUOR JATC
the second state of the second state	ADDITIONAL CHARGE				E E	JiJC	10/2
812, 99	1 [610]	TIME DUE	9. ОТНЕЯ	4. CONTRACTOR BROKE DOWN 5. ADDED WATER	ONIDAOJNU TRATS	ARRIVED JOB	LEFT PLANT
and the second state in support the state of the	002 9 3 X 1		 F. TRUCK BROKE DOWN A CCIDENT B CITATION 	1, JOB NOT READY 2, SLOW POUR OR PUMP 3, TRUCK AHEAD ON JOB 3, TRUCK AHEAD ON JOB			
S2 128 (24).	* Istolduc	E LIME ALLOWED		DELAY EXPLANATION/CYLIN	EINIGAOJNU HRINIA		TUAJ9 OT GENRUT:
	2 - L						
					1. A.		
						11.3	1 - A
00.04	00.04	00.1		Зеяле	LÉNCKING CI	TRUCKING	00°1
SS.187		0S.S1			MERT	мегт,	05.SI
EXTENDED PRICE	UNIT PRICE				DESCRIPTION	CODE	YTITNAUD
1997	$\sim \gamma$	γ / x		x	iad on all Returned Checks.	pseorhi Loss of the Cash Discount will be collect ⊅\$60/HR	
			e opilitied by anyone to have	SiGNED subjock adjacent property which may be) days of delivery wit bear interest at the rate e Aggregate or Color Quality. No Claim	
READ THE HEALTH WARNIN FOR ANY DAMAGE CRUSE	BELOW INDICATES THAT I HAVE WILL NOT BE RESPONSIBLE CURB LINE.	NOTICE: MY SIGNATURE BI NOTICE: MY SIGNATURE I NOTICE AND SUPPLIES (WHEN DELIVERING INSIDE (ty and a solutional considera- ty and hold harmest considera- ty annage to the premises	or this truck and this supplies for any and the underside backs and this supplies for any truck and the truck and the provided the	The state of the second second	notis, eldenozen galoubri, jatoo ilis ved o elet edit is izeneini hed tita virevileb io zveb (е ремо зшля Л
				to the premises and/or adjacent pro driverways, curbs, etc., by the delivery o addition more than encourse and the	ed trum rugtiourtrui	E BEFORE LOADING STARTS,	TELEPHONED to the OFFICE
	and the second		and an demage that may occur	wou pres oof read functional strategies and	and the second second	KAWAY	VIIGUDON KEEK CHIFDEE
	X	VEIGHMASTER	si il ji aliseb uov energia della energia ener	Bear Ourspored The driver of this bound and poortion and possible states is to be optioned to the gear the material states of the property if it places the material material the state way were and the places of the optimized of the places of the states of the optimized of the states	o easy in clan, in Case of	soniact With Eyes and Projonged Co Soniact With Thorongrif With Water, JLJr	O DIALS AURICE AURICE AND OF EVEN
and the set of the set	er is Detrimental to Conc bded By Request/Author V	A 0₅H	WVDE JARIDE COBB FINE)	PROPERTY DAMAGE PROFESSION IN DELIVERY TO BE I Poer Customer The drive for the content and the region of the driver of the content of the	ND EXES	A NEW COLOR SOLD STATE SKIN A TING TO THE SKIN A TI VISA BUDDAT SOLD SOLD STATE COLOR STATE	ATIARI Ingeling ground
6357L	* ni 00.0		634	15°20 Aq	1	Aepol	01780
LICKET NUMBER	JWNTS	WIRT RETAW	BATCH#	DA 05 */2	E # 0401	alal o	BTAQ
19 2 P	00.00	75	00.00	15°20 Aq	15.50 yd	5142 TTEN	102:5211
	AIA X	E)W DBIAEB/LBACK	THE A	APROS ORDERED	ECAD SIZE	EOBMAR	IIIIE III
ADITOASNART/THAUS			TOLA, KG		5210 040 1	Vilindos I	- Contraction of the second
a de la d	0002338	. /CRNR. 6. DF					
- i s	5.5.3,XA0.2	and many that is a second by the					
Car -		EBON BD' KEBB	CHUBITIE			NEWOTEN	LHSHO
	N N	a second a second s	KEII/It			4	CHOOT
02 200	ect of this contract.			Ja -	mar and	A second se	u angs
mechanic's lien on the prope	intractor to pay those persons a	Failure of the con roo sint etelomoo					
do not assume responsibility I	ade for holding trucks longer. In strength or mix indicated, We on water is added at customer's re NER	NOLICE LO OMN after contents for strength test when	. 0				Phone: (620
y, etc., which are at customer irucks is 5 minutes per yard.	vays, buildings, trees, shrubbery in allotted time for unloading th	roadways, drivewa	D.J.J. eta.	the Break	ayless Cor	 Alternative and the second seco	P.O. Box 66
in any manner to sidewalk	delivered to the nearest access in power. Due to delivery at own no responsibility for damages	Concrete to be d under truck's own					npuI .N 208
a Castin	14.	CONDITIONS					
5							
and the second	And a second	A REAL PROPERTY AND A REAL	AND ADDRESS OF THE AD	AND	CONTRACTOR CONTRACTOR OF A CON		THE REAL PROPERTY AND A DRIVE