Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1210131

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

	•••			
WELL HISTORY	- DESCR	RIPTION C	OF WEL	L & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	Sec TwpS. R East 🗌 West
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	
Purchaser:	
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	OW Producing Formation:
	Elevation: Ground: Kelly Bushing:
	mp. Abd. Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv	to SWD Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv.	
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
Dual Completion Permit #: SWD Permit #:	
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion D	Quarter Sec TwpS. R East West
Recompletion Date Recompletion	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1210131
Operator Name:	Lease Name:	Well #:
Sec TwpS. R □ East □ West	County:	
INCTOLICTIONS. Chave important tang of formations panetrated	Datail all carea Bapart all fin	al conice of drill stome tests giving interval tested, time test

fill out Page Three of the ACO-1)

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Yes No		-	n (Top), Depth an		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne				
		Report all strings set-o	conductor, surface, inte	rmediate, producti	on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQL	EEZE RECORD		· · · · · ·	
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and Pe	ercent Additives	
Protect Casing							
Plug Off Zone							

Did you perform a hydraulic fracturing treatment on this well?		
	id you perform a hydraulic fracturing treatment on this well?	Yes No (If No, skip questions 2 and 3)
Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? 🗌 Yes 👘 No 🤅 (If No, skip d	oes the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 galle	Yes No (If No, skip question 3)
Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	/as the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes No (If No, fill out Page Three of the

Shots Per Foot		PERFORATION Specify Fo		RD - Bridge P Each Interval I		be			ement Squeeze Record I of Material Used)	Depth
TUBING RECORD:	Si	ze:	Set At:		Packe	r At:	Liner F		No	
Date of First, Resumed	Product	ion, SWD or ENHF	} .	Producing M		ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
				-					1	
DISPOSITI	ON OF (GAS:			METHOD	OF COMPLE	TION:		PRODUCTION INT	ERVAL:
Vented Solo	1 🗌	Used on Lease		Open Hole	Perf.		Comp.	Commingled		
(If vented, Su	bmit ACC	D-18.)		Other <i>(Specify)</i>)	(Submit /	400-5)	(Submit ACO-4)		

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Form	ACO1 - Well Completion
Operator	McClenning, Mike dba Production Maintenance Service
Well Name	Flanagan 7
Doc ID	1210131

All Electric Logs Run

GR	
CDL	
BDL	
VDL	

5/13/2014

CONSOLIDATED OR Well Services, LLC CA. **CEMENT FIELD TICKET AND TREATMENT REPORT**

mer	PERFORMANCE MAINTENANCE	State, County	Montgomery , Kansas	Cement Type		CLASS A
be	LS	Section	2	Excess (%)		35%
ner Acct #		TWP	34	Density		14
No.	FLANNIGAN # 7	RGE	14	Water Required		7.9
g Address	2011년 - 11월 19일 - 11월 19일 - 11일 -	Formation		Yeild		1.74
State	[1] M. Multi Condend Manual Science (Condensity)	Tubing		Sacks of Cement		90
ode		Drill Pipe		Slurry Volume		27.7
ct		Casing Size	4.5"	Displacement		12.1
		Hole Size	6.75"	Displacement PSI		300
		Casing Depth	745	MIX PSI		400
tch Location	BARTLESVILLE	Hole Depth	76235	Rate		4.5
	Cement Pump Charges and Mileage	Quantity	Unit	Price per Unit	a second	
5401	CEMENT PUMP (2 HOUR MAX)	1	2 HRS MAX	\$1,085.00	\$	1,085.00
5406	EQUIPMENT MILEAGE (ONE-WAY)	40	PER MILE	\$4.20	\$.	168.00
5407	MIN. BULK DELIVERY (WITHIN 50 MILES)	1	PER LOAD	\$368.00	\$	368.00
0		1 2 2 2 15 25 4 4 12	0	\$0.00	\$	-
0			0	\$0.00 \$0.00	\$ \$	
0		Contraction of the second	- 0	\$0.00	э \$	
0			0	\$0.00	\$	
0			0	\$0.00	\$	_
	1			EQUIPMENT TOTAL	\$	1,621.00
	Cement, Chemicals and Water	and the second second			Ψ	1,021.00
1126	WC. CEMENT (CAL SEAL) 6%OWC. 2% CAL.CLORIDE 2% C	E 90	0	\$19.75	\$	1,777.50
1118B	PREMIUM GEL/BENTONITE (50#)	200	0	\$0.22	\$	44.00
1107A	PHENOSEAL	40	0	\$1.35	\$	54.00
1110A	KOL SEAL (50 # SK)	550	0	\$0.46	\$	253.00
1111	GRANULATED SALT (50#) SELL BY #	600	0	\$0.39	\$	234.00
0			0	\$0.00	\$	
0			0	\$0.00	\$	-
0		Sector and	0	\$0.00	\$	-
0			0	\$0.00	\$	171210300 (P
0			0	\$0.00	\$	a da períos co-os
0			0	\$0.00	\$	
0			0	\$0.00	\$	-
0			0	\$0.00 \$0.00	\$ \$	
0		and the second	0	Chemical Total	-	1,653.75
					φ	1,033.70
-	Cement Water Transports			00.03	0	A CARLES
0			0	\$0.00	\$ \$	
0		La proposition de la companya de la	0	\$0.00	\$	-
0		Constant of the second	U	Transports Total		-
STRUCTURE OF STRUCTURE	Cement Floating Equipment (TAXABLE)	and the second second second			Ψ	
	Cement Basket				I	
0			0	\$0.00	\$	1
	Centralizer					
0			0	\$0.00	\$	
0	A construction of the second state of the second state		0	\$0.00	\$	Martin Street Street
	Float Shoe					
0	Prove Charles and all second second		0	\$0.00	\$	-
	Float Collars					
0		211	0	\$0.00	\$	
	Guide Shoes					
0	Contractive and a second se		0	\$0.00	\$	-
	Baffle and Flapper Plates		1 .	1		
0			0	\$0.00	\$	-
	Packer Shoes			¢0.00	•	
0	DV/Taala		0	\$0.00	\$	-
	DV Tools		0	\$0.00	\$	-
0	Poll Volvos Swodace Clampa Mice		0	\$0.00	Ψ	
0	Ball Valves, Swedges, Clamps, Misc.	Colorest Transfer	0	\$0.00	\$	-
0			0	\$0.00	\$	and the state of the
0			0	\$0.00	\$	Address of the second
<u>,</u>	Plugs and Ball Sealers	- 1			Sec. Com	
4404	4' 1/2" RUBBER PLUG	1	PER UNIT	\$47.25	\$	47.2
	Downhole Tools					
0		11-20-00 - 10-3 PM-2-	. 0	\$0.00	\$	and in the state
		1.00	CEMENT FLOATING	EQUIPMENT TOTAL	\$	47.2
TRUCK#	DRIVER NAME			0 SUB TOTAL % SALES TA	\$	3,322.0
674 744 T133	DONNIE CASEY M	21	6.309	TOTAL	- \$	<u>151.8</u> 3,473.8
744 T133 741 T93	CASEY M COLBY N	A THE REAL PROPERTY OF	09	% (-DISCOUNT) \$	-
687 T99	SCOTT C	an or the		COUNTED TOTAL	COLUMN DATE OF THE OWNER OF	3,473.81
		A DEPOSIT OF LAND	013	SOUTED TOTAL	4	3,710101
			1	\cap		
			\sim			
AUTHORIZATIO	N .)//		

I ACKNOWLEDGE THAT THE PAYMENT TERMS, UNLESS SPECIFICALLY AMENDED IN WRITING ON THE FRONT OF THE FORM OR IN THE CUSTOMER'S ACCOUNT RECORDS, AT OUR OFFICE,



CEMENT FIELD TICKET AND TREATMENT REPORT

ry, Kansas Cement Type	Montgomery , Kansas	
		35%
4 Density	34	14
4 Water Required	14	7.9
) Yeild	0	1.74
	0	90
		27.7
5" Displacement	4.5"	12.1
5" Displacement PSI	6.75''	300
		400
		4.5
	Volume (bbl)	Notes
		-
	1	
		reconstruction
	L restaurnes to the ex-	and the supplicit
Scolar and Scolar Scolar	Subline Mithlemeth	
والما والمسجوعات اللوا والمك المادون	the state of the state	ALC: TREE BOLL
े अनेकेल्डर' केल्प्साल स स्टब्स्	biogenether and the provi	-next of pass is
MIXER BATCHING. RUN 90SX	NG THIS BATCH MIXER BATCHI	196 LS2 (DLS
BLS SLURRY. WE RUN THEN SHUT	O MAKING 28BBLS SLURRY. W	hopesed and line
UG.PLUG LANDED AT 1300#	3BL TO LAND PLUG.PLUG LAND	and the second second
	DU	In the second
A President A Second Providence		The second second
		1 925A 367
		AL PROPERTY