Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1210195

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx) Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
Gas D&A ENHR SIGW	Elevation: Ground: Kelly Bushing:
OG GSW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Commingled Permit #: Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II III Approved by: Date:

	Page Two	1210195
Operator Name:	Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS. Chain important tang of formations panetrated. De	tail all aaraa Danart all final	appiag of drill stamp tasta giving interval tastad, time task

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	ets)	Yes No		-	on (Top), Depth an		Sample
Samples Sent to Geologi	ical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONA	L CEMENTING / SQL	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	
Protect Casing Plug Back TD							

D	id you perform a hydraulic fracturing treatment on this well?	Yes	No	(If No, skip questions 2 and 3)
D	oes the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?	Yes	No	(If No, skip question 3)
V	/as the hydraulic fracturing treatment information submitted to the chemical disclosure registry?	Yes	No	(If No, fill out Page Three of the ACO-1)

Plug Off Zone

Shots Per Foot	PERFORATION RECORD - Bridge Plugs Set/Type Specify Footage of Each Interval Perforated				Acid, Fracture, Shot, Ce (Amount and Kino	ement Squeeze Record I of Material Used)	Depth			
TUBING RECORD:	Siz	re:	Set At:		Packer	r At:	Liner F		No	I
Date of First, Resumed	Producti	on, SWD or ENHF	۶.	Producing M	lethod:	ping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours		Oil Bb	ls.	Gas	Mcf	Wate	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSITIO	ON OF G	AS:			METHOD	OF COMPLE	TION:		PRODUCTION INT	ERVAL:
Vented Sold	<u> </u>	Jsed on Lease		Open Hole	Perf.	Dually (Submit /	Comp. A <i>CO-5)</i>	Commingled (Submit ACO-4)		
(If vented, Sul	omit ACO	-18.)		Other (Specify)						

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

CONDITIONS CONDITIONS Conditions and the nearest accessible point over passable real under truck's own power. Due nearest accessible point over passable real activity of the nearest in any manuelary a director readings, dimension points of the nearest accessible point over readings, dimension provide the formation of the near a substrate director and the formation of the near a substrate water contrast for strand and customers. This concrete contains or region heat and customers's request NOTE CONNEL. Fallure of this contractor to pay those passons supplying material or services in which is the subject of this contract.	PLANT/TRANSACTION #	ACT INDMER Rete Performance ted By The Hearth WARNING A AIV DAMAGE CAUSED EXTENDED PRICE	
NNS Construction of the nearest ac (*5 own preven: Due to delivery at mise no. responsibility for dama drineways and thing for unback drineways for the drine for unback drineways for the drine for unback the number of the drine for unback be made for the drine for unback the number of the contract of the pay those person subject of this contract.	OWINS	Excessive Water is Detrimental to Concrete Performance H ₂ 0 Added By Request/Authorized By GAL X WEIGHMASTER GAL X MORE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE: AND SUPPLICE FOR ANY DAMAGE CAUSED ON PECTATED BY.	S L L
	DRIVER/TRUCK	CAL ALCONTINUE EL CONTINUE EL CONTINUE EL CONTINUE EL CONTINUE EL CONTINUE EL LOND RECEVER DIVINI NISUEL VIEN CONTINUE EL LOND RECEVER DIVINI NISUEL VIEN CONTINUE EL CONTINUE CONTINUE EL CONTINUE EL CONTINUE CONTINUE EL CONTINUE CONTINUE EL CONTINUE CONTINUE EL CONTINUE	TIME ALLOWED TIME DUE DELAY TIME
Payless Concrete Products, Inc.	ED BATCH#	TO DES SORED F DELIVERY DAMAGE RELEASE TO DES SORED F DELIVERY OF MAGE RELEASE The Construme the other of this total meaning this RELEASE total for any possible and of the option that meaning this RELEASE total for the option that meaning this release and weight of the total for the option that meaning the RELEASE total for the option that meaning the release and/or applied to the present of the option total meaning that may coun- tion the option of the option to the option of the option of the present option of the option of the option of the total option of the option of the option of the total option of the optio	INDER TEST TAKEN 6. TRUCK BROKE DOWN 3. CACIDENT 3. CACIDENT 9. OTHER 9. OTHER
s Concrete	VARDS ORDERED VARDS ORDERED	A CONTRACTOR OF	DELAY EXPLANATION/CYLINDER TEST TAKEN 1. JOB NOT REJOY 2. SLOW POUR OF NUME 3. THUCK REJO ON JOB 3. CACEDED 5. ADDED WATER 5. ADDED WATER 9. OTHER
-15	LOAD SIZE 1.0, 5,0	A Contract Mater With Skin, In Case c alton Persists, Get Medic, In Case c alton Persists, Get Medic, It INSTRUCTIONS MIGST be a surver a collecting with the BUIACHASER UPON We be annum wed Unlies Made at Time n all Returned Checks. DESCHIPTION	FINISH UNLOADING START UNLOADING UNLOADING TIME
802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588	ICLA FORMUA FIN MELL	Name NARNING Contains Portland THE SKNN CutuBits Portland War Rubber Boots and Globes PRIQUOKED CONTACT MAY contact With Size or Elses Fluch The SKNN CutuBits Burling With Size or Elses Fluch The SKNN Andread With Size or Elses Fluch The SKNN Antion Contact With Size or Elses Fluch The SKNN Machine Contact With Size or Elses Fluch The SKNN Counter With Size or Elses Fluch Throughly With Wats. If Initiation Presists, Get Medical Councers of the Plant Throughly With Wats. If Initiation Presists, Get Medica Councers of the Plant With Size or Else Strange Counter of period Contact With Size or Else Strange Contact With Size or Else Strange Control of the Plant With Size of Size of Medical With Wats. If Initiation Presists, Get Medical Size of Medical Councer of the Size of Medical All accounts not part of the Counce of the Size of Size of Medical With Size of Size of Size of Medical Councer of Size of Medical All accounts not part of the Cash Discount will researche attentie of C3% per annum Councer of Cash Noted Viewed Week at the Collected on al Returned Medical All Research Councer of Cash Noted Or Cash Noted Viewed Viewed Week Councer of Cash Noted Viewed Viewed All Research Councer of Cash Noted Viewed Viewed Viewed Viewed Viewed Viewed Viewed Councer of Cash Noted Viewed Viewed All Research Councer of Cash Noted Viewed Viewed Viewed Viewed Viewed Viewed Viewed Councer of Cash Noted Viewed Viewed Viewed Viewed	LEFT JOB ARRIVED JOB TOTAL AT JOB
802 N P.O. 1 Iola, J Phone	TIME C : 36 DATE	Containts Periland The Part Part of Containts Periland and Contains Man Star of Contact Wine Start Start of Cartons With Start	RETURNED TO PLANT LEFT PLANT TOTAL ROUND TRIP



E K Energy LLC 1495 3000 St. Moran,Ks. 66755 620-496-2526/620-852-3456 License # 33977

CEMENT RECORD

Company: Thompson Oil Date 5-29-14 Lease: Monfort Well: J-1 Hole size & depth: 63/4-884 Casing size & depth: 41/2 - 853 Remarks: Hooked up to 41/2 casing. Established circulation, Pumped 110 Sx cement. Displaced casing, Good returns Cement to Suspace.

DRILLERS LOG

Company:	THOMPSON OIL	Contractor: EK Energy LLC
		License# 33977
Farm:	MONFORT	County: Allen
Well No:	J-1	Sec: 15 TWP: 24 Range: 18E
API:	15-001-31095-00-00	Location: 2165 FSL
Surface Pipe:	21'	Location: 5110 FEL
		Spot: SW-NW-NW-SW

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	8	Drilled 12 1/4 Hole Set 8 5/8
4	GRAVEL	12	Drilled 6 3/4 HOLE
34	LIME	46	
81	SHALE	127	
118	LIME	245	Started 5/27/2014
45	SHALE	280	Finished 5/29/2014
20	SAND	300	
12	BROWN SAND	312	
12	SANDY SHALE	324	T.D. Hole 884'
112	SHALE	436	T.D. PIPE 853'
7	LIME	443	
1	SHALE	514	
34	LIME	548	
17	SHALE	565	
25	LIME	590	
6	SHALE	596	
4	LIME	600	
11	SHALE	611	
5	OIL SAND	616	
214	SHALE	830	
23	SDY SHALE	853	
22	OIL SAND	875	
2	SHALEY OIL SAND	877	
7	OIL SAND	884	