

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1211214

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #		API No. 15
Name:		Spot Description:
Address 1:		
Address 2:		Feet from North / South Line of Section
City: State:	Zip:+	Feet from East / West Line of Section
Contact Person:		Footages Calculated from Nearest Outside Section Corner:
Phone: ()		□NE □NW □SE □SW
CONTRACTOR: License #		GPS Location: Lat:, Long:
Name:		(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:		Datum: NAD27 NAD83 WGS84
Purchaser:		County:
Designate Type of Completion:		Lease Name: Well #:
New Well Re-Entry	Workover	Field Name:
		Producing Formation:
Oil WSW SWD	SIOW	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ D&A ☐ ENHF☐ OG ☐ GSW	SIGW Temp. Abd.	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Temp. Abd.	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):		Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:		If yes, show depth set: Feet
Operator:		If Alternate II completion, cement circulated from:
Well Name:		feet depth to:w/sx cmt.
Original Comp. Date: Origina		social apparties.
	DENHR Conv. to SWD	
☐ Plug Back ☐ Conv. to		Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Commingled Permit #:		Chloride content:ppm Fluid volume: bbls
Dual Completion Permit #: _		Dewatering method used:
SWD Permit #:		Location of fluid disposal if hauled offsite:
☐ ENHR Permit #: _		One water News ex
GSW Permit #:		Operator Name:
		Lease Name: License #:
Spud Date or Date Reached TD	Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date	Recompletion Date	Countv: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

Page Two



Operator Name:			Lease Name: _			Well #:		
Sec Twp	S. R	East West	County:					
open and closed, flow and flow rates if gas t	ving and shut-in presson to surface test, along w	formations penetrated. I ures, whether shut-in pro vith final chart(s). Attach	essure reached stati n extra sheet if more	c level, hydrosta space is neede	atic pressures, both d.	tom hole tempe	erature, fluid r	recovery,
		otain Geophysical Data a or newer AND an image		egs must be ema	ailed to kcc-well-lo	gs@kcc.ks.gov	v. Digital elec	tronic log
Drill Stem Tests Taken (Attach Additional	•		_					
Samples Sent to Geo	ological Survey	☐ Yes ☐ No	Nam	e		Тор	Datur	m
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No						
List All E. Logs Run:								
		CASING	RECORD Ne	ew Used				
		Report all strings set-	conductor, surface, inte	ermediate, product	tion, etc.			
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and P Additiv	
		ADDITIONAL	OFMENTING / OOL					
Purpose:	Depth		CEMENTING / SQL	JEEZE RECORD		araant Additiraa		
Perforate Top Bottom		Type of Cement	# Sacks Used	Type and Percent Additives				
Protect Casing Plug Back TD								
Plug Off Zone								
Did you perform a hydra	ulic fracturing treatment o	on this well?		Yes	No (If No, ski	p questions 2 ar	nd 3)	
	=	raulic fracturing treatment ex	xceed 350,000 gallons			p question 3)	,	
Was the hydraulic fractu	ring treatment information	n submitted to the chemical	disclosure registry?	Yes	No (If No, fill	out Page Three	of the ACO-1)	
Shots Per Foot		ON RECORD - Bridge Plug Footage of Each Interval Per		Acid, Fracture, Shot, Cement Squeeze Record (Amount and Kind of Material Used) Depth				
	Сроспу Г	octago of Laon morvari of	ioratou	(>1	mount and rand or ma	teriar Good)		<u> Борин</u>
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No			
Date of First, Resumed	Production, SWD or EN							
Fotimeted Day 1 . C	0" -	Flowing			Other (Explain)) O" D "		
Estimated Production Per 24 Hours	Oil E	Bbls. Gas	Mcf Wate	er B	Bbls. G	Gas-Oil Ratio	Gr 	ravity
DISPOSITI	ON OF GAS:	1	METHOD OF COMPLE	ETION:		PRODUCTIO	ON INTERVAL:	
Vented Sold		Open Hole	Perf. Dually	Comp. Con	mmingled			
	bmit ACO-18.)	Other (Specify)	(Submit)	ACO-5) (Sub	omit ACO-4)		-	

GARNETT TRUE VALUE HOMECENTER

410 N Maple Garnett, KS 66032 {785} 448-7106 FAX {785} 448-7135

Customer Copy INVOICE

THIS COPY MUST REMAIN AT MERCHANT AT ALL TIMES!

TOTAL

\$11480.88

Invoice: 10209749 Page: 1 14:17:49 Special 04/15/14 Instructions : Ship Date: Invoice Date: 04/16/14 Sale rep #: MIKE Due Date: 05/08/14 Acct rep code: Ship To: CEMENT Sold To: ROGER KENT 22082 NE NEOSHO RD (785) 448-6995 NOT FOR HOUSE USE GARNETT, KS 66032 (785) 448-6995 0000357

	Customer #:	Customer #: 0000357 Customer PO:			Order By:	8TH T 101			
ORDER	SHIP L	_ U/M	ITEM#	D	ESCRIPTION		Alt Price/Uom	popimg01 PRICE	EXTENSION
560.00 32.00 540.00	560.00 F 32.00 F 540.00 F	P BAG	CPFA CPMP CPPC		K 80 LBS PER BAC PALLET	3	7.5900 BAG 15.0000 PL 10.9900 BAG	7.5900 15.0000 10.9900	4250.40 480.00 5934.60
CHARLES AND ADDRESS OF THE PARTY OF THE PART		rendering der die erfordering der							
					The second secon				
-	2		FILLED BY	CHECKED BY	DATE SHIPPED	DRIVER		Sales total	\$10665.00
			SHIP VIA	ANDERSON CO	OUNTY AND IN GOOD CONDITION		Taxable 10665.00 Non-taxable 0.00 Tax #	Sales tax	815.88

1 - Customer Copy



REPRINT

S P Johnson 15-I

```
soil
 1
                      1
      clay/rock
                     4
 3
                                      Start 4-15-14
                                      Finish 4-16-14
      lime
31
                     35
40
      shale
                     75
      lime
                     82
 7
      shale
110
                    192
      lime
33
                    225
      shale
                                       set 20'7"
                    261
36
                                       ran 839'
                                                  of 2 %
      lime
                    268
 7
                                      cemented to surface 84 sxs
20
      shale
                    288
      lime
113
                    401
182
      shale
                    583
10
      lime
                    593
59
      shale
                    652
28
      lime
                    680
      shale
21
                     701
      lime
                    708
 7
      shale
11
                     719
14
      lime
                    733
 7
      shale
                    740
      lime
 7
                    747
16
      shale
                    763
      sandy shale
                     767
                           odor
 4
      sandy shale
                           good show
14
                     781
24
      Bkn sand
                    805
                           good show
      Dk sand
 6
                     811
                           good show
      shale
                           T.D.
31
                    842
```