Confidentiality Requested: Yes No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

1211493

Form ACO-1 August 2013 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas D&A ENHR SIGW	Total Vertical Depth: Plug Back Total Depth:
OG GSW Temp. Abd. CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to ENHR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
ENHR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	Quarter Sec TwpS. R East West
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date Recompletion Date	County: Permit #:
riccompletion bate	Γ Οθαίται

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received
Geologist Report Received
UIC Distribution
ALT I II Approved by: Date:

	Page Two	1211493
Operator Name:	_ Lease Name:	Well #:
Sec TwpS. R East West	County:	
INCTRUCTIONS: Chause important tang of formations paratested	atail all aaraa Banart all final	apping of drill stome tools giving interval toolad, time tool

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional She	eets)	Yes No		-	on (Top), Depth an		Sample
Samples Sent to Geolog	gical Survey	Yes No	Nam	e		Тор	Datum
Cores Taken Electric Log Run		☐ Yes ☐ No ☐ Yes ☐ No					
List All E. Logs Run:							
			RECORD Ne		on, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
		ADDITIONAL	CEMENTING / SQU	JEEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement	# Sacks Used		Type and P	ercent Additives	
Protect Casing							

Plug Back TD Plug Off Zone							_
Did you perform a hydraulic	fracturing treatment	on this well?		Yes	No	(If No, skip questions 2 and 3)	
Does the volume of the total	I base fluid of the hyd	Iraulic fracturing treatment ex	ceed 350,000 gallons?	Yes	No	(If No, skip question 3)	
Was the hydraulic fracturing	treatment informatio	n submitted to the chemical of	disclosure registry?	Yes	No	(If No, fill out Page Three of the ACO-1)	

(If No, fill out Page Three of the ACO-1)

Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?

Shots Per Foot			D - Bridge Plugs Set/Ty Each Interval Perforated	pe			ement Squeeze Record d of Material Used)	Depth
TUBING RECORD:	Size:	Set At:	Packe	er At:	Liner R		No	
Date of First, Resumed	I Production, SWD or EN⊦	R.	Producing Method:	nping	Gas Lift	Other (Explain)		
Estimated Production Per 24 Hours	Oil B	bls.	Gas Mcf	Wat	er	Bbls.	Gas-Oil Ratio	Gravity
DISPOSIT	ION OF GAS:		METHOD		TION:		PRODUCTION INTE	RVAL:
Vented Sole	d Used on Lease	∐0	Dpen Hole Perf.	Dually (Submit)		Commingled (Submit ACO-4)		
(If vented, Su	ıbmit ACO-18.)	o	Other (Specify)		-/	()		

Form	ACO1 - Well Completion
Operator	Laymon Oil II, LLC
Well Name	Puetz 37-14
Doc ID	1211493

Tops

Name	Тор	Datum
Soil	9	
Shale	100	
Lime	125	
Shale	283	
Lime	485	
Shale	515	
Lime	580	
Shale	600	
Lime	780	
Shale	860	
Lime & Shale	900	
Lime	1045	
Shale	1102	
5'Lime	1107	
Shale	1110	
Upper Squirrel Sand	1124	
Shale	1156	
Cap Rock	1157	
Shale	1159	
Cap Rock	1160	
Lower Squirrel Sand	1165	
Shale	1240	

THE NEW KLEIN LUMPER COMPANY 201 W. MADISON P.D. BOX 805 IOLA, KS 66749 PHONE; (620) 365-2201

)÷t

a la la catalana

PAGE ND

1

USTOMER NO. JOB NO. PURCHASE ORDE	ER NO.	REFERENCE	TERMS		CLERK	DATE TIME
253447			NET 10TH OF MONTH	BE	10/25	V13 19304
Hike Laynon 1206 N. Grove	S H I P		EXP, DATE: 1)OCH 283478 ******
YATES CENTER KS 66783	T					光神光影光的计计计算无法指
			TGX : I	101 IOLAL IO	LA	A Trans
SHIPPED ORDERED UM	SKU	DESCRIPTION	5066	UNITS	PRICE/PER	EXTENSION
200 EA PC	POR	rtland cement	요즘 이 없어?	200	9145 /EA	1,892.60
			light (× 21	13 10	npr-
Mc Hone 10-13-10 c	2K3	영화 문화 같은 것이 같이 많이	ught			pp.
Sheparol 2 3-18 10 2	ors.		horni	ch 18	-14 SD	p
LE Robipon 4413 10.	des	n an an Anna Anna Anna Anna Anna Anna A		210	1 11 1	poks
2 E Robison 42-13 10	ska		Layne	NOU	6-17	hoho!
A E KORLSBA INTI	ala		- the mon	h, XI)	12-14-1	Part
Rean Rich 413 10	SORD		nllen	non ?	2-14	10 reaction
Gui bleston # 2 2-14	Dars		osayr	river	214	10 pkg.
Gu waston 11-14	10 step.		mary	mon	5-1	LOVS
	IN OF V		m facer	hon	4-14 1	ID NIG
Aucking 8-14	10 pack			1	5-14 1	o sks
1 Sante 29-13	10 DRL	${m u}$. The second second	m hay	mon	The second second	
and a second	in Ab	N	Duot	3 3	7-14	DAR
light C 30+13	10000			1		[[김희, 네이지 :
0				U		
				<u></u>	AXARLE	1839.00
				- A Contract of the second sec	EN-TAXABLE	0.00
, 2019년 11월 11일 - 11일 12일 - 11일 - 11일 12일 - 11일 - 11		non en concesto de la 10 terror de		1	UBTOTAL	1890.00
				1. April		
RECEIVED BY					and and the	155.76
					IUTAL AMOUNT	2048.76
the second se			to of a list of a list and a list	1	WITTER ISA Autor . I	

4

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc.

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, selier assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's accessible assumes no responsibility for unolading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for sume the water is added at customer's request. NOTICE TO EVIDEN To this contractor to pay those persons supplying material or services to complete this contractor are result in the filing of a mechanic's lien on the property which is the subject of this contractor.

SOLD TO LAOOS

LEASE: PEUTZ

54W TO 75 HWY N 6 MITO 160TH 1.25 MI N SD ENTER BY LOW BOY

GRAND TOTAL

A NIL	OSHO FALLS	KS	66758				
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	A Har	PLANT/TRANSACTION #
9120 AM	WELL	17.00	17.00	STA.	34	a the loss	MOOCO
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
5/7/14	WELL#37-14	- 1	17.00	3	0.00	4.00 in	36685
Contains Portland Cemer CAUSE BURNS. Avoid C Contact With Skin or Eye Attention. KEEP CHILDRI CONCRETE is a PERISHABL LEAVING the PLANT. ANY	WARNING TING TO THE SKIN AL IN Wear Rubber Boots and Gloves. Pl Tontact With Eyes and Prolonged CC Ski Plush Thoroughly With Water, If In EN AWAY. E COMMODITY and BECOMES the PROP CHANGES OR CANCELLATION of ORIG ERFORE LOADING STATS.	ROLONGED CONTACT MAY intact With Skin. In Case of ritation Persists, Get Medical	(TO BE SIGNED IF DELIVERY T Dear Customer-The driver of this t you for your signature is of the op truck may possibly cause damag property if it places the material in our wish to help you in every way to drive in concentration that may	VAGE RELEASE TO BE MADE INSIDE CURB LINE) rough in presentating that RELEASE to inten that the size and weight of his e to the premises and/or adjacent this load where you deare it. It is that we can, but in order to do this grin this RELEASE relieving finn and y from any damage that may occur in properly. buildings, sidewalks, very of this material, and that you d from the where of his vehicle so		r is Detrimental to Concr Ided By Request/Author	
The undersigned promises to any sums owed. All accounts not paid within 30 Not. Responsible for Reactive Material is Delivered.	o pay all costs, including reasonable attor) days of delivery will bear interest at the rate re Aggregate or Color Quality. No Claim Loss of the Cash Discount will be collec	of 24% per annum. Allowed Unless Made at Time	that he will not litter the public stre tion, the undersigned agrees to inc of this truck and this supplier for a	eet. Further, as additional considera- lemnify and hold harmless the driver any and all damage to the premises	NOTICE: MY SIGNATURE BEI NOTICE: AND SUPPLIER W WHEN DELIVERING INSIDE C LOAD RECEIVED BY:	LOW INDICATES THAT I HAVE F LL NOT BE RESPONSIBLE F URB LINE.	READ THE HEALTH WARNING OR ANY DAMAGE CAUSED
	and the second design of the						
QUANTITY	GODE	DESCRIPTION				UNIT PRICE	EXTENDED PRICE
QUANTITY 17.00 2.50 17.00	CODE WELL TRUCKING MIX&HAUL	WELL (10 TRUCKING	SACKS PER CHARGE ND HAULING		17.00 2.50 17.00	UNIT PRICE	EXTENDED PRICE
17.00	WELL TRUCKING	WELL (10 TRUCKING	CHARGE		2.50	UNIT PRICE	EXTENDED PRICE
17.00 2.50 17.00	WELL TRUCKING MIX&HAUL	WELL (10 TRUCKINE MIXING A	CHARGE IND HAULING DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTATION	2.50 17.00	UNIT PRICE	EXTENDED PRICE
17.00 2.50 17.00	WELL TRUCKING MIX&HAUL	WELL (10 TRUCKINE MIXING A	CHARGE IND HAULING DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTATION	2.50 17.00 TIME ALLOWED		EXTENDED PRICE
17.00 2.50 17.00 RETURNED TO PLANT	UELL TRUCKING MIX&HAUL	WELL (10 TRUCKINE MIXING A	CHARGE ND HAULING DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTATION	2. 50 17. 00 TIME ALLOWED		
17.00 2.50 17.00 RETURNED TO PLANT	UELL TRUCKING MIX&HAUL	WELL (10 TRUCKINE MIXING A	CHARGE ND HAULING DELAY EXPLANATION/C 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTATION	2. 50 17. 00 TIME ALLOWED	TAX 7.15	1

15