For KCC Use:

Eff	e	ct	iv	е	Date:

District	#	

SGA?	Yes	No

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

March 2010 Form must be Typed Form must be Signed All blanks must be Filled

Form C-1

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Com	pliance with	the Kansas	Surface Owner	Notification Act, MUS	F be submitted with this form

Expected Spud Date:	Spot Description:
month day year	(0/0/0/0) Sec Twp S. R E W
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other Other:	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electroni	cally	,
---------------------	-------	---

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	_ feet per ALT.
Approved by:	
This authorization expires:	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.
 - Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent:

Mail to: KCC - Conservation Division. 130 S. Market - Room 2078, Wichita, Kansas 67202



For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 🗌 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



1980 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Side Two

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 Form must be Typed

May 2010

1212079

APPLICATION FOR SURFACE PIT

Submit in Dunlicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West		
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	vrea? Yes	No	Chloride concentration: (For Emergency F	Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)	N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet)	No Pit	
Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information:					
feet Depth of water wellfeet		measured	well owner el	ectric log KDWR	
Emergency, Settling and Burn Pits ONLY:	Drilling, Workover and Haul-Off Pits ONLY:				
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:	Abandonment p	procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	Drill pits must be closed within 365 days of spud date.				
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC					
Date Received: Permit Num	ber:	Permi	t Date: Lease	Inspection: Yes No	

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Kansas Corpora Oil & Gas Conse CERTIFICATION OF CO KANSAS SURFACE OWN	Image: Severation Division January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled All blanks must be Filled
This form must be submitted with all Forms C-1 (Notice of T-1 (Request for Change of Operator Transfer of Injection of Any such form submitted without an accord Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	r Surface Pit Permit); and CP-1 (Well Plugging Application). npanying Form KSONA-1 will be returned.
OPERATOR: License #	Well Location:S. R East West County: Lease Name: Well #: If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Surface Owner Information: Name: Address 1: Address 2: City:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.


Select one of the following:


- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

I





_____, [____]

Minimum Surface Casing Requirements--Appendix A

Definition of conductor pipe

A large diameter steel casing, having a minimum diameter of 12 inches, installed in an oil-and-gas-related well to protect fresh and usable water and stabilize unconsolidated materials when drilling in an area where the possibility of lost circulation zones exist at deeper depths.

Addition to minimum surface casing table

Within the sections listed below in this Appendix, the following rule shall be used for drilling any oil, gas, injection, disposal or service well: Conductor pipe shall be installed as soon as drilling penetrates twenty feet into the consolidated formation underlying the unconsolidated material. The annular space between the conductor pipe and the borehole shall be cemented from bottom to ground surface.

Conductor pipe, in addition to having a minimum diameter of 12 inches, shall be of sufficient size that if a lost circulation zone is encountered, the standard surface pipe can be installed through that zone. In areas where instability occurs within the unconsolidated materials, a pipe of sufficient diameter must be utilized to stabilize that portion of the borehole so that the minimum required amount of conductor pipe can be installed 20 feet into the underlying formation.

In those areas where the Appendix A list of sections includes sites that do not appear to have the unconsolidated material, a sufficient length of conductor pipe shall be on hand at the drilling site. In all cases, if unconsolidated material is encountered, conductor pipe shall be installed. If unconsolidated material is not encountered, the minimum required surface pipe shall be installed.

Section designated as having Wellington Aquifer with Hutchinson Salt Member present

Twp. 13S R. 3W Sec. 4, 5, 8-10, 15-17, 20-23, 25-29, 32-36

Twp. 14S R. 3W Sec. 1-5, 8-17, 20-29, 32-36

Twp. 15S R. 3W Sec. ALL

Twp. 15S R. 2W Sec. 6, 7, 18, 19, 30, 31

Twp. 16S R. 4W Sec. 1, 12, 13, 24, 25, 36

Twp. 16S R. 3W Sec. 4-9, 18, 19, 30, 31

Twp. 17S R. 4W Sec. 1, 12-14, 23-27, 34-36

Twp. 17S R. 3W Sec. 4-10, 16-20, 29-32

Twp. 18S R. 4W Sec. 1-4, 8-17, 20-29, 32-36

http://www.kcc.ks.gov/conservation/casing/appendixA.htm

- Twp. 18S R. 3W Sec. 6, 7, 18, 19, 30, 31
- Twp. 19S R. 4W Sec. 1-5, 8-17, 20-29, 32-36
- Twp. 19S R. 3W Sec. 6, 7, 18, 19, 30, 31
- Twp. 20S R. 4W Sec. 1-5, 9-16, 21-28, 33-36
- Twp. 20S R. 3W Sec. 30, 31
- Twp. 21S R. 4W Sec. 1-5, 8-17, 20-36
- Twp. 21S R. 3W Sec. 6, 7, 18, 19, 30, 31
- Twp. 22S R. 5W Sec. 1, 12, 13, 24, 25, 36
- Twp. 22S R. 4W Sec. ALL
- Twp. 22S R. 3W Sec. 6-8, 17-20, 28-33
- Twp. 23S R. 5W Sec. 1, 11-14, 23-26-35, 36
- Twp. 23S R. 4W Sec. ALL
- Twp. 23S R. 3W Sec. 4-9, 16-21, 28-33
- Twp. 24S R. 5W Sec. 1, 2, 12
- Twp. 24S R. 4W Sec. 1-18, 20-27, 35, 36
- Twp. 24S R. 3W Sec. ALL except 1, 2, 12
- Twp. 24S R. 2W Sec. 19, 20, 27-35
- Twp. 25S R. 4W Sec. 1
- Twp. 25S R. 3W Sec. ALL except 18, 19, 29-33
- Twp. 25S R. 2W Sec. ALL
- Twp. 25S R. 1W Sec. 7, 17-21, 27-35
- Twp. 26S R. 3W Sec. 1, 2, 12, 13
- Twp. 26S R. 2W Sec. ALL except 1, 12, 11, 12
- Twp. 26S R. 1W Sec. ALL
- Twp. 26S R. 1E Sec. 18, 19, 29-32
- Twp. 27S R. 2W Sec. 1-5, 8-17, 21-28, 33-36

- Twp. 27S R. 1E Sec. 5-9, 16-21, 28-33
- Twp. 28S R. 2W Sec. 1-3, 10-15, 22-27, 35, 36
- Twp. 28S R. 1W Sec. ALL (36 No salt)
- Twp. 28S R. 1E Sec. 4-10, 15-22, 26-35
- Twp. 29S R. 2W Sec. 1, 2, 11-14, 23-26, 35, 36
- Twp. 29S R. 1W Sec. ALL
- Twp. 29S R. 1E Sec. ALL except 1
- Twp. 30S R. 1W Sec. ALL except 18-20, 39-32
- Twp. 30S R. 1E Sec. ALL
- Twp. 30S R. 2E Sec. 6, 7, 17-21, 28-34
- Twp. 31S R. 1W Sec. 1-3, 10-14, 23-26, 35, 36
- Twp. 31S R. 1E Sec. ALL except 28, 29, 32, 33, 34
- Twp. 31S R. 2E Sec. 3-11, 14-22, 28-31
- Twp. 32S R. 1E Sec. 1
- Twp. 32S R. 2E Sec. 5, 6
- Twp. 33S R. 1E Sec. 31, 32
- Twp. 34S R. 1E Sec. 1-3, 11-13
- Twp. 34S R. 2E Sec. 6-8, 17-20

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner Sam Brownback, Governor

July 14, 2014

David Arndt Torchlight Energy Operating, LLC 5700 PLANO PKWY SUITE 3600 PLANO, TX 75023

Re: Drilling Pit Application Hudson 4-1T SW/4 Sec.04-17S-03W McPherson County, Kansas

Dear David Arndt:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentoniteor native clay, constructed **without slots**, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. <u>NO</u> completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.