

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division 1212348

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15				
Name:			Spot Description:				
Address 1:			Sec.	TwpS. R	East _ West		
Address 2:			F6	eet from	South Line of Section		
City: S	tate: Zi	p:+	Fe	eet from East / V	West Line of Section		
Contact Person:			Footages Calculated from Nearest Outside Section Corner:				
Phone: ()			□ NE □ NV	V □SE □SW			
CONTRACTOR: License #			GPS Location: Lat:	, Long:			
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)		
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84			
Purchaser:			County:				
Designate Type of Completion:			Lease Name:	We	ell #:		
New Well Re	-Entry	Workover	Field Name:				
	_	_	Producing Formation:				
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground: Kelly Bushing:				
☐ OG	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:		
CM (Coal Bed Methane)	dow	тетір. Ава.	Amount of Surface Pipe Se	et and Cemented at:	Feet		
Cathodic Other (Con	e. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No		
If Workover/Re-entry: Old Well In			If yes, show depth set:		Feet		
Operator:			If Alternate II completion, of	cement circulated from:			
Well Name:			feet depth to:	w/	sx cmt.		
Original Comp. Date:	Original To	otal Depth:					
Deepening Re-perf.	Conv. to E	NHR Conv. to SWD	Drilling Fluid Manageme	nt Plan			
☐ Plug Back	Conv. to G	SW Conv. to Producer	(Data must be collected from t				
O constitued and	D		Chloride content:	ppm Fluid volume:	bbls		
CommingledDual Completion			Dewatering method used:				
SWD			Location of fluid disposal if	f haulad offsita:			
☐ ENHR			Location of fluid disposal fi	nauled offsite.			
			Operator Name:				
_			Lease Name:	License #:			
Spud Date or Date Rea	ached TD	Completion Date or	Quarter Sec	TwpS. R	East _ West		
Recompletion Date		Recompletion Date	County:	Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received						
Geologist Report Received						
UIC Distribution						
ALT I II III Approved by: Date:						

Page Two



Operator Name:				_ Lease I	Name: _			Well #:	
Sec Twp	S. R	East	West	County	:				
INSTRUCTIONS: Shopen and closed, flow and flow rates if gas to	ring and shut-in press o surface test, along v	ures, whe	ther shut-in pre chart(s). Attach	ssure reac extra shee	hed stati	c level, hydrosta space is neede	tic pressures, b	ottom hole temp	erature, fluid recov
Final Radioactivity Lo files must be submitted						ogs must be ema	liled to kcc-well-	logs@kcc.ks.go	v. Digital electronic
Drill Stem Tests Taker (Attach Additional		Y	es No			J	on (Top), Depth		Sample
Samples Sent to Geo	logical Survey	Y	es No		Nam	е		Тор	Datum
Cores Taken Electric Log Run			es No						
List All E. Logs Run:									
				RECORD	Ne				
	0: 11.1					ermediate, product		" 0 1	T 15
Purpose of String	Size Hole Drilled		ze Casing t (In O.D.)	Weig Lbs.		Setting Depth	Type of Cement	# Sacks Used	Type and Percer Additives
			ADDITIONAL	CEMENTI	NG / SQL	JEEZE RECORD			
Purpose:	Depth Top Bottom	Туре	of Cement	# Sacks	Used	Type and Percent Additives			
Perforate Protect Casing	Top Dottom								
Plug Back TD Plug Off Zone									
1 lug 0 li 20 lio									
Did you perform a hydrau	ulic fracturing treatment	on this well	?			Yes	No (If No, s	skip questions 2 a	nd 3)
Does the volume of the t			-		-		_ ` `	skip question 3)	
Was the hydraulic fractur	ing treatment informatio	n submitted	to the chemical of	disclosure re	gistry?	Yes	No (If No, 1	ill out Page Three	of the ACO-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Ceme	nt Squeeze Recor	rd Depth
Specify Footage of Each Interval I						(
TUBING RECORD:	Size:	Set At:		Packer A	t·	Liner Run:			
		0017111				[Yes N	o	
Date of First, Resumed	Production, SWD or EN	HR.	Producing Meth	nod:	g 🗌	Gas Lift (Other (Explain)		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wat	er B	bls.	Gas-Oil Ratio	Gravity
DIODOCITI	01.05.040			4ETUOD 05	. 00145/	TION:		DDOD! ICT!	
DISPOSITION Solo	ON OF GAS: Used on Lease		N Open Hole	∥ETHOD OF Perf.	_		nmingled	PRODUCTION	ON INTERVAL:
	bmit ACO-18.)		Other (Specify)		(Submit		mit ACO-4)		

DRILLERS LOG

Company:

THOMPSON OIL

Contractor: EK Energy LLC

License# 33977

Farm:

MONFORT

Well No:

J-4

API:

15-001-31098-00-00

Surface Pipe: 21.1'

County: Allen

Sec: 15 TWP: 24

Location:

2825 FSL

Range: 18E

Location:

5110 FEL

Spot: SW-SW-SW-NW

Thickness	Formation	Depth	Remarks
	SOIL & CLAY	8	Drilled 12.25 Hole Set 8 5/8
2	GRAVEL	10	Drilled 12.25 HOLE
38	LIME	48	4
82	SHALE	130	
118	LIME	248	Started 6/11/2014
38	SHALE	286	Finished 6/13/2014
12	SAND	298	
10	BROWN SAND	308	
7	SANDY SH	315	T.D. Hole 889
123	SHALE	438	T.D. PIPE 855
9	LIME	447	
12	SHALE	452	
12	SAND	464	BOTTOM JT 26.4'
54	SHALE	518	
30	LIME	548	
16	SHALE	564	
27	LIME	591	
9	SHALE	600	
4	LIME	604	
6	SHALE	610	
5	OIL SAND	615	
225	SHALE	840	
15	SAND	855	
18	OIL SAND	873	
3	SHALE	876	
13	OIL SAND	889	•
. 4	÷-		

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

NOTICE TO OWNER

which is the subject of this contract.

Payless Concrete Products, Inc.

Concrete to be delivered to the nearest accessible point over passable road, under truck's ownipower. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are

buyers responsibility.

Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK	1 % Air	PLANT/TRANSACTION #
Patra.					TC		
9:26 AM	WELL	- 10.50	10.50		35		ALLCO
DATE	EO NUMBE	LOAD#	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
				1.			
6/13/14	I WELL # J4	1	10.50		(7) (7) (7)	. 4 (A) in	3.7746.0

WARNING **IRRITATING TO THE SKIN AND EYES**

CAUSE BURNS. Avoid Contact With Eves and Prolonged Contact With Skin. In Case of Contact With Skin or Eyes, Flush Thoroughly With Water, If Irritation Persists, Get Medical Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time

CODE

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

Dear Customer-The driver of this truck in presenting this RELEASE to you for your signature is of the opinion that the size and weight of his truck may possibly cause damage to the premises and/or adjacent property if it places the material in this load where you desire it. It is properly in it, please the material in this load where you desire. It. it. so our wish to help you in every waynish two can, but in order to do this the driver is requesting that you sign this RELEASE relieving him and this supplier from any responsibility from any damage that may occur to the premises and/or adjacent properly. buildings, sidewalks, drivways, curbs, etc. by the delivery of this material, and that you also agree to help him remove mud from the wheels of his vehicle so that he will not litter the public street. Further, as additional consideraof this truck and this supplier for any and all damage to the premises and/or adjacent properly which may be claimed by anyone to have arisin out of delivery of this order. SIGNED tion, the undersigned agrees to indemnify and hold harmless the driver

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

GAL X

WEIGHMASTER

NOTICE: MY SIGNATURE BELOW INDICATES THAT I HAVE READ THE HEALTH WARNING NOTICE AND SUPPLIER WILL NOT BE RESPONSIBLE FOR ANY DAMAGE CAUSED WHEN DELIVERING INSIDE CURB LINE.

UNIT PRICE **EXTENDED PRICE**

QUANTITY

TOTAL ROUND TRIP

DESCRIPTION

UNLOADING TIME

TIME ALLOWED

DELAY TIME

TIME DUE

ADDITIONAL CHARGE 1

ADDITIONAL CHARGE 2

GRAND TOTAL

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYL	LINDER TEST TAKEN
	1015	1006	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN ADDED WATER	9. OTHER
943	956			

TOTAL AT JOB



E K Energy LLC 1495 3000 St. Moran, Ks. 66755 620-496-2526/620-852-3456 License # 33977

CEMENT RECORD

Company: Thompson Oil

Date 6/13/14

Lease: Monfort

Well: J-4

Hole size & depth: $6\frac{3}{4}$ - 889° Casing size & depth: $4\frac{1}{2}$ - 855°

Remarks:

Hooked up to 41/2 casing.

Extablished circulation, pumped 110 5x Cement. Displaced casing. Good returns cement to surface.