

Confidentiality Requested:

Yes No

## Kansas Corporation Commission Oil & Gas Conservation Division

1209664

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No. 15		
Name:	Spot Description:		
Address 1:	SecTwpS. R East West		
Address 2:	Feet from North / South Line of Section		
City: State: Zip:+	Feet from East / West Line of Section		
Contact Person:	Footages Calculated from Nearest Outside Section Corner:		
Phone: ()	□NE □NW □SE □SW		
CONTRACTOR: License #	GPS Location: Lat:, Long:		
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)  Datum: NAD27 NAD83 WGS84		
Wellsite Geologist:			
Purchaser:	County:		
Designate Type of Completion:	Lease Name: Well #:		
New Well Re-Entry Workover	Field Name:		
☐ Oil ☐ WSW ☐ SWD ☐ SIOW ☐ Gas ☐ D&A ☐ ENHR ☐ SIGW ☐ OG ☐ GSW ☐ Temp. Abd. ☐ CM (Coal Bed Methane) ☐ Cathodic ☐ Other (Core, Expl., etc.): ☐  If Workover/Re-entry: Old Well Info as follows:  Operator: ☐  Well Name:	Producing Formation:  Elevation: Ground: Kelly Bushing:  Total Vertical Depth: Plug Back Total Depth:  Amount of Surface Pipe Set and Cemented at: Feet  Multiple Stage Cementing Collar Used? Yes No  If yes, show depth set: Feet  If Alternate II completion, cement circulated from: sx cmt.		
Original Comp. Date: Original Total Depth:	'		
□ Deepening       □ Re-perf.       □ Conv. to ENHR       □ Conv. to SWD         □ Plug Back       □ Conv. to GSW       □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)		
□ Commingled         Permit #:	Chloride content: ppm Fluid volume: bbls  Dewatering method used:  Location of fluid disposal if hauled offsite:		
☐ ENHR         Permit #:           ☐ GSW         Permit #:	Operator Name:		
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec.         TwpS. R East West           County:         Permit #:		

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received					
Geologist Report Received					
UIC Distribution					
ALT I II Approved by: Date:					

Page Two



Operator Name:				Lease N	Name: _			_ Well #:		
Sec Twp	S. R	East	West	County	:					
	ow important tops of fo ing and shut-in pressu o surface test, along wi	res, whe	ther shut-in pre	ssure reacl	hed stati	c level, hydrosta	tic pressures, bo			
Final Radioactivity Logilles must be submitted						gs must be ema	iled to kcc-well-lo	ogs@kcc.ks.go	v. Digital	electronic log
Drill Stem Tests Taken (Attach Additional S		Ye	es No			3	on (Top), Depth a			Sample
Samples Sent to Geol	ogical Survey	Ye	es 🗌 No		Nam	9		Тор	L	Datum
Cores Taken Electric Log Run		☐ Y€								
List All E. Logs Run:										
			CASING	RECORD	│ Ne	w Used				
		Repo				rmediate, producti	on, etc.			
Purpose of String	Size Hole Drilled		e Casing t (In O.D.)	Weig Lbs./		Setting Depth	Type of Cement	# Sacks Used		and Percent additives
Purpose	Depth					EEZE RECORD				
Purpose: Perforate	Top Bottom	Туре	of Cement	# Sacks	# Sacks Used Type and Percent Additives					
Protect Casing Plug Back TD										
Plug Off Zone										
Did you perform a hydrau	ilic fracturing treatment or	this well?	?			Yes	No (If No, sk	aip questions 2 ar	nd 3)	
	otal base fluid of the hydra		•		•			rip question 3)		
Was the hydraulic fractur	ing treatment information	submitted	to the chemical of	disclosure reg	gistry?	Yes	No (If No, fil	out Page Three	of the ACC	D-1)
Shots Per Foot			RD - Bridge Plug Each Interval Perl				cture, Shot, Cemen		d	Depth
TUBING RECORD:	Size:	Set At:		Packer At	t:	Liner Run:				
							Yes No	1		
Date of First, Resumed	Production, SWD or ENH	R.	Producing Meth Flowing	nod:	g 🗌	Gas Lift C	other (Explain)			
Estimated Production Per 24 Hours	Oil Bl	bls.	Gas	Mcf	Wate	er Bl	ols.	Gas-Oil Ratio		Gravity
DIODOGITI	ON OF CAC			ACTUOD OF	COMPLE	TION		DDODUOTI		\/AL.
Vented Sold	ON OF GAS:  Used on Lease		N Open Hole	NETHOD OF $\Box$ Perf.	Dually	Comp. Con	nmingled	PRODUCTIO	λιν ΙΙΝ Ι ΕΚ\	VAL
(If vented, Sub			Other (Specify)		(Submit A	ACO-5) (Subi	mit ACO-4)			

Form	ACO1 - Well Completion
Operator	SandRidge Exploration and Production LLC
Well Name	Elizabeth 2819 1-19
Doc ID	1209664

## Tops

Name	Тор	Datum
Base Anhydrite	2557	-233
Base Heebner Shale Marker	4174	-1850
Top Lansing Limestone Group	4322	-1998
Top Marmaton Limestone Group	4744	-2420
Top Big Lime	4784	-2460
Top Oswego Limestone	4793	-2469
Top Pawnee Limestone	4830	-2506
Top Fort Scott Limestone	4863	-2539
Top Cherokee Shale Marker	4873	-2459
Top Mississippi Unconformity	4941	-2617
Top Mississippi Limey Cherts (Osage)	4955	-2631

Form	ACO1 - Well Completion
Operator	SandRidge Exploration and Production LLC
Well Name	Elizabeth 2819 1-19
Doc ID	1209664

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Conductor	30	20	75	60	grout	10	see report
Surface	12.25	8.75	36	1320	Class A 65:35 POZ blend		see report

## **INVOICE**



DATE	INVOICE #
3/5/2014	4595

**BILL TO** 

SANDRIDGE ENERGY, INC. ATTN: PURCHASING MANAGER 123 ROBERT S. KERR AVENUE OKLAHOMA CITY, OK 73102

#### **REMIT TO**

EDGE SERVICES, INC. PO BOX 609 WOODWARD, OK 73802

COUNTY	STARTING D	WORK ORDER	RIG NUMBER	LEASE NAME	Terms
KIOWA, KS	3/1/2014	3504	HORIZON 4	ELIZIBETH 2819 1-19H	Due on rec

#### Description

DRILLED 60' OF 30" CONDUCTOR HOLE
DRILLED 6' OF 76" HOLE
FURNISHED AND SET 6' X 6' TINHORN CELLAR
FURNISHED 60' OF 20" CONDUCTOR PIPE
FURNISHED WELDER AND MATERIALS
FURNISHED 5 YARDS OF GRADE A CEMENT
DRILL MOUSE HOLE

TOTAL BID \$9,888.80

**Sales Tax (7.15%)** 

\$88.80

**TOTAL** 

\$9,888.80



SandRidge Energy Elizabeth #2819 1-19H Kiowa County, KS.

## 1.0 Executive Summary

Allied Oil & Gas Services would like to thank you, for the award of the provision of cementing products and services on the well Elizabeth #2819 1-19 surface casing.

A pre-job meeting was held to discuss job details, review the safety hazards, potential environmental impact and established emergency procedures.

Allied started the job testing lines to 2000 psi. After a successful test we began the job by pumping 10 bbls of preflush spacer. We then mixed and pumped the following cements:

98 Bbls (295 sacks) of 12.7 ppg Lead slurry: 65:35 Class A:Poz Blend - 1.87 Yield 6.0% Gel 2.0%cc 1/4# Floseal

32Bbls (150 sacks) of 15.6 ppg Tail slurry: Class A - 1.20 Yield 2.0%cc 1/4# Floseal

The top plug was then released and displaced with 69.5 Bbls of fresh water. The plug bumped and pressured up to 1100 psi. Pressure was released and floats held.

All real time data is shown on the graph in the attachment section.

Allied Oil & Gas Services remains committed to provide operational excellence and superior product performance. All comments and suggestions are greatly appreciated and help us to continue to provide this level of service.

Again we want to thank you for the opportunity to perform these and your future cementing & acidizing service needs.



SandRidge Energy Elizabeth 2819 1-19 Kiowa Co.

## 1.0 Executive Summary

Allied Oil & Gas Services would like to thank you, for the award of the provision of cementing products and services on the well Elizabeth 2819 1-19 Rotary Plug

A pre-job meeting was held to discuss job details, review the safety hazards, potential environmental impact and established emergency procedures.

Allied started the job testing lines to 2000 psi. After a successful test we began the job by spotting 4 cement plugs with a gel spacer ahead and behind each plug, then displaced with mud to desired depth. 215 sacks total pumped as follows:

Plug 1 at 1260':

12.02 Bbls (50 sacks) of 14.1 ppg 60:40 Class A: Poz Blend – 1.35 Yield 4.0% Gel

Plug 2 at 960':

18.03 Bbls (75 sacks) of 14.1 ppg 60:40 Class A: Poz Blend – 1.35 Yield 4.0% Gel

Plug 3 at 330':

14.43 Bbls (60 sacks) of 14.1 ppg 60:40 Class A: Poz Blend – 1.35 Yield 4.0% Gel

Plug 4 at 60':

7.21 Bbls (30 sacks) of 14.1 ppg 60:40 Class A: Poz Blend – 1.35 Yield 4.0% Gel

All real time data is shown on the graph in the attachment section.

Allied Oil & Gas Services remains committed to provide operational excellence and superior product performance. All comments and suggestions are greatly appreciated and help us to continue to provide this level of service.

Again we want to thank you for the opportunity to perform these and your future cementing & acidizing service needs.