

C	onfiden	tiality	/ Request	ed:
	Yes	N	lo	

Kansas Corporation Commission Oil & Gas Conservation Division

1210049

Form ACO-1
August 2013
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #			API No. 15		
Name:			Spot Description:		
Address 1:			Sec.	TwpS. R	East _ West
Address 2:			F6	eet from	South Line of Section
City: S	tate: Zi	p:+	Fe	eet from East / V	West Line of Section
Contact Person:			Footages Calculated from	Nearest Outside Section Co	orner:
Phone: ()			□ NE □ NW	V □SE □SW	
CONTRACTOR: License #			GPS Location: Lat:	, Long:	
Name:				(e.g. xx.xxxxx)	(e.gxxx.xxxxx)
Wellsite Geologist:			Datum: NAD27	NAD83 WGS84	
Purchaser:			County:		
Designate Type of Completion:			Lease Name:	We	ell #:
New Well Re	-Fntrv	Workover	Field Name:		
	_	_	Producing Formation:		
☐ Oil ☐ WSW ☐ D&A	☐ SWD	∐ SIOW □ SIGW	Elevation: Ground: Kelly Bushing:		
	GSW	Temp. Abd.	Total Vertical Depth:	Plug Back Total De	epth:
CM (Coal Bed Methane)	dow	тетір. ды.	Amount of Surface Pipe Se	et and Cemented at:	Feet
Cathodic Other (Con	e. Expl., etc.):		Multiple Stage Cementing	Collar Used? Yes	No
If Workover/Re-entry: Old Well In			If yes, show depth set:		Feet
Operator:			If Alternate II completion, of	cement circulated from:	
Well Name:			feet depth to:	w/	sx cmt.
Original Comp. Date:	Original To	otal Depth:			
Deepening Re-perf.	Conv. to E	NHR Conv. to SWD	Drilling Fluid Managemer	nt Plan	
☐ Plug Back	Conv. to G	SW Conv. to Producer	(Data must be collected from t		
O constitued and	D		Chloride content:	ppm Fluid volume:	bbls
CommingledDual Completion			Dewatering method used:		
SWD			Location of fluid disposal if	f haulad offsita:	
☐ ENHR			Location of fluid disposal fi	nauleu olisite.	
GSW			Operator Name:		
_			Lease Name:	License #:	
Spud Date or Date Rea	ached TD	Completion Date or	QuarterSec	TwpS. R	East _ West
Recompletion Date		Recompletion Date	County:	Permit #:	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received				
Geologist Report Received				
UIC Distribution				
ALT I II Approved by: Date:				

Page Two



Operator Name:			Lease Name:			Well #:	
Sec Twp	S. R	East West	County:				
INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.							
		tain Geophysical Data a r newer AND an image f		gs must be ema	iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Taker (Attach Additional		Yes No			on (Top), Depth an		Sample
Samples Sent to Geo	logical Survey	☐ Yes ☐ No	Nam	9		Тор	Datum
Cores Taken Electric Log Run		Yes No					
List All E. Logs Run:							
		CASING Report all strings set-c	RECORD Ne conductor, surface, inte		ion, etc.		
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
	5	ADDITIONAL	CEMENTING / SQU	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Type of Cement # Sacks Used		Type and Percent Additives			
Protect Casing Plug Back TD							
Plug Off Zone							
					¬		
	ulic fracturing treatment or otal base fluid of the hydra	n this well? aulic fracturing treatment ex	ceed 350,000 gallons	Yes ? Yes		p questions 2 an p question 3)	d 3)
		submitted to the chemical of	_	Yes		out Page Three	of the ACO-1)
Shots Per Foot		N RECORD - Bridge Plug		Acid, Fracture, Shot, Cement Squeeze Record			
Onots Fer Foot	Specify Fo	ootage of Each Interval Perf	orated	(Aı	mount and Kind of Ma	terial Used)	Depth
TUBING RECORD:	Size:	Set At:	Packer At:	Liner Run:	Yes No		
Date of First, Resumed	Production, SWD or ENH	R. Producing Meth	nod:				
		Flowing		Gas Lift C	Other (Explain)		
Estimated Production Per 24 Hours	Oil BI	bls. Gas	Mcf Wate	er B	bls. G	as-Oil Ratio	Gravity
DISPOSITION	ON OF GAS:	N.	METHOD OF COMPLE	TION:		PRODUCTIO	N INTERVAL:
Vented Solo		Open Hole	Perf. Dually	Comp. Cor	nmingled		
(Submit ACO-5) (Submit ACO-4)							

Form	ACO1 - Well Completion
Operator	N & W Enterprises, Inc.
Well Name	Giefer Inj 23
Doc ID	1210049

Casing

Purpose Of String		Size Casing Set	Weight	Setting Depth			Type and Percent Additives
Surface	9.875	8	6.75	20	Portland	4	none
Longstring	5.875	2.875	6.75	398	Portland	65	

Kepley Well Service, LLC

19245 Ford Road Chanute, KS 66720

Date	Invoice #	
6/10/2014	49722	

Cement Treatment Report

N & W Enterprise Inc. 1111 S. Margrave Fort Scott, KS 66701 (x) Landed Plug on Bottom at 900 PSI
() Shut in Pressure psi
(x)Good Cement Returns
() Topped off well with______ sacks
(x) Set float shoe

TYPE OF TREATMENT: Production Casing HOLE SIZE: 6 1/8"
TOTAL DEPTH: 402

Well Name	Terms	Due Date
	Net 15 days	6/10/2014

Service or Product	Qty	Per Foot Pricing/Unit Pricing	Amount
Run and cement 2 7/8" Sales Tax	398	3.00 7.15%	1,194.00 0.00
6-14 Giefer #23 Injection			*
Crawford County Section: Township: Range:			

Hooked onto 2 7/8" casing. Established circulation with 1.5 barrels of water, GEL, METSO, COTTONSEED ahead, blended 65 sacks of straight cement, dropped rubber plug, and pumped 2.4 barrels of water

Total	\$1,194.00
Payments/Credits	\$0.00
Balance Due	\$1,194.00



Operator:

N&W Enterprises, Inc. Fort Scott, KS

Giefer # Inj 23

Crawford Co., KS 34-28-22E API:15-037-22279-00-00

Spud Date:

5/30/2014

Surface Bit:

9.875"

Surface Casing:

7.0"

Drill Bit:

5.875"

Surface Length:

20.10'

Longstring:

398.05

Surface Cement:

4 sx.

Longstring Date: 6/2/2014

Longstring:

2 7/8" EUE

Driller's Log

		Dilliois	
Тор	Bottom	Formation	Comments
0	2	Soil	
2	9	Clay	
9	15	Sand Stone	
15	45	Shale	
45	52	Lime	
52	53	Coal	
53	93	Lime	
93	117	Shale	
117	127	Limey Shale	
127	137	Sand	No odor
137	155	Sandy Shale	
155	159	Shale	
159	179	Lime	
179	187	Blk Shale	
187	193	Lime	
193	287	Shale	
287	288	Coal	
288	298	Shale	
298	301	Lime	
301	356	Shale	
356	357	Coal	
359	360	Sandy Shale	
360	372	Sand	360-370 good bleed, soft, good odor
372	402	Shale	370-374 blk sand, heavy oil
402		TD	