



BASIN SERVICES, LLC
 P O BOX 4268
 ABILENE, TX 79608-4268
 Phone # (325)690-0053
 Fax # (325)698-0055

TICKET

TICKET NUMBER: WY-254-1
 TICKET DATE: 03/28/2014

ELECTRONIC

SANDRIDGE ENERGY
 ***** BILL IN ADP!! *****
 123 ROBERT S KERR AVE
 OKLAHOMA CITY, OK 73102-6406

YARD: WY WAYNOKA OK
 LEASE: Lexy SWD 3406
 WELL#: 1-19
 RIG #: Horizon 5
 Co/St: HARPER, KS

DESCRIPTION	QUANTITY	RATE	AMOUNT
3/27-28/2014 DRILLED 30" CONDUCTOR HOLE			
3/27-28/2014 20" CONDUCTOR PIPE (.250 WALL)			
3/27-28/2014 6' X 6' CELLAR TINHORN WITH PROTECTIVE RING			
3/27-28/2014 DRILL & INSTALL 6' X 6' CELLAR TINHORN			
3/27-28/2014 DRILLED 20" MOUSE HOLE (PER FOOT)			
3/27-28/2014 16" CONDUCTOR PIPE (.250 WALL)			
3/27-28/2014 MOBILIZATION OF EQUIPMENT & ROAD PERMITTING FEE			
3/27-28/2014 WELDING SERVICES FOR PIPE & LIDS			
3/27-28/2014 PROVIDED EQUIPMENT & LABOR TO ASSIST IN PUMPING CONCRETE			
3/27-28/2014 PROVIDED METAL LIDS (1 FOR CONDUCTOR & 2 FOR MOUSEHOLE PIPE)			
3/27-28/2014 10 YDS OF 10 SACK GROUT			
3/27-28/2014 TAXABLE ITEMS			4,100.00
3/27-28/2014 BID - TAXABLE ITEMS			13,150.00
		Sub Total:	17,250.00
		Tax HARPER COUNTY (6.15 %):	252.15
		TICKET TOTAL:	<u>\$ 17,502.15</u>

I, the undersigned, acknowledge the acceptance of the above listed goods and/or services.

Approved Signature _____

JOB SUMMARY			PROJECT NUMBER SOK 3617	TICKET DATE 04/15/14
COUNTY Harper	State Kansas	COMPANY Bridge Exploration & Produc	CUSTOMER REP Bill Tomlinson	
LEASE NAME Lexy SWD 3406	Well No. 1-19	JOB TYPE Surface	EMPLOYEE NAME LOUIS ARNEY	

EMP NAME					
Louis Arney					
Vontray Watkins					
Danny Tewell					
Ron Derry					

Form. Name _____ Type: _____
Packer Type _____ Set At **0**
Bottom Hole Temp. **80** Pressure _____
Retainer Depth _____ Total Depth **800'**

Date	Called Out 4/15/2014	On Location 4/15/2014	Job Started 4/15/2014	Job Completed 4/16/2014
Time	1500	1930	2222	0030

Tools and Accessories		
Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Va	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

Well Data							
	New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing		24#	8 1/4"		Surface	800'	1,500
Liner							
Liner							
Tubing			0				
Drill Pipe							
Open Hole				12 1/4"	Surface	800'	Shots/Ft.
Perforations							
Perforations							
Perforations							

Materials			
	WBM	Density	Lb/Gal
Mud Type		9	
Disp. Fluid	Fresh Water	8.33	Lb/Gal
Spacer type	Fresh Water BBL.	10	8.33
Spacer type	BBL.		
Acid Type	Gal.		%
Acid Type	Gal.		%
Surfactant	Gal.		ln
NE Agent	Gal.		ln
Fluid Loss	Gal/Lb		ln
Gelling Agent	Gal/Lb		ln
Fric. Red.	Gal/Lb		ln
MISC.	Gal/Lb		ln

Perfpac Balls _____ Qty. _____
Other _____
Other _____
Other _____
Other _____

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
4/15	5.0	4/16	1.0	Surface
Total	5.0	Total	1.0	

Pressures			
MAX	1,500 PSI	AVG.	300
Average Rates in BPM			
MAX	6 BPM	AVG	4
Cement Left in Pipe			
Feet	46	Reason	SHOE JOINT

Cement Data				W/Rq.	Yield	Lbs/Gal
Stage	Sacks	Cement	Additives			
1	290	TEX Lite Premium Plus 65	(6% Gel) 2% Calcium Chloride - 1/4pps Cello-Flake - .4% C-41P	11.11	2.01	12.40
2	200	Premium Plus (Class C)	2% Calcium Chloride - 1/4pps Cello-Flake	6.32	1.32	14.80
3	*100	Premium Plus (Class C)	*2% Calcium Chloride on side to use if necessary	*6.32	*1.32	*14.8

Summary							
Preflush Breakdown	Type: _____	MAXIMUM	1,500 PSI	Preflush: BBI	10.00	Type: Fresh Water	
	Lost Returns	NO/FULL		Load & Bkdn: Gal - BBI	N/A	Pad:Bbl -Gal	N/A
	Actual TOC	SURFACE		Excess /Return BBI	49	Calc.Disp Bbl	47
Average	Bump Plug PSI:	900		Calc. TOC:	SURFACE	Actual Disp.	46.00
IS:F 5 Min.	10 Min	15 Min		Final Circ. PSI:	425	Disp:Bbl	
				Cement Slurry BBI	151.0		
				Total Volume BBI	207.00		

CUSTOMER REPRESENTATIVE Bill Tomlinson SIGNATURE

JOB SUMMARY			PROJECT NUMBER SOK 3659	TICKET DATE 04/25/14
COUNTY Harper	State Kansas	COMPANY Sandridge Exploration & Production	CUSTOMER REP Bill Tomlinson	
LEASE NAME Lexy SWD 3406	Well No. 1-19	JOB TYPE Intermediate	EMPLOYEE NAME Arthur Setzer	

EMP NAME	0				
Arthur Setzer					
Jared Green					
David Settlemier					
Cody Bonitz					

Form. Name _____ Type: _____

Packer Type _____ Set At 0

Bottom Hole Temp. 155 Pressure _____

Retainer Depth _____ Total Depth 5,464'

Date	Called Out 4/25/2014	On Location 4/25/2014	Job Started 4/25/2014	Job Completed 4/25/2014
Time	0600	1300	1655	1900

Type and Size	Qty	Make
Auto Fill Tube	0	IR
Insert Float Va	0	IR
Centralizers	0	IR
Top Plug	0	IR
HEAD	0	IR
Limit clamp	0	IR
Weld-A	0	IR
Texas Pattern Guide Shoe	0	IR
Cement Basket	0	IR

	New/Used	Weight	Size	Grade	From	To	Max. Allow
Casing		17#	5 1/2"		Surface		5,000
Liner							
Liner							
Tubing			0				
Drill Pipe							
Open Hole			7 7/8"		Surface	5,464'	Shots/Ft.
Perforations							
Perforations							
Perforations							

Materials			
Mud Type	WBM	Density	Lb/Gal
Disp. Fluid	Fresh Water	8.33	
Spacer type	Fresh Water BBL.	20	8.33
Spacer type	Caustic BBL.	10	8.40
Acid Type	Gal.	%	
Acid Type	Gal.	%	
Surfactant	Gal.	In	
NE Agent	Gal.	In	
Fluid Loss	Gal/Lb	In	
Gelling Agent	Gal/Lb	In	
Fric. Red.	Gal/Lb	In	
MISC.	Gal/Lb	In	

Hours On Location		Operating Hours		Description of Job
Date	Hours	Date	Hours	
4/25	6.0	4/25	2.0	Intermediate
Total	6.0	Total	2.0	

Perpac Balls _____ Qty. _____

Other _____

Other _____

Other _____

Other _____

Other _____

Pressures		Average Rates in BPM	
MAX	AVG.	MAX	AVG.
5,000 PSI	850	8 BPM	5
Cement Left in Pipe		Reason	
Feet	84	SHOE JOINT	

Cement Data			
Stage	Sacks	Cement	Additives
1	460	O-Tex Lite Premium 65/35	(Class H) - 6% Gel - 0.2% FL-17 - 0.1% C-20 - 0.4% C-41P - 1/4 pps Celloflake
2	200	Premium Plus (Class C)	(Class C) - 0.2% FL-17 - 0.2% C-20 - 0.4% C-41P - 1/4 pps Celloflake
3	0	0	0
			W/Rq. Yield Lbs/Gal
			11.04 2.01 12.40
			6.32 1.33 14.80
			0 0.00 0.00 0.00

Summary			
Preflush Breakdown	Type	Caustic	Preflush: BBI
10	MAXIMUM	5,000 PSI	Gal - BBI
	Lost Returns	NO/FULL	Excess /Return BBI
	Actual TOC		Calc. TOC
	Bump Plug PSI:		Final Circ. PSI:
5 Min.	10 Min.	15 Min.	Cement Slurry BBI
			Total Volume BBI
			30.00
			N/A
			N/A
			surface
			850
			211.0
			366.00
			Type: Gel Spacer
			Pad:Bbl -Gal N/A
			Calc.Disp Bbl 125
			Actual Disp. 125.00
			Disp:Bbl 125.00

CUSTOMER REPRESENTATIVE Bill Tomlinson SIGNATURE