

GENERAL INFORMATION

Client Information:

Company: L D DRILLING INC

Contact: L D DAVIS

Phone: Fax: e-mail:

Site Information:

Contact: JIM MUSGROVE

Phone: Fax: e-mail:

Well Information:

Name: STOSKOPF 1-22

Operator: L D DRILLING INC

Location-Downhole:

Location-Surface: S22/19S/14W

Test Information:

Company: DIAMOND TESTING

Representative: JOHN RIEDL

Supervisor: JIM MUSGROVE

Test Type: DST#4 CONVENTIONAL Job Number: J3221

Test Unit:

Start Date: 2014/04/15 Start Time: 18:40:00

End Date: 2014/04/15 End Time: 23:40:00

Report Date: 2014/04/15 Prepared By: JOHN RIEDL

Qualified By: JIM MUSGROVE

Remarks:

RECOVERY: 5' DRILLING MUD



DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: STC/Stoskopf1-22dst4

TIME ON: 18:45 4/15/2014
TIME OFF: 23:50:00 4/15/2014

Company L D DRILLING INC Lease & Well No. STOSKOPF 1-22
Contractor PETROMARK DRLG RIG #2 Charge to L D DRILLING INC
Elevation 1893 K.B Formation LANS "F" Effective Pay _____ Ft. Ticket No. J3221
Date 4/15/14 Sec. 22 Twp. 19 S Range 14 W County BARTON State KANSAS
Test Approved By JIM MUSGROVE Diamond Representative JOHN RIEDL

Formation Test No. 4 Interval Tested from 3250 ft. to 3308 ft. Total Depth 3308 ft.

Packer Depth 3245 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Packer Depth 3250 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 3253 ft. Recorder Number 30046 Cap. 6000 P.S.I.

Bottom Recorder Depth (Outside) 3305 ft. Recorder Number 13498 Cap. 4000 P.S.I.

Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 51 Drill Collar Length 120 ft. I.D. 2 1/4 in.

Weight 9.1 Water Loss 9.3 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.

Chlorides 7,000 P.P.M. Drill Pipe Length 3108 ft. I.D. 3 1/2 in.

Jars: Make STERLING Serial Number NOT REQUESTED Test Tool Length 22 ft. Tool Size 3 1/2-IF in.

Did Well Flow? NO Reversed Out NO Anchor Length 58 ft. Size 4 1/2-FH in.

Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. D.P 31' Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK 1/4" DEAD IN 10 MIN.

2nd Open: NO BLOW

Recovered 5 ft. of DRILLING MUD WITH A FEW OILSPKS

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Recovered _____ ft. of _____

Remarks: TOTAL FLUID REC: 5' (5' IN DRILL COLLARS)

TOOLSAMPLE GRINDOUT: (100% MUD)

Price Job

Other Charges

Insurance

Total

Time Set Packer(s) 8:10 P.M A.M. P.M. Time Started Off Bottom 10:10 P.M A.M. P.M. Maximum Temperature 94

Initial Hydrostatic Pressure..... (A) 1557 P.S.I.

Initial Flow Period..... Minutes 30 (B) 16 P.S.I. to (C) 20 P.S.I.

Initial Closed In Period..... Minutes 30 (D) 49 P.S.I.

Final Flow Period..... Minutes 30 (E) 23 P.S.I. to (F) 25 P.S.I.

Final Closed In Period..... Minutes 30 (G) 38 P.S.I.

Final Hydrostatic Pressure..... (H) 1541 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.

STOSKOPF 1-22

