




11 Lewis Drive

Paola, KS 66071

**Oil & Gas Well Drilling
Water Wells
Geo-Loop Installation**

Phone: 913-557-9083

Fax: 913-557-9084

WELL LOG

Altavista Energy, Inc.

R. Salava North #1

API # 15-031-22,725

August 23 - August 25, 2010

<u>Thickness of Strata</u>	<u>Formation</u>	<u>Total</u>
17	soil & clay	17
5	lime	22
8	shale	30
5	lime	35
178	shale	213
46	lime	259
35	shale	294
53	lime	347
76	shale	423
5	lime	428
6	shale	434
5	lime	439
6	shale	445
8	lime	453
11	shale	464
18	lime	482
11	shale	493
2	lime	495
41	shale	536
2	lime	538
10	shale	548
45	lime	593
9	shale	602
23	lime	625
3	shale	628
5	lime	633
4	shale	637
14	lime	651 base of the Kansas City
164	shale	815
3	lime	818
2	shale	820
4	lime	824
7	shale	831
16	lime	847
15	shale	862
8	lime	870
6	shale	876
14	lime	890
13	shale	903
7	lime	910

R. Salava North #1

Page 2

11	shale	921
6	lime	927
39	shale	966
9	lime	975
2	shale	977
14	lime	991
24	shale	1015
1	lime	1016
5	shale	1021
2	broken sand	1023
7	silty shale	1030
12	shale	1042 TD

Drilled a 9 7/8" hole to 41.2'
 Drilled a 5 5/8" hole to 1042.

Cored from 1022'-1042'

Set 41.2' of 7" surface casing with 10 sacks gel cemented by Consolidated Oil Services.

This well was plugged with 10 sacks of cement at 1042', 10 sacks at 640', and filled from 250' to the top.

Core Times

	<u>Minutes</u>	<u>Second</u>
1022		28
1023		37
1024		39
1025		46
1026		45
1027		45
1028		45
1029		59
1030		45
1031	1	10
1032		49
1033		48
1034		52
1035		55
1036		52
1037		50
1038		55
1039		44
1040		49
1041		56