

QUALITY WELL SERVICE, INC.

611

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410
Fax 620-672-3663

Rich's Cell 620-727-3409
Brady's Cell 620-727-8964

Date	2-19-14	Sec.	21	Twp.	28	Range	23W	County	Ford	State	KS	On Location	12 AUG 14	Finish	4000 ft	
Lease	Malone	Well No.	3-21			Location <u>Kingsdaen 2N 3W 2N</u>										
Contractor	Duke 1							Owner								
Type Job	Surface							To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed								
Hole Size	12 1/4			T.D.												
Csg.	8 5/8			Depth				Charge To <u>Vincent oil Corp</u>								
Tbg. Size				Depth				Street								
Tool				Depth				City				State				
Cement Left in Csg.	40'			Shoe Joint				The above was done to satisfaction and supervision of owner agent or contract								
Meas Line				Displace 39.6				Cement Amount Ordered <u>1255x MDC</u>								
EQUIPMENT										<u>1255x Common 2% Gel 3% CC H.C.F.</u>						
Pumptrk	6	No.	<u>Derek</u>		Common <u>1255x MDC</u>											
Bulktrk	9	No.	<u>Leahann</u>		Pez-Mix <u>1255x Common</u>											
Bulktrk	10	No.	<u>Steven</u>		Gel. <u>11</u>											
Pickup		No.	<u>Richard</u>		Calcium <u>10</u>											
JOB SERVICES & REMARKS										Hulls						
Rat Hole											Salt					
Mouse Hole											Flowseal <u>66.25</u>					
Centralizers											Kol-Seal					
Baskets											Mud CLR 48					
D/V or Port Collar											CFL-117 or CD110 CAF 38					
<u>Ran jts 8 5/8 Csg.</u>										Sand						
<u>Established circulation with Mud Pump.</u>										Handling <u>271</u>						
<u>Mix 1255x MDC Followed by 1255x Common 2% Gel 3% CC 1/4 C.F. Released Plug. Displaced with bbls 1 3/4 Landed Plug @ 500 psi. shut in.</u>										Mileage <u>50</u>						
<u>Cement did circulate to surface</u>										FLOAT EQUIPMENT						
										Guide Shoe						
										Centralizer						
										Baskets						
										AFU Inserts						
										Float Shoe						
										Latch-Down Service Supervisor						
										<u>8 5/8 Baffle Plate</u>						
										<u>8 5/8 Wooden Plug.</u>						
										Pumptrk Charge <u>Surface</u>						
										Mileage <u>50 x 2</u>						
										Tax						
										Discount						
										Total Charge						
Signature <u>Mike Hickey</u>																

ALLIED OIL & GAS SERVICES, LLC 062335

Federal Tax I.D. # 20-8661475

REMIT TO P.O. BOX 93999
SOUTHLAKE, TEXAS 76092

SERVICE POINT: Men Lodge K

DATE <u>3-1-14</u>	SEC <u>21</u>	TWP <u>28</u>	RANGE <u>23</u>	CALLED OUT <u>1:00 P.M</u>	ON LOCATION <u>3:00 P.M</u>	JOB START	JOB FINISH
LEASE <u>Malone</u>	WELL# <u>3-21</u>	LOCATION <u>Kingsdown Ks N to Wilbuen Rd</u>	COUNTY <u>Ford</u>	STATE <u>Ks</u>			
OLD OR NEW (Circle one)			<u>4W to Rd 121 1 3/4 N W into</u>				

CONTRACTOR <u>Duke #1</u>	OWNER <u>Vincent OIL Corp</u>
TYPE OF JOB <u>5 1/2 L.S. PRODUCTION</u>	
HOLE SIZE <u>7 7/8</u>	T.D.
CASING SIZE <u>5 1/2 15.5</u>	DEPTH <u>5651</u>
TUBING SIZE	DEPTH
DRILL PIPE	DEPTH
TOOL	DEPTH
PRES. MAX	MINIMUM
MEAS. LINE	SHOE JOINT <u>21</u>
CEMENT LEFT IN CSG. <u>21</u>	
PERFS.	
DISPLACEMENT <u>134 Bbls 2 1/2 KCL</u>	

EQUIPMENT	
PUMP TRUCK CEMENTER <u>T. SCBA</u>	
# <u>555-558</u> HELPER <u>Scott P</u>	
BULK TRUCK	
# <u>89A-553</u> DRIVER <u>JAMES B</u>	
BULK TRUCK	
#	DRIVER

CEMENT	
AMOUNT ORDERED <u>50x 60kg 4 1/2 65L</u>	
<u>2000x ASC 5 1/2x Kosen L .5% FL 160</u>	
COMMON <u>A 30</u> <u>5x</u> @ <u>17.90</u>	<u>537.00</u>
POZMIX <u>20</u> <u>5x</u> @ <u>9.35</u>	<u>187.00</u>
GEL <u>2</u> <u>5x</u> @ <u>23.40</u>	<u>46.80</u>
CHLORIDE @	
ASC <u>200</u> <u>5x</u> @ <u>20.90</u>	<u>4180.00</u>
<u>Kolseal 1000</u> @ <u>.98</u>	<u>980.00</u>
<u>FL-160 94</u> @ <u>18.90</u>	<u>1776.60</u>
<u>ASF 12</u> <u>Bbls</u> @ <u>58.70</u>	<u>704.40</u>
<u>KCL 14</u> <u>Gals</u> @ <u>34.40</u>	<u>481.60</u>
	@
	@
	@
	@
HANDLING <u>366.89</u> @ <u>2.48</u>	<u>761.08</u>
MILEAGE <u>14.83/35/2-60</u>	<u>1349.53</u>
TOTAL <u>11,004.01</u>	

REMARKS:
Run 134 H5 + L.S. sgd
5.5-21' Reg G.S. W. 1' AFV insert
Cent 1-3-5-7-9-11-13
50x 60kg 4 1/2 Gal R-M holes 14.1 1/2 gal
2000x ASC 5 1/2x Kosen L .5% FL 160 14.5 1/2 gal
Pump 3 Bbls H2O 12 Bbls ASF 3 Bbls H2O
12.5 134 Bbls 2 1/2 KCL
plug down 11:00 p.m 2000' Release
HELD

CHARGE TO: Vincent Oil Corp
 STREET _____
 CITY _____ STATE _____ ZIP _____

SERVICE	
DEPTH OF JOB <u>5651'</u>	
PUMP TRUCK CHARGE <u>3149.28</u>	
EXTRA FOOTAGE @	
MILEAGE <u>35</u> @ <u>7.70</u>	<u>269.50</u>
MANIFOLD @	<u>275.60</u>
<u>LV 35</u> @ <u>4.40</u>	<u>154.00</u>
	@
TOTAL <u>3848.28</u>	

To: Allied Oil & Gas Services, LLC.
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PLUG & FLOAT EQUIPMENT	
<u>1-Guide shoe</u> @	<u>281.00</u>
<u>1-AFV Insert</u> @	<u>335.00</u>
<u>6-Centralizers</u> @ <u>57.00</u>	<u>342.00</u>
<u>1-Rubber plug</u> @	<u>85.00</u>
	@
TOTAL <u>1043.00</u>	

PRINTED NAME Erik Hagans
 SIGNATURE 

SALES TAX (If Any) _____
 TOTAL CHARGES 15,895.29
 DISCOUNT _____ IF PAID IN 30 DAYS
NET 11,736.64

QUALITY WELL SERVICE, INC.

6148

Federal Tax I.D. # 481187368

Home Office 324 Simpson St., Pratt, KS 67124

Office 620-727-3410
Fax 620-672-3663

Rich's Cell 620-727-3409
Brady's Cell 620-727-6964

Date	05-13-14	Sec.	21	Twp.	28S	Range	23W	County	Ford	State	KS	On Location	8:45AM	Finish	1:00 PM		
Lease	Malone	Well No.	3-21		Location Kingsdown, KS, 2w, 4w, 1 3/4w, w/into												
Contractor	H-D w/s							Owner	Vincent								
Type Job	Perf. Squeeze							To Quality Well Service, Inc. You are hereby requested to rent cementing equipment and furnish cementer and helper to assist owner or contractor to do work as listed.									
Hole Size	T.D.							Charge To	Vincent								
Csg.	5 1/2							Depth									
Tbg. Size	2 3/8							Depth	4892'								
Tool	Depth							Street									
Cement Left in Csg.	Shoe Joint							City	State								
Meas Line	Displace							The above was done to satisfaction and supervision of owner agent or contractor.									
							Cement Amount Ordered	125sx class A									
EQUIPMENT																	
Pumptrk	8	No.	Mike B.				Common	125									
Bulktrk	10	No.	David B				Poz. Mix										
Bulktrk		No.					Gel.										
Pickup		No.	David F.				Calcium										
JOB SERVICES & REMARKS																	
Rat Hole								Hulls									
Mouse Hole								Salt									
Centralizers								Flowseal									
Baskets								Kol-Seal									
D/V or Port Collar								Mud CLR 48									
use 42 Bbls to Pressup Backside, Take							Sand										
injection rate of 2 BPM @ 500#, mix 125							Handling	125									
sx class Aret, Stop. Wash Pump & Lines, Start Disp							Mileage	60									
w/ Fresh HD on vacuum, at 11 1/2 Engage Pump							FLOAT EQUIPMENT										
See steady increase in PSI & slow agent at 48 Bbls							Guide Shoe										
Stop pump at 19 1/4 Bbls, wait 30 min, Pump 1/4							Centralizer										
Press 600# - wait 30 min, Pump 1/4 Press up 700#							Baskets										
Reposition hose directly to truck Repress to 700# & 300#							AFU Inserts										
Wait 30 min - Pump 1/4 Bbls Press up to 1500# wait							Float Shoe										
10 min Release & Hold, Attempt to Reverse							Latch Down										
out would not go, either way							LMV	60									
							Service - supervisor										
							Pumptrk Charge	Squeeze									
							Mileage	60 X 2									
												Tax					
												Discount					
												Total Charge					
X Signature 																	