

Operator License #	35069	API #	15-121-30408-00-00
Operator	Kansas City Oil, LLC	Lease Name	KU
Address	9525 Lime Stone Road	Well #	3
City	Parkville, KS 64152	Spud Date	6/2/2014
Contractor	JTC Oil, Inc.	Cement Date	
Contractor License #	32834	Location	Sec 23 T 18 R 22
T.D.	420		495 feet from S line
T.D. of pipe	400		1095 feet from W line
Surface pipe size	7"	County	Miami
Surface pipe depth	20'		
Well Type	Production		

Driller's Log

Thickness	Strata	From	To	
9	dirt	0	9	
21	lime	9	30	
27	shale	30	57	
8	lime	57	65	
38	shale	65	103	
12	lime	103	115	
8	shale	115	123	
32	lime	123	155	
4	shale	155	159	
27	lime	159	186	
3	shale	186	189	
5	lime	189	194	
3	shale	194	197	
11	lime	197	208	
134	shale	208	342	
1	top	342	343	ok
2	ok	343	345	
3	good	345	348	
3	ok	348	351	
2	ok	351	353	
2	ok	353	355	
3	good	355	358	
2	ok	358	360	2 ft
2	lime	360	362	
4	shale	362	366	
17	lime	366	383	
37	shale	383	420	

Hurricane Services, Inc.
 3613 A Y Road
 Madison, KS 66860
 Office # 620-437-2661
 Brad Cell # 620-437-6765



Ticket Number 100458
 Location _____
 Foreman Dwayne / Joe

Cement Service ticket

Date	Customer #	Well Name & Number	Sec./Township/Range	County
6/4/14		KU Lease # 3	23-18-22	Miami Co
Customer	Mailing Address	City	State	Zip
Kansas City Oil	9525 Limestone Rd	Parkville	MO	64152

Job Type:

Truck #	Driver
230	Tom/Alex
242	Amos/Danny
110	Scott
111	Tyler
25	Dwayne

Quantity Or Units	Description of Services or Product	Pump charge	
23 mi	Mileage Cement Pump 230	\$3.25/Mile	NC
23 mi	Foreman Pickup 25	1.5 mi	NC
64 Sacks	60/40 Poz mix	12 ⁰⁰ SK	768
110 Lb	Prem gel 2%	1.30 Lb	33 ⁰⁰
100 Lb	Prem gel Flush	1.30 Lb	30 ⁰⁰
4000 Gal	Water	1.30 c/gal	52 ⁰⁰
2 hr	Water Truck 110	84 ⁰⁰ hr	168 ⁰⁰
2 hr	Water Truck 111	84 ⁰⁰ hr	168 ⁰⁰
16 Lb	Callo Flake	2.15 Lb	34 ⁴⁰
2.752 Tons	Bulk Truck Bulk Delivery 242	\$1.15/Mile	N/C
1	Plugs 2 1/2	25 ⁰⁰	2.5 ⁰⁰
		Subtotal	1953.40
		Sales Tax	81.52
		Estimated Total	2034.92

Remarks: Hooked onto casing - Pump to Establish circulation - Pump 5 BBl Gel Flush Followed by 15 BBl Pad and start Cement Pump 64 Sacks. Stop and Flush Pump. Then Pump Plug to Bottom and Shot IN 900 PSI.

Customer Signature _____