

# ALLIED OIL & GAS SERVICES, LLC 062865

Federal Tax I.D. # 20-8651475

REMIT TO P.O. BOX 93999  
SOUTHLAKE, TEXAS 76092

SERVICE POINT: Dreist Bend

DATE <u>4-1-14</u>	SEC. <u>23</u>	TWP. <u>25</u>	RANGE <u>10</u>	CALLED OUT <u>8:00 AM</u>	ON LOCATION <u>1:00 PM</u>	JOB START <u>3:15 PM</u>	JOB FINISH <u>4:15 PM</u>
LEASE <u>ESMent</u>		WELL # <u>23-1H</u>		LOCATION <u>Syria 75, 1/4 E, N15</u>		COUNTY <u>Perm</u>	STATE <u>Ks</u>
OLD OR NEW (Circle one) <u>NEW</u>							

CONTRACTOR Unit 303 OWNER Some

TYPE OF JOB liner

HOLE SIZE <u>8 3/4</u> T.D. <u>8500'</u>	CEMENT
CASING SIZE <u>4 1/2 + 5 1/2</u> DEPTH <u>8500'</u>	AMOUNT ORDERED <u>400 lbs Class H, 1.6 90</u>
TUBING SIZE _____ DEPTH _____	<u>Fl-160, 0.270 5+51</u>
DRILL PIPE _____ DEPTH _____	<u>1000 yd Dr 1100 H Sugar</u>
TOOL _____ DEPTH _____	COMMON <u>Class H 400 @ 21.20 8480.00</u>
PRES. MAX <u>2000#</u> MINIMUM <u>1020#</u>	POZMIX _____ @ _____
MEAS. LINE _____ SHOE JOINT <u>81</u>	GEL _____ @ _____
CEMENT LEFT IN CSG. <u>81</u>	CHLORIDE _____ @ _____
PERFS. _____	ASC _____ @ _____
DISPLACEMENT <u>158.83</u>	<u>Fl-160 225 @ 18.90 4252.50</u>

**EQUIPMENT**

PUMP TRUCK # <u>597</u>	CEMENTER <u>Tom Dechman</u>	
BULK TRUCK # <u>820-844</u>	HELPER <u>Kevin Gady</u>	
BULK TRUCK # _____	DRIVER <u>Brian Long</u>	
BULK TRUCK # _____	DRIVER _____	

HANDLING <u>407.08 @ 2.48 1009.56</u>	
MILEAGE <u>18.95 x 50 2.60 2463.50</u>	
<b>TOTAL</b> <u>19030.61</u>	

**REMARKS:**

Ran 4430' of 4 1/2" cas. 4070' of 5 1/2" cas.  
Set at 8500'. Holed up in Brake circulation.  
Pressure test line to 2000# - Pumped 1000  
of Dr 1100 5 1/2" H2O. Mixed 400 lbs Class  
H, 0.270 Fl-160, 0.270 WAMS Pumped 2 bbls  
Sugar H2O. Wanded up. Released plug.  
Displaced with 40 bbls Sugar H2O +  
118 H2O. Wanded plug at 2000#. Released  
and float held.

**SERVICE**

DEPTH OF JOB <u>8500'</u>	
PUMP TRUCK CHARGE _____	<u>5899.75</u>
EXTRA FOOTAGE _____ @ _____	
MILEAGE <u>50 @ 7.70 385.00</u>	
MANIFOLD _____ @ _____	
<u>LPM 50 @ 4.40 220.00</u>	

**TOTAL** 6503.75

**PLUG & FLOAT EQUIPMENT**

_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	
_____ @ _____	

**TOTAL** \_\_\_\_\_

CHARGE TO: Dreist Petroleum

STREET \_\_\_\_\_

CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Dechman  
5

To: Allied Oil & Gas Services, LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME X Glen Monday

SIGNATURE X Glen Monday

SALES TAX (If Any) \_\_\_\_\_

TOTAL CHARGES 25,534.36

DISCOUNT 10,213.74 IF PAID IN 30 DAYS

\$ 15,320.62

# ALLIED OIL & GAS SERVICES, LLC 062712

Federal Tax I.D. # 20-8651475

REMIT TO P.O. BOX 93999  
SOUTHLAKE, TEXAS 76092

SERVICE POINT: great Bend

DATE <u>3-20-14</u>	SEC. <u>23</u>	TWP. <u>25</u>	RANGE <u>10</u>	CALLED OUT <u>12:00 pm</u>	ON LOCATION <u>4:00 pm</u>	JOB START <u>7:00pm</u>	JOB FINISH <u>8:00pm</u>
LEASE <u>clament</u>	WELL # <u>23-1H</u>		LOCATION <u>galvia 7 south 1/4 E</u>		COUNTY <u>Reed</u>	STATE <u>Kz</u>	
OLD OR NEW (Circle one) <u>NEW</u>			<u>N clmta</u>				

CONTRACTOR unit 303  
 TYPE OF JOB intermediate  
 HOLE SIZE 8 3/4" T.D. 4305  
 CASING SIZE 7" DEPTH 435  
 TUBING SIZE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 DRILL PIPE \_\_\_\_\_ DEPTH \_\_\_\_\_  
 TOOL \_\_\_\_\_ DEPTH \_\_\_\_\_  
 PRES. MAX \_\_\_\_\_ MINIMUM \_\_\_\_\_  
 MEAS. LINE \_\_\_\_\_ SHOE JOINT \_\_\_\_\_  
 CEMENT LEFT IN CSG. 2 BBI above plug  
 PERFS. \_\_\_\_\_  
 DISPLACEMENT H2O  
 EQUIPMENT \_\_\_\_\_  
 PUMP TRUCK CEMENTER Charles Kingon  
 # 597 HELPER Mike northon  
 BULK TRUCK \_\_\_\_\_  
 # 603 DRIVER Kevin weighouse  
 BULK TRUCK \_\_\_\_\_  
 # \_\_\_\_\_ DRIVER Braun lang

OWNER name  
 CEMENT  
 AMOUNT ORDERED 160 st Class A  
57. gypsum 10% salt  
 COMMON 160 @ 12.90 2864.00  
 POZMIX \_\_\_\_\_ @ \_\_\_\_\_  
 GEL \_\_\_\_\_ @ \_\_\_\_\_  
 CHLORIDE \_\_\_\_\_ @ \_\_\_\_\_  
 ASC \_\_\_\_\_ @ \_\_\_\_\_  
gypsum 16 @ 37.60 601.60  
salt 18 @ 26.35 474.30  
 HANDLING ~~486.00~~ 196.00 @ 2.48 486.10  
 MILEAGE 9.82 x 50 @ 2.60 1146.60  
 TOTAL 5572.60

REMARKS:

Rig Ran 4315 7" cas Broke circulation  
W/1 Rig mud pressure test to  
2000# pump 10 BBI ahead mix  
160-st class A 57. gypsum 10% salt  
Release plug displace 165 BBI  
H2O land plug @ 1400 psi float  
did hold 2 BBI cement on top  
of plug

SERVICE

DEPTH OF JOB 4305  
 PUMP TRUCK CHARGE \_\_\_\_\_ 2765.25  
 EXTRA FOOTAGE \_\_\_\_\_ @ \_\_\_\_\_  
 MILEAGE 50 @ 7.70 385.00  
 MANIFOLD \_\_\_\_\_ @ \_\_\_\_\_  
Head Rent @ 275 275.00  
Lvm 50 @ 4.40 220.00

TOTAL 3645.75

CHARGE TO: unit petroleum  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

PLUG & FLOAT EQUIPMENT

success float shoe @ \_\_\_\_\_ 712.53  
2-throat ore @ 83.07 166.14  
Rubber plug @ 99.45 99.45  
 TOTAL 978.12

*Thank you!*  
 To: Allied Oil & Gas Services, LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES 10196.47  
 DISCOUNT 3687.34 IF PAID IN 30 DAYS  
\$ 6509.13

PRINTED NAME X M. VALENZUELA  
 SIGNATURE X [Signature]

# ALLIED OIL & GAS SERVICES, LLC 062859

Federal Tax I.D. # 20-8651475

REMIT TO P.O. BOX 93999  
SOUTHLAKE, TEXAS 76092

SERVICE POINT: West Bend, TX

DATE <u>3-16-14</u>	SEC. <u>23</u>	TWP. <u>25</u>	RANGE <u>10</u>	CALLED OUT <u>5:00 AM</u>	ON LOCATION <u>8:00 AM</u>	JOB START <u>11:30 AM</u>	JOB FINISH <u>12:30 PM</u>
LEASE <u>LSMST</u>		WELL # <u>231-H</u>		LOCATION <u>Sy Davis 7 South 1/4 East</u>		COUNTY <u>Rego</u>	STATE <u>Ka</u>
OLD OR NEW (Circle one) <u>NEW</u>				<u>North into</u>			

CONTRACTOR <u>DWST 303</u>	OWNER <u>Same</u>																																				
TYPE OF JOB <u>Surface</u>																																					
HOLE SIZE <u>12 1/4"</u>	T.D. <u>1540</u>																																				
CASING SIZE <u>9 5/8"</u>	DEPTH <u>1540</u>																																				
TUBING SIZE	DEPTH																																				
DRILL PIPE	DEPTH																																				
TOOL	DEPTH																																				
PRES. MAX <u>1000"</u>	MINIMUM <u>550"</u>																																				
MEAS. LINE	SHOE JOINT <u>A</u>																																				
CEMENT LEFT IN CSG. <u>2'</u>																																					
PERFS.																																					
DISPLACEMENT <u>119 1/2</u>																																					
<b>EQUIPMENT</b>																																					
PUMP TRUCK # <u>597</u>	CEMENTER <u>Tom Nelson</u>																																				
BULK TRUCK # <u>599</u>	HELPER <u>Kevin Eddy</u>																																				
BULK TRUCK # <u>603</u>	DRIVER <u>Kevin Waymon</u>																																				
BULK TRUCK # <u>603</u>	DRIVER <u>Don Cooper</u>																																				
<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">CEMENT</td> <td style="width: 50%;">AMOUNT ORDERED <u>300 lbs AMO 280 typical</u></td> </tr> <tr> <td></td> <td><u>280 NUS, 280 cc, 1/2 # 55 lb / gal - 280 flow</u></td> </tr> <tr> <td></td> <td><u>A, 280 cc, 1/2 # 55 lb / gal - 280 # Sugar</u></td> </tr> <tr> <td>COMMON <u>280</u></td> <td>@ <u>17.50</u> <u>5012.00</u></td> </tr> <tr> <td>POZMIX</td> <td>@</td> </tr> <tr> <td>GEL</td> <td>@</td> </tr> <tr> <td>CHLORIDE <u>15</u></td> <td>@ <u>14.00</u> <u>960.00</u></td> </tr> <tr> <td>ASC</td> <td>@</td> </tr> <tr> <td><u>AMO</u> <u>300</u></td> <td>@ <u>25.90</u> <u>7770.00</u></td> </tr> <tr> <td><u>Flowed</u> <u>145</u></td> <td>@ <u>2.97</u> <u>430.65</u></td> </tr> <tr> <td><u>Sugar</u> <u>200</u></td> <td>@ <u>2.00</u> <u>424.00</u></td> </tr> <tr> <td></td> <td>@</td> </tr> <tr> <td></td> <td>@</td> </tr> <tr> <td></td> <td>@</td> </tr> <tr> <td></td> <td>@</td> </tr> <tr> <td>HANDLING <u>633.41</u></td> <td>@ <u>2.48</u> <u>1570.87</u></td> </tr> <tr> <td>MILEAGE <u>1922.09</u></td> <td>@ <u>2.60</u> <u>3697.22</u></td> </tr> <tr> <td colspan="2" style="text-align: right;"><b>TOTAL</b> <u>19,814.94</u></td> </tr> </table>		CEMENT	AMOUNT ORDERED <u>300 lbs AMO 280 typical</u>		<u>280 NUS, 280 cc, 1/2 # 55 lb / gal - 280 flow</u>		<u>A, 280 cc, 1/2 # 55 lb / gal - 280 # Sugar</u>	COMMON <u>280</u>	@ <u>17.50</u> <u>5012.00</u>	POZMIX	@	GEL	@	CHLORIDE <u>15</u>	@ <u>14.00</u> <u>960.00</u>	ASC	@	<u>AMO</u> <u>300</u>	@ <u>25.90</u> <u>7770.00</u>	<u>Flowed</u> <u>145</u>	@ <u>2.97</u> <u>430.65</u>	<u>Sugar</u> <u>200</u>	@ <u>2.00</u> <u>424.00</u>		@		@		@		@	HANDLING <u>633.41</u>	@ <u>2.48</u> <u>1570.87</u>	MILEAGE <u>1922.09</u>	@ <u>2.60</u> <u>3697.22</u>	<b>TOTAL</b> <u>19,814.94</u>	
CEMENT	AMOUNT ORDERED <u>300 lbs AMO 280 typical</u>																																				
	<u>280 NUS, 280 cc, 1/2 # 55 lb / gal - 280 flow</u>																																				
	<u>A, 280 cc, 1/2 # 55 lb / gal - 280 # Sugar</u>																																				
COMMON <u>280</u>	@ <u>17.50</u> <u>5012.00</u>																																				
POZMIX	@																																				
GEL	@																																				
CHLORIDE <u>15</u>	@ <u>14.00</u> <u>960.00</u>																																				
ASC	@																																				
<u>AMO</u> <u>300</u>	@ <u>25.90</u> <u>7770.00</u>																																				
<u>Flowed</u> <u>145</u>	@ <u>2.97</u> <u>430.65</u>																																				
<u>Sugar</u> <u>200</u>	@ <u>2.00</u> <u>424.00</u>																																				
	@																																				
	@																																				
	@																																				
	@																																				
HANDLING <u>633.41</u>	@ <u>2.48</u> <u>1570.87</u>																																				
MILEAGE <u>1922.09</u>	@ <u>2.60</u> <u>3697.22</u>																																				
<b>TOTAL</b> <u>19,814.94</u>																																					

**REMARKS:**

Run 1540' of 9 5/8" cas. Bore Circulation Pumped  
5 Hole H2O mixed 300 lbs AMO 280 typical  
280 NUS, 280 cc, 1/2 # 55 lb / gal flowed  
280 lbs flow, 280 cc, 1/2 # 55 lb / gal flowed  
Plug. Displaced with H2O landed plug at  
1000' Released a float Hold  
Cement did Circulate.  
(Approx 150 lbs cement to pit)

**SERVICE**

DEPTH OF JOB <u>1540'</u>	
PUMP TRUCK CHARGE	<u>2213.75</u>
EXTRA FOOTAGE	@
MILEAGE <u>50</u>	@ <u>7.70</u> <u>385.00</u>
MANIFOLD	@
<u>Head Rent</u>	@ <u>275.00</u> <u>275.00</u>
<u>Lvm</u> <u>50</u>	@ <u>4.40</u> <u>220.00</u>
<b>TOTAL</b> <u>3093.75</u>	

**PLUG & FLOAT EQUIPMENT**

2' <u>Bush Plug</u>	@ <u>184.86</u> <u>184.86</u>
<u>Success float shoe</u>	@ <u>1213.29</u> <u>1213.29</u>
<u>5. Centralizer</u>	@ <u>87.75</u> <u>438.75</u>
<u>2. Thread Lock</u>	@ <u>83.07</u> <u>116.14</u>
<u>1. Basket</u>	@ <u>594.36</u> <u>594.36</u>
<b>TOTAL</b> <u>2597.40</u>	

CHARGE TO: DWST Petroleum  
 STREET \_\_\_\_\_  
 CITY \_\_\_\_\_ STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Thanks

To: Allied Oil & Gas Services, LLC.  
 You are hereby requested to rent cementing equipment and furnish cementer and helper(s) to assist owner or contractor to do work as is listed. The above work was done to satisfaction and supervision of owner agent or contractor. I have read and understand the "GENERAL TERMS AND CONDITIONS" listed on the reverse side.

PRINTED NAME Max Lopez  
 SIGNATURE [Signature]

SALES TAX (If Any) \_\_\_\_\_  
 TOTAL CHARGES 25,556.09  
 DISCOUNT 9720.29 IF PAID IN 30 DAYS  
15,835.80