

DIAMOND TESTING

General Information Report

General Information

Company Name FALCON EXPLORATION, INC.
Contact JASON MITCHELL
Well Name GOOSSEN #2-14
Unique Well ID DST #6, MISS. (ST. LOUIS), 5198-5270
Surface Location SEC 14-28S-30W, GRAY CO. KS.
Field RENEGADE SE
Well Type Vertical
Test Type CONVENTIONAL
Formation DST #6, MISS. (ST. LOU.), 5189-5270
Well Fluid Type 01 Oil

Representative TIM VENTERS
Well Operator FALCON EXPLORATION, INC.
Report Date 2014/04/01
Prepared By TIM VENTERS
Qualified By DAVE WILLIAMS

Start Test Date 2014/03/31
Final Test Date 2014/04/01

Start Test Time 18:18:00
Final Test Time 03:33:00

Test Recovery:


RECOVERED: 15' MUD


TOOL SAMPLE: 100% MUD

FALCON EXPLORATION, INC.
DST #6, MISS. (ST. LOUIS), 5198-5270
Start Test Date: 2014/03/31
Final Test Date: 2014/04/01

GOOSSEN #2-14
Formation: DST #6, MISS. (ST. LOU.), 5189-5270
Pool: RENEGADE SE
Job Number: T327

GOOSSEN #2-14





DIAMOND TESTING
P.O. Box 157
HOISINGTON, KANSAS 67544
(800) 542-7313
DRILL-STEM TEST TICKET
FILE: GOOSSEN2-14DST5

TIME ON: 18:18 3-31-14
TIME OFF: 03:33 4-1-14

Company FALCON EXPLORATION, INC. Lease & Well No. GOOSSEN #2-14
Contractor STERLING DRILLING CO. RIG #2 Charge to FALCON EXPLORATION, INC.
Elevation 2811 KB Formation MISS. (ST. LOUIS) Effective Pay _____ Ft. Ticket No. T327
Date 3-31-14 Sec. 14 Twp. _____ 28 S Range _____ 30 W County GRAY State KANSAS
Test Approved By DAVE WILLIAMS Diamond Representative TIMOTHY T. VENTERS

Formation Test No. 6 Interval Tested from 5198 ft. to 5270 ft. Total Depth 5270 ft.
Packer Depth 5193 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.
Packer Depth 5198 ft. Size 6 3/4 in. Packer depth _____ ft. Size 6 3/4 in.

Depth of Selective Zone Set _____

Top Recorder Depth (Inside) 5179 ft. Recorder Number 8457 Cap. 10,000 P.S.I.
Bottom Recorder Depth (Outside) 5267 ft. Recorder Number 11029 Cap. 5,025 P.S.I.
Below Straddle Recorder Depth _____ ft. Recorder Number _____ Cap. _____ P.S.I.

Mud Type CHEMICAL Viscosity 52 Drill Collar Length 215 ft. I.D. 2 1/4 in.
Weight 9.1 Water Loss 8.0 cc. Weight Pipe Length 0 ft. I.D. 2 7/8 in.
Chlorides 2,000 P.P.M. Drill Pipe Length 4950 ft. I.D. 3 1/2 in.
Jars: Make STERLING Serial Number 2 Test Tool Length 33 ft. Tool Size 3 1/2-IF in.
Did Well Flow? NO Reversed Out NO Anchor Length 40 ft. Size 4 1/2-FH in.
Main Hole Size 7 7/8 Tool Joint Size 4 1/2 XH in. ^{32' DP IN ANCHOR} Surface Choke Size 1 in. Bottom Choke Size 5/8 in.

Blow: 1st Open: WEAK SURFACE BLOW THROUGHOUT PERIOD. (NO BB)
2nd Open: NO BLOW THROUGHOUT PERIOD (NO BB)

Recovered 15 ft. of MUD
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____
Recovered _____ ft. of _____

Remarks: WE FLUSHED TOOL 10 MIN. INTO FINAL FLOW PERIOD AND JUST GOT THE SURGE BLOW.
TOOL SAMPLE: 100% MUD

Time Set Packer(s) 9:29 PM ^{A.M.}/_{P.M.} Time Started Off Bottom 1:04 AM ^{A.M.}/_{P.M.} Maximum Temperature 121 deg.

Initial Hydrostatic Pressure..... (A) 2497 P.S.I.
Initial Flow Period..... Minutes 5 (B) 8 P.S.I. to (C) 8 P.S.I.
Initial Closed In Period..... Minutes 90 (D) 154 P.S.I.
Final Flow Period..... Minutes 30 (E) 8 P.S.I. to (F) 12 P.S.I.
Final Closed In Period..... Minutes 90 (G) 80 P.S.I.
Final Hydrostatic Pressure..... (H) 2497 P.S.I.

Diamond Testing shall not be liable for damages of any kind to the property or personnel of the one for whom a test is made or for any loss suffered or sustained, directly or indirectly, through the use of its equipment, or its statement or opinion concerning the result of any test. Tools lost or damaged in the hole shall be paid for at cost by the party for whom the test is made.