

Well will not be drilled or Permit Expired Date: \_

Signature of Operator or Agent:

For KCC	Use:	
Effective	Date:	
District #		
SGA?	Yes No	

#### KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

#### NOTICE OF INTENT TO DRILL

month day year	Spot Description:
monur day year	Sec Twp S. R 🔲 E 🔲 W
PERATOR: License#	feet from N / S Line of Section
ame:	feet from E / W Line of Sectio
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
y: State: Zip: +	County:
ontact Person:	Lease Name: Well #:
none:	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
ame:	Target Formation(s):
W    0	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:  Yes N
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ; # of Holes Other	Depth to bottom of usable water:
Other:	
If OWWO: old well information as follows:	Surface Pipe by Alternate: I III
	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
Directional, Deviated or Horizontal wellbore?	Water Source for Drilling Operations:
Yes, true vertical depth:	Well Farm Pond Other:
Notion Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR )
CC DKT #:	
	Will Cores be taken?
	If Yes, proposed zone:
	If Yes, proposed zone:
AFI	FIDAVIT
AFI The undersigned hereby affirms that the drilling, completion and eventual plu	FIDAVIT
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:	FIDAVIT
AFI The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  n drilling rig;
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the distance of the surface will be notified before well is either plugger.	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemente	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each  3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th  4. If the well is dry hole, an agreement between the operator and the dist  5. The appropriate district office will be notified before well is either pluge  6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.
AFI The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #"	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the distention of 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the distention of the interval of the interval of the surface will be notified before well is either plugues. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be	FIDAVIT  ugging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; defrom below any usable water to surface within 120 DAYS of spud date.  133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the surface well is dry hole, an agreement between the operator and the distention of the interval of the interval of the surface will be notified before well is either plugues. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be	reging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.  It is a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:
he undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the standard of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the standard of the well is dry hole, an agreement between the operator and the distant of the appropriate district office will be notified before well is either plugues. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be appropriated before the appropriated before the well shall be appropriated before the well shall be appropriated before the appropriated before the propriated before the propriated before the propriated before the pro	rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; id from below any usable water to surface within 120 DAYS of spud date.  It is a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -	rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; id from below any usable water to surface within 120 DAYS of spud date.  It is a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual place is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the interval of the posted on each and the interval of the posted on each and the interval of the state of the posted on each and the interval of the posted on each and the posted on	rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  Itrict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; It from below any usable water to surface within 120 DAYS of spud date. It is a splugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically  **Torright Torright Torrig	rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; off from below any usable water to surface within 120 DAYS of spud date.  It is a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; id from below any usable water to surface within 120 DAYS of spud date.  It is a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be considered.  **Description**  **Descriptio	rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig; by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; off from below any usable water to surface within 120 DAYS of spud date.  It is a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met:  1. Notify the appropriate district office <i>prior</i> to spudding of well;  2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into th 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #" must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15	rigging of this well will comply with K.S.A. 55 et. seq.  In drilling rig;  by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; deform below any usable water to surface within 120 DAYS of spud date.  It is a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  File Drill Pit Application (form CDP-1) with Intent to Drill;  File Completion Form ACO-1 within 120 days of spud date;  File acreage attribution plat according to field proration orders;  Notify appropriate district office 48 hours prior to workover or re-entry;

\_ Agent: \_

Spud date: \_



For KCC Use ONLY	
API # 15	-

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

tor:				_ Location of `	Well: County:
:					feet from N / S Line of Sect
lumber:					feet from E / W Line of Sect
				Sec	Twp S. R L E L W
er of Acres atti	ributable to well	ı <del>.</del>			
			<u></u>	is section.	Regular or Irregular
ZIIVQIIVQIIV	. or acreage				
					s Irregular, locate well from nearest corner boundary.
				Section corr	ner used: NE NW SE SW
				PLAT	
9	how location of	the well Show f	ontage to the near	et leace or unit hou	ndary line. Show the predicted locations of
			-		
lease roa	ads, tank batter	ies, pipelines and	l electrical lines, as	required by the Kar	nsas Surface Owner Notice Act (House Bill 2032).
			You may attach	a separate plat if de	esired
			roa may allaon	a doparato piat ii do	on ou.
		:			
					LEGEND
	•		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	
	: :	:	:	:	O Well Location
			:		Tank Battery Location
			•••••		Pipeline Location
	: :	:	:	: :	Electric Line Location
			:		Lease Road Location
	•			• • • • • • • • • • • • • • • • • • • •	
I	: .	:	:	: ;	
	•				EVANDUE :
		•	:	:	EXAMPLE
		<u></u>	<u> </u>	· · · · · · · · · · · · · · · · · · ·	
			<u> </u>	· · · · · · · · · · · · · · · · · · ·	
		22	2		
			:		
			2		-
			:		-
					-
			:		

#### 200 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



#### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)  Is the pit located in a Sensitive Ground Water A	Pit is:  Proposed  If Existing, date col  Pit capacity:  urea?  Yes	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l mg/l mg/l reference from reference from mg/l mg/l mg/l reference from reference from mg/l reference from reference from mg/l reference from	
Is the bottom below ground level?  Yes No	Artificial Liner?	No	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee			
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining acluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:  Producing Formation:  Number of producing wells on lease:  Barrels of fluid produced daily:  Does the slope from the tank battery allow all spilled fluids to		Type of materia	over and Haul-Off Pits ONLY:  all utilized in drilling/workover:  king pits to be utilized:  procedure:	
flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.  Submitted Electronically				
	KCC	OFFICE USE O	NLY  Liner Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



1212569

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	
Phone: ( ) Fax: ( )  Email Address:	
Surface Owner Information:	
Name:	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
are preliminary non-binding estimates. The locations may be entered	nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and a KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
I	

TOPOGRAPHIC LAND SURVEYORS
6709 NORTH CLASSEN BLVD., OKI.A. CITY, OKI.A. 73116 \* LOCAL (405) 843-4847 \* OUT OF STATE (800) 654-3219

Certificate of Authorization No. LS-99, Exp. Dec. 31, 2015 HARPER \_ County, Kansas Township 34S 8W\_P.M. 200'FSL-1470'FWL Section \_ Range 330' X= 2097659 Y= 150511 330' HARDLINE X= 2092345 Y= 150503 (1760') Bottom Hole 330'FNL-880'FWL NAD-27 (US Feet) 37'04'43.2"N 880' 98°10'49.5"W 37.078656728°N 98.180418150°W X= 2093238 Y= 150174 (2310') HARDLINE HARDLINE GRID Kansas South US Feet (2440')Note: 3.280833 Ft.=1 Meter Scale: 1"= 1000' 1000' 500' 1470' (1170') 330' HARDLINE X = 2097723Y = 145269X= 2092538 Y= 145246 5185 300' EAST TO PROPOSED HUGHES 3408 2-22H Distances shown in (parenthesis) are calculated based upon the Quarter Section being 2640 feet, those shown in [brackets] are based on GLO (General Land Office) distances and have NOI been measured on the ground. Bottom Hole and Drill Path information provided by operator listed, NOT Surveyed; distance A boundary survey of the said section(s) shown hereon was not performed per the request of the operator shown hereon. Operator: SANDRIDGE EXPLORATION & PRODUCTION, LLC **ELEVATION:** Well No.: 1-22H 1296' Gr. at Stake Lease Name: HUGHES 3408 Topography & Vegetation Loc. fell near top of hill in sloped maze field Reference Stakes or Alternate Location Stakes Set None Yes Good Drill Site? \_\_\_\_\_ Form South off county road Best Accessibility to Location \_\_\_\_ Distance & Direction Form Waldron, KS., go ±4.0 mi North to the SW corner of Section from Hwy Jct or Town \_ 22-T34S-R8W Date of Drawing: Jun. 23, 2014 JAL Invoice # 225181 Date Staked: Jun. 19, 2014 DATUM: NAD-27 Septim LAT: 37'03'56.5"I LONG: 98'10'40.3" LAT: 37'03'56.5"N LONG: 98'10'40.3"W **CERTIFICATE:** LAT: <u>37.065684221'N</u> Lee K. Goss \_\_\_a Kansas Licensed Land Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify that the above described LONG: 98.177855126°W STATE PLANE well location was surveyed and staked on the ground COORDINATES: (US Feet) ZONE: KS SOUTH as shown herein.

X: 2094002 Y: 145453 SURVE

8 BURNET TRU	9 /st 634-61H	10	11	12
		WURM 'A' 1-15 4723 1-15		13
17	16	15	14	10
	новнез 1 Д <sup>4716</sup> Д			
	HUGH 470 X	ES1 9		
	STARK ROACH 1-21 A	HUCHES 1 9733 H		
20	21	22 34S 8W	23	24
8/1151 20 BAILEY 3408 1-291		HUGHES 3408 1-22H		
BAILEY 3408 1-291 BAILEY 3408 2-291 Tross to 1		DEART 3(08 1-27 FIDEART 3408 2-27 H Q (a) EDO SWD 3408 1-27		
ниднев. Ж. 4780		<b>ე</b> ქა⊨ტ0 SWD 3408 1-27		
29	28	27	26	25
Legend  SandRidge Wells  SandRidge SVIO Wells  Competitor Wells  X ABANCONED LOCATION				,
□ DRY HOLE, TEMPORARIL     □ GASWELL     □ JUNKED AND ABANDONE     □ OIL WELL     □ WELL START     □ SandRidge Unit Lines	YABANDONED	34	35	36


# **Hughes 3408 1-22H Lease Information Sheet**

## **Unit Description:**

All of Section 22, T34S - R08W Harper County

### **Surface Owner:**

Rush Creek, LLC 154 W Hwy 2 Anthony, KS 67003



Z

change. Always refer to Survey Plat for exact well location This plat is proposed information. Final information could

Conservation Division Finney State Office Building 130 S. Market, Rm. 2078 Wichita, KS 67202-3802



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Shari Feist Albrecht, Chair Jay Scott Emler, Commissioner Pat Apple, Commissioner

July 10, 2014

Wanda Ledbetter SandRidge Exploration and Production LLC 123 ROBERT S. KERR AVE OKLAHOMA CITY, OK 73102-6406

Re: Drilling Pit Application Hughes 3408 1-22H SW/4 Sec.22-34S-08W Harper County, Kansas

#### Dear Wanda Ledbetter:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 2 weeks after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 630-4000 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 630-4000.