

For KCC	Use:			
Effective	Date:			
District #				
SGA?	Yes	No		

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

	Spot Description:
month day	<i>year</i> , Sec Twp S. R E \(\begin{align*} \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
OPERATOR: License#	(0/0/0/0) feet from N / S Line of Section
Name:	foot from F / W Line of Socie
Address 1:	Is SECTION: Regular Irregular?
Address 2:	
City: State: Zip:	
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Eq	Nearest Lease or unit boundary line (in footage):
	Ground Surface Flevation: feet MS
	Id Rotary Water well within one-quarter mile: Yes N
	Public water supply well within one mile:
Disposal Wildcat Ca	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate:
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	D : (IT (ID)
Original Completion Date: Original Total De	pth: Formation at Total Depth:
	Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Yes No Well Farm Pond Other:
If Yes, true vertical depth:	BWICT CHIRCH.
Bottom Hole Location:	(Note: Apply for Fernit with DVV)
KCC DKT #:	vviii cores se takeri:
	If Yes, proposed zone:
	AFFIDAVIT
The undersigned hereby affirms that the drilling, completio	n and eventual plugging of this well will comply with K.S.A. 55 et. seq.
It is agreed that the following minimum requirements will be	e met:
 Notify the appropriate district office prior to spudding 	
 A copy of the approved notice of intent to drill shall it. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum. If the well is dry hole, an agreement between the open of the appropriate district office will be notified before the intention of the appropriate district office will be notified before the intention of the inte	elow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging ; well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date.
 A copy of the approved notice of intent to drill shall at the minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum and the surface pipe as specified by through all unconsolidated materials plus a minimum and the surface of the surface of the surface of the surface pipe and the surface of the	elow shall be set by circulating cement to the top; in all cases surface pipe shall be set of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging ; well is either plugged or production casing is cemented in;
 A copy of the approved notice of intent to drill shall at the minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum. If the well is dry hole, an agreement between the opens. The appropriate district office will be notified before a few of the composition of the composition of the composition of the specific of the spud date of the composition of the spud date of the spud d	elow <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <i>prior to plugging;</i> well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. See casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the approved notice of intent to drill shall at the minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum and the surface pipe as specified by through all unconsolidated materials plus a minimum and the surface of the surface of the surface of the surface pipe and the surface of the	elow shall be set by circulating cement to the top; in all cases surface pipe shall be set in of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary prior to plugging; well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within 120 DAYS of spud date. See casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
 A copy of the approved notice of intent to drill shall at the shall and through all unconsolidated materials plus a minimum and a lift the well is dry hole, an agreement between the open and the shall are the appropriate district office will be notified before a lift an ALTERNATE II COMPLETION, production pipe or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of the shall are the s	elow <i>shall be set</i> by circulating cement to the top; in all cases surface pipe <i>shall be set</i> of 20 feet into the underlying formation. erator and the district office on plug length and placement is necessary <i>prior to plugging;</i> well is either plugged or production casing is cemented in; shall be cemented from below any usable water to surface within <i>120 DAYS</i> of spud date. See casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing or the well shall be plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.
 A copy of the approved notice of intent to drill shall at the shall of the shall of	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
2. A copy of the approved notice of intent to drill shall a 3. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before to 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
2. A copy of the approved notice of intent to drill shall a 3. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope of the appropriate district office will be notified before to the appropriate district office will be notifie	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
2. A copy of the approved notice of intent to drill shall a 3. The minimum amount of surface pipe as specified by through all unconsolidated materials plus a minimum 4. If the well is dry hole, an agreement between the ope 5. The appropriate district office will be notified before to 6. If an ALTERNATE II COMPLETION, production pipe Or pursuant to Appendix "B" - Eastern Kansas surface must be completed within 30 days of the spud date of ubmitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;

Mail to: KCC - Conservation Division, 130 S. Market - Room 2078, Wichita, Kansas 67202

Spud date: _

- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

Well will not be drilled or Permit Expired	Date:
Signature of Operator or Agent:	

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Number of Acres attributable to well: QTR/QTR/QTR of acreage:	Operator: _							Lo	cation of W	/ell: County:
Sec. Twp. S. R. E W	Lease:									feet from N / S Line of Section
Number of Acres attributable to well:	Well Number:				feet from E / W Line of Section					
If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW	Field:					_ Se				
Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 125 ft. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE								15	Section:	Regular or Irregular
PLAT Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 125 ft. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE	QTR/QTR/	QTR/QTR	of acreag	e:				_		
Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE										
LEGEND O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 2			ds, tank b	atteries, p		d electrica	l lines, as	est lease o	y the Kans	sas Surface Owner Notice Act (House Bill 2032).
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 1980'FSL	1125 ft		<u> </u>				:		:	LEGEND
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE 2			:	:	:		:	:	:	LEGEND
Pipeline Location Electric Line Location Lease Road Location EXAMPLE 1980'FSL			:	:	:		:		:	
EXAMPLE 2 1980'FSL			:	:	:		:	:	:	
EXAMPLE 2 1980' FSL			:	:	:		:	:	:	-
EXAMPLE 1980'FSL			:	:	:		:	:	:	
2 1980'FSL			:	:	:		:	:	:	
2 1980'FSL			:	:	:		:	:	:	
2 1980'FSL					:		:			EYAMDI'E : :
1980' FSL			:	:	:		:	:	:	- EXAMPLE : :
1980' FSL			:	:	2		:	:	:	
1980' FSL			:	:	:		:	:	:	
1980'FSL						•••••				
1980'FSL			:	:	:		:	:	:	: : :
1980'FSL			:	:	:		:	:	:	
			:	:	:	•••••	:	:	:	1980' FSL
			: :	:	:		:	:	:	
SEWARD CO. 3390' FEL										
			:	:	<u>:</u>		:	:	:	
			:	:	:		:		:	SEWARD CO. 3390' FEL

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.

NOTE: In all cases locate the spot of the proposed drilling locaton.

- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

1212694 Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Kansas Corporation Commission Oil & Gas Conservation Division

Submit in Duplicate

Operator Name:		License Number:			
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section		
		(bbls)	County		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes N	No			
Pit dimensions (all but working pits):	Length (fe	et)	Width (feet) N/A: Steel Pits		
	om ground level to dee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet.		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Workover and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment	procedure:		
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
Submitted Electronically					
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS					
Date Received: Permit Num	her:	Darmi	t Date: Lease Inspection: Yes No		

CORRECTION #1 Kansas Corporation Commission

1212694

Form KSONA-1 January 2014 Form Must Be Typed Form must be Signed All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

OIL & GAS CONSERVATION DIVISION

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R East _ West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.			
Address 2:				
City:				
the KCC with a plat showing the predicted locations of lease roads, tar	odic Protection Borehole Intent), you must supply the surface owners and nk batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
☐ I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be	Act (House Bill 2032), I have provided the following to the surface located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
KCC will be required to send this information to the surface o	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.			
Submitted Electronically				
ι	_			

TOPOGRAPHIC LAND SURVEYORS
6709 NORTH CLASSEN BLVD., OKLA. CITY, OKLA. 73116 * LOCAL (405) 843-4847 * OUT OF STATE (800) 654-3219
Certificate of Authorization No. LS-99, Exp. Dec. 31, 2015 HARPER County, Kansas 200'FNL - 1125'FWL Section ___ 2 Township 35S Range 8W P.M. T345-R8W Township Line P Lot 2 Boundary of Osage Lands Lot 3 Lot 4 X= 2103319 Y= 134777 330' HARDLINE X= 2098035 Y= 134743 1125 (1515') Lot 7 Lot 8 Lot 6 Lot 5 (s) the said section(structure to shown hereon. (2440') 불탈히 HARDLINE S/2-NE/4 HARDLINE S/2-NW/4 A boundary survey o shown hereon was n request of the oper 330 330, -8-N-5-2 Fúr. 1969. **GRID** NAD-27 Kansas South US Feet (2310) Bottom Hole 330'FSL-1980'FWL NAD-27 (US Feet) 37'01'21.4" N 98'09'26.6" W Note: 3.280833 Ft.=1 Meter Scale: 1"= 1000' 37.022600024* 98.157376162* X=2100035 500' 1000' Y=129787 (660') 1980' 330' HARDLINE X= 2098056 Y= 129440 330 Distances shown in (parenthesis) are calculated based upon the Quarter Section being 2640 feet, those shown in [brackets] are based on GLO (General Land Office) distances and have NOT been measured on the ground. BOTTOM HOLE AND DRILL PATH INFORMATION PROVIDED BY OPERATOR LISTED, NOT SURVEYED. Operator: SANDRIDGE EXPLORATION & PRODUCTION, LLC **ELEVATION:** Lease Name: FOSTER 3508 1276' Gr. at Stake Well No.: 3-2H Topography & Vegetation Loc. fell in rolling sandy pasture, ±180' West of old windmill Reference Stakes or Alternate Location Yes Good Drill Site? _____ Stakes Set _ Best Accessibility to Location From North off county road Distance & Direction From Waldron, OK, go ± 2.0 mi. North, then ± 1.0 mi. East to from Hwy Jct or Town ___ the NW Cor. of Sec. 2-T35S-R8W Date of Drawing: Jun. 27, 2014 Revision X A AC Invoice # 223562 Date Staked: Jun. 02, 2014 NAD-27 LAT: 37°02'08.5"N LONG: 98°09'37.1"W **CERTIFICATE:** LAT: 37.035689814° N T. Wayne Fisch __a Kansas Licensed Land LONG: 98.160309107° W Surveyor and an authorized agent of Topographic Land Surveyors, do hereby certify to the information STATE PLANE COORDINATES: (US Feet) shown herein ZONE: KS SOUTH X: 2099161

Y: 134550

Foster 3508 3-2H Lease Information Sheet


Unit Description:

All of Section 2-35S-06W Harper County

Surface Owner:

Harold D and Mary E. Waldschmidt 525 SW 100 Road Waldron, KS 67150

28	27	26	25 ONNELS	30 01 25-34-8 1H 1957
33	34	34S 8W 35 Hudhes 8-1 X 8502	36	34S 7W 31
, 4J RANCI	MACY 2-34 SWD 3408 4-33HJENNIFER 1-34H JENNIFER 3408 3-34HJENNIFER 3408 2-34H CMACY 1-34 SWD	STARKS 1-35H STARKS 3408 4-35HFOSTER 3508 1-2HFOSTER 3508 STARKS 3403 4-35H STARKS	32-2H 3408 3-35H 1-35	아마 36-34-8 5WO 1 ROBIÑ 36-34-8 SV
BOB 3508 2-4H GOB 3508 1-4H QOB 3508 1-4H	3	2	1	6
	BRYANT 3508 3-10H BRYANT 3508 1-10H BRYANT 3508 4-10H BRYAN	35S 8W	NIGLET 1-11 SWD	35S 7W
9	10	11	BRAD 3508 2-12H BRAD 3508 3-12H BRAD 3 PATRICI 12 MIC	508 4-12H A 3507 1-7분 습 HAEL 3507 1-7H 7
Legend SanoRdge Viets Sandrdge SWD Wells Competitor Wells X ABANDONED LOCATIK	5	I IT. TO LICE THE OF A LABORATORY IN COLUMN TO A LABORATORY IN COLUMN	BRAD 1-12H	
☐ DRY HOLE, TEMPORA ☐ GAS WELL ☐ JUNKEDAND ABANDO ☐ OIL WELL ☐ WELL START ☐ SandRidge Unit Lines	RILY ABANDONED	UT-TRUST-3508-S-HILLIT TRUST-3508-S	13	18



Summary of Changes

Lease Name and Number: Foster 3508 3-2H

API/Permit #: 15-077-22059-01-00

Doc ID: 1212694

Correction Number: 1

Approved By: Rick Hestermann 07/01/2014

Field Name	Previous Value	New Value
Bottom Hole Location	330' FSL & 1320' FWL in Section 2, 35S-8W	330' FSL & 1980' FWL in Section 2, 35S-8W
KCC Only - Approved By	Rick Hestermann 06/16/2014	Rick Hestermann 07/01/2014
KCC Only - Approved Date	06/16/2014	07/01/2014
KCC Only - Date Received	06/11/2014	07/01/2014
KCC Only - Lease Inspection	Yes	No
Save Link	//kcc/detail/operatorE ditDetail.cfm?docID=12 09345	//kcc/detail/operatorE ditDetail.cfm?docID=12 12694

Summary of Attachments

Lease Name and Number: Foster 3508 3-2H

API: 15-077-22059-01-00

Doc ID: 1212694

Correction Number: 1

Approved By: Rick Hestermann 07/01/2014

Attachment Name